



October 14, 2008

Mr. Phil Fauble
Division of Air and Waste
Waste and Materials Management
Wisconsin Department of Natural Resources
101 South Webster Street, GEF II
Madison, WI 53707

Dear Mr. Fauble:

RE: 2008 Monitoring Results and Copper Park Lane Work Plan

On behalf of Flambeau Mining Company (Flambeau), Foth Infrastructure & Environment, LLC (Foth) has prepared this work plan that addresses residual copper observed during supplemental sampling which Flambeau voluntarily undertook in the ditch on the north side of Copper Park Lane in the Industrial Outlot, south of the 0.9-acre Biofilter.

Along with the sampling Flambeau agreed to complete as part of Item Number 6 of the Stipulation Agreement entered into on May 31, 2007, Flambeau also completed soil, sediment and surface water sampling at supplemental locations in and around the mine site. Surface water sample locations and results are shown in Figure 1. Soil and sediment sample locations and results are shown in Figure 2. Blown-up maps focusing on the sampling locations and results around Copper Park Lane are provided as Figure 3 for surface water and Figure 4 for soil and sediment.

Sampling completed, in accordance with the 2007 Stipulation Monitoring Work Plan (December 19, 2007), included:

- ◆ Sampling sediment from six locations in the 0.9-acre Biofilter,
- ◆ Sampling sediment from six locations in the 1.7-acre constructed wetland,
- ◆ Sampling sediment from two locations in Stream C,
- ◆ Sampling sediment from three locations in the Flambeau River,
- ◆ Sampling soil at five locations around the H&H Building,
- ◆ Sampling soil at five composited locations within the area of the reclaimed Flambeau mine,
- ◆ Sampling surface water from one location in Stream A,
- ◆ Sampling surface water from one location in Stream B,
- ◆ Sampling surface water from one location in Stream C,
- ◆ Sampling surface water from one location in the ditch along Highway 27,
- ◆ Sampling surface water from one location east of Highway 27 along the rail spur, and
- ◆ Sampling surface water from three locations in the Flambeau River.

Additionally, as part of the stipulated monitoring, crayfish and fish samples were collected from the Flambeau River in September 2008 and surface water will be obtained during a fall rain event contingent upon sufficient precipitation at the site. Results from the biota sampling and fall surface water sampling will be reported to the Parties to the Stipulation in a subsequent correspondence once all results are received.

Sampling completed as voluntary supplemental sampling included:

- ◆ Sampling soil from eight locations north and south of the former access road (Copper Park Lane),
- ◆ Sampling surface water that accumulated at three locations north and south of Copper Park Lane (four were planned but water was not available at CP-03) after a rainfall event,
- ◆ Sampling soil and surface water from two locations within the Equestrian Trailhead,
- ◆ Sampling soil and surface water from two locations within the area of the reclaimed Flambeau mine (surface water was not available at one of these locations),
- ◆ Sampling soil and surface water from nine locations north and south of the rail spur located east of the mine site,
- ◆ Sampling soil, organic material, and surface water from eight locations east of the mine site, and
- ◆ Sampling soil and surface water at two nearby representative wetlands approximately one mile north and east of the mine site, (regional samples).

All surface water samples were collected, when possible, from water that had accumulated or was flowing at each sample location after a significant rainfall event.

Sampling Methods

Soil samples were collected using a hand trowel to dig below ground surface and were collected to a depth of 4-inches. A pick was used when needed to break up consolidated material.

Organic material consisted of sampling any surface organics (leaf litter, pine needles, grass, biological material, roots, etc.) at the locations along Highway 27.

Sediment samples were collected using sediment probes within the 0.9-acre Biofilter and the 1.7-acre constructed wetland. Sediment samples were collected using sediment traps in the Flambeau River. Sediment samples were collected from Stream C using a hand trowel to dig below ground surface due to dry conditions in the stream bed.

Soil, organic material, sediment, and surface water sampling results are summarized by the following areas:

- ◆ Regional (SW-GP-01, SW-L-01, S-GP-01, S-L-01),
- ◆ Stream A (SW-A1),
- ◆ Stream B (SW-B1),
- ◆ Stream C (S-C1, S-C2, SW-C5, SW-C1),
- ◆ 1.7-acre constructed wetland (SED-MSBF-1, SED-MSBF-2, SED-MSBF-3, SED-MSBF-4, SED-MSBF-5, SED-MSBF-6),
- ◆ Flambeau River (SW-1, SW-2, SW-3, S-1, S-3, S-4),
- ◆ Reclaimed Flambeau Mine (S-1013-NT, S-1014-NT, SW-1014-NT, S-SS-MS-01, S-SS-MS-02, S-SS-MS-03, S-SS-MS-04, S-SS-MS-05),
- ◆ H & H Building (S-SS-HH-1, S-SS-HH-2, S-SS-HH-3, S-SS-HH-4, S-SS-HH-5),
- ◆ Highway 27 (SW-C8, SW-27W-01, SW-27W-02, SW-27W-03, SW-27W-04, SW-27E-01, SW-27E-02, SW-27E-03, SW-27E-04, S-27W-01, S-27W-02, S-27W-03, S-27W-04, S-27E-01, S-27E-02, S-27E-03, S-27E-04, S-27W-01-organics, S-27W-02-organics, S-27W-03-organics, S-27W-04-organics, S-27E-01-organics, S-27E-02-organics, S-27E-03-organics, S-27E-04-organics),
- ◆ Equestrian Trailhead (S-ET-01A, S-ET-01B, SW-ET-01a, SW-ET-01b),
- ◆ Rail Spur (SW-RR-01, SW-RR-02, SW-RR-03, SW-RR-04, SW-RR-05, SW-RR-06, SW-RR-07, SW-RR-08, SW-RR-09, S-RR-01, S-RR-02, S-RR-03, S-RR-04, S-RR-05, S-RR-06, S-RR-07, S-RR-08, S-RR-09, SW-C3),
- ◆ 0.9-acre Biofilter (BFSW-C1, BFSW-C2, S-IOBF-7, S-IOBF-8, S-IOBF-9, S-IOBF-10, S-IOBF-11, S-IOBF-12),
- ◆ Copper Park Lane (S-CP-01N, S-CP-02N, S-CP-03N, S-CP-04N, S-CP-05N, S-CP-06N, S-CP-03S, S-CP-04S, SW-CP-01, SW-CP-02, SW-CP-01, SW-CP-03, SW-CP-04)

Results

The results of the stipulated soil and sediment monitoring were presented in a letter from Flambeau to the Parties to the Stipulation on October 13, 2008. The results of the stipulated surface water monitoring were presented to the parties to the Stipulation on July 23, 2008. The results of the spring 2008 Biofilter monitoring were submitted on June 18, 2008.

The results of the stipulated monitoring as well as the voluntary supplemental monitoring are presented in Table 1. Lab reports are included in Attachment 1.

Copper results from the stipulated and additional monitoring are shown on Figures 1 and 2. The following sections discuss the results by area. Overall, the results do not indicate any significant environmental concern related to concentrations of copper in offsite areas or reclaimed areas of the mine.

Regional

Regional sample locations L-01 and GP-01 are shown on Figures 1 and 2. Copper was present in soil at 12 milligrams/kilogram (mg/kg) near County Road P/G and 17 mg/kg near the city of Ladysmith. Total copper was present in surface water at 8.9 micrograms/liter ($\mu\text{g/l}$) near County Road P/G and 20 $\mu\text{g/l}$ near the city of Ladysmith.

Stream A

Surface water sample SW-A1 is shown on Figure 1. Total copper was present in surface water at SW-A1 was 3.5 $\mu\text{g/l}$.

Stream B

Surface water sample SW-B1 is shown on Figure 1. Total copper present in surface water at SW-B1 was 4.5 $\mu\text{g/l}$.

Stream C

Stream C sample locations S-C-1, S-C-2, SW-C5, and SW-C1 were sampled as part of the Stipulated monitoring and as part of the January 12, 2007 Biofilter Management Plan and are shown on Figures 1 and 2. Sediment samples were collected from locations S-C-1 and S-C-2. Copper concentrations at S-C-1, near Copper Park Lane, were 180 mg/kg. Copper concentrations at S-C-2 were 7.2 mg/kg. Surface water was collected from SW-C1 and SW-C5. Total copper in surface water ranged from 14 to 27 $\mu\text{g/l}$ on April 25, 2008. These values were confirmed on June 8, 2008 when values ranged from 8.8 to 32 $\mu\text{g/l}$. Based on the surface water data the sediment is not causing any adverse effects to surface water.

1.7-acre Constructed Wetland

1.7-acre constructed wetland sediment sample locations, SED-MSBF-1 through SED-MSBF-6, are shown on Figure 2. Copper concentrations in sediment cores collected within the 1.7-acre constructed wetland ranged from 28 to 71 mg/kg. The wetland acts as a natural filter concentrating and containing sediment within the wetland and preventing movement of sediment.

Flambeau River

Flambeau River surface water and sediment locations SW-1, SW-2, SW-3, S-1, S-3, and S-4 are shown on Figures 1 and 2. Copper concentrations in sediment ranged from 8.6 mg/kg to 24 mg/kg. Total copper concentrations in surface water ranged from 2.8 $\mu\text{g/l}$ to 5.6 $\mu\text{g/l}$.

Reclaimed Flambeau Mine

Sample locations S-1013-NT, S-1014-NT, SW-1014-NT, S-SS-MS-01, S-SS-MS-02, S-SS-MS-03, S-SS-MS-04, and S-SS-MS-05 are shown on Figures 1 and 2. Copper concentrations in soil ranged from 7.8 mg/kg at S-SS-MS-01 to 94 mg/kg at S-1013-NT. Surface water was collected at SW-1014-NT, total copper concentrations at this location was 11 µg/l.

H & H Building

Sample locations S-SS-HH-1, S-SS HH-2, S-SS HH-3, S-SS HH-4, and S-SS-HH-5 are shown on Figure 2. Copper concentrations in soil at these locations ranged from 54 mg/kg at S-SS-HH-5 to 290 mg/kg at S-SS-HH-4. Values at locations S-SS-HH-1, S-SS-HH-2, S-SS-HH-3, and S-SS-HH-5 were all equal to or less than 76 mg/kg. Location S-SS-HH-4 was located in a low point which does not appear to drain significantly towards the Highway 27 ditch line. Surrounding surface water results discussed in the subsequent section show the soil at the H&H Building is not adversely affecting the quality of stormwater runoff.

Highway 27

Sample locations SW-C8, SW-27W-01, SW-27W-02, SW-27W-03, SW-27W-04, SW-27E-01, SW-27E-02, SW-27E-03, SW-27E-04, S-27W-01, S-27W-02, S-27W-03, S-27W-04, S-27E-01, S-27E-02, S-27E-03, S-27E-04, S-27W-01-organics, S-27W-02-organics, S-27W-03-organics, S-27W-04-organics, S-27E-01-organics, S-27E-02-organics, S-27E-03-organics, and S-27E-04-organics are shown on Figures 1 and 2. Copper concentrations in soil ranged from 13 mg/kg at S-27E-02 to 38 mg/kg at S-27E-03. Copper concentrations in the organic material tested ranged from 2.5 mg/kg at S-27W-02-organics to 180 mg/kg at S-27W-04-organics. Total copper concentrations in surface water at these locations ranged from 18 µg/l at SW-27E-04 to 100 µg/l at SW-C8. Copper from within the organic surface layer is not highly mobile and, as expected, is confirmed by surface water results in the area.

Equestrian Trailhead

Sample locations S-ET-01A, S-ET-01B, SW-ET-01a, and SW-ET-01b are shown on Figures 1 and 2. Copper concentrations in soil were 20 mg/kg and 27 mg/kg, respectively. Total copper in surface water at these locations was 6.8 µg/l and 5.1 µg/l, respectively.

Rail Spur

Sample locations SW-C3, SW-RR-01, SW-RR-02, SW-RR-03, SW-RR-04, SW-RR-05, SW-RR-06, SW-RR-07, SW-RR-08, SW-RR-09, S-RR-01, S-RR-02, S-RR-03, S-RR-04, S-RR-05, S-RR-06, S-RR-07, S-RR-08, and S-RR-09 are shown on Figures 1 and 2. Copper concentrations in soil ranged from 9.0 mg/kg at S-RR-04 to 19 mg/kg at S-RR-01 and S-RR-07. Total copper concentrations in surface water ranged from 6.6 µg/l at SW-RR-06 to 17 µg/l at SW-RR-08.

0.9-acre Biofilter

Sample locations BFSW-C1, BFSW-C2, S-IOBF-7, S-IOBF-8, S-IOBF-9, S-IOBF-10, S-IOBF-11, and S-IOBF-12 are shown on Figures 1 and 2. Copper concentrations in the sediment of the Biofilter ranged from 360 mg/kg at S-IOBF-12 and 2100 mg/kg at S-IOBF-9. Total copper in

surface water at the inlet of the Biofilter were 80 µg/l and 22 µg/l at the outlet of the Biofilter. These results confirm previous sample results from the Biofilter.

Copper Park Lane

Sample locations S-CP-01N, S-CP-02N, S-CP-03N, S-CP-04N, S-CP-05N, S-CP-06N, S-CP-03S, S-CP-04S, SW-CP-01, SW-CP-02, and SW-CP-04 are shown on Figures 1 and 2. Surface soil (0-3 inches) results at these locations ranged from 76 mg/kg at CP-05N mid slope to 890 mg/kg at CP-02N toe of slope (in the ditch) north of Copper Park Lane and 79 mg/kg at CP-04S to 83 mg/kg at CP-03S at the toe of the slope south of Copper Park Lane. Deeper samples were collected at locations CP-03N, CP-04N, CP-05N, and CP-06N. Copper concentrations at the mid slope and toe of the slope (in the ditch) north of Copper Park Lane, between 3-6 inches, ranged from 18 mg/kg to 46 mg/kg and concentrations, between 12-15 inches, ranged from 18 mg/kg to 29 mg/kg. Surface water samples were collected from locations CP-01N and CP-02N on May 3, 2008 (no sample was obtainable from CP-03S or CP-04S) concentrations were 280 µg/l and 170 µg/l, respectively. Confirmation samples were collected from CP-01N and CP-02N and a sample was obtainable from CP-04S on June 8, 2008 concentrations ranged from 26 µg/l at CP-04S to 440 µg/l and 340 µg/l at CP-01N and CP-02N, respectively.

Conclusion

Based on the results of all the sampling, water quality leaving the site has not had a significant adverse impact on Streams A, B, and C.

Based on the results, further remedial action is not required in any areas tested. Nonetheless, Flambeau wishes to undertake work in the north ditch along Copper Park Lane to eliminate any possibility that this area could be considered a potential source of copper to Stream C. Flambeau is proposing to remove surficial soils and replace with clean fill and topsoil.

Presented in the following section is further detail for the proposed work.

Work Plan

Flambeau will remove the existing topsoil and six inches of subgrade material along the ditch that borders the north side of Copper Park Lane as shown in Figure 5. The approximately 25 feet wide by 300 feet long area (approximately 7,500 square feet) will yield about 232 cubic yards of material (assuming 4 inches of existing topsoil). The excavating and loading will be performed by standard excavation and loading equipment such as a backhoe, front-end loader or bull dozer. The excavated material will be taken to an approved landfill for disposal or for beneficial re-use at the landfill.

Prior to excavation, a silt fence will be installed along the west edge of Stream C at the location shown on Figure 5 and in accordance with Specification Section 01 57 13, Attachment 2.

Clean, well graded gravel will be placed in the area of excavated subgrade to re-establish the subgrade elevations. Clean topsoil will be placed on the gravel fill to re-establish the top of topsoil elevations. The laboratory results of the material that will be used for topsoil and gravel

Mr. Phil Fauble
Wisconsin Department of Natural Resources
October 14, 2008
Page 7

fill are in Attachment 3. The topsoil will be seeded and covered with an appropriate erosion control matting. The seed mix that will be used is Speedy Green. Speedy Green is a standard seed mix used by contractors in the area to establish quick stabilization for erosion control. The Speedy Green mix consists of 25% Bluegrass, 25% Red Fescue, 25% Perennial Rye, and 25% Annual Rye. All species listed are commonly used in Wisconsin Department of Transportation seed mixes.

Grading work will be performed in general accordance with Specification Section 31 22 13, Attachment 2. Temporary erosion control will be performed in general accordance to Specification Section 01 57 13, Attachment 3.

It is anticipated that the excavation, hauling and backfilling work will take approximately one to two days. Seeding and mat placement would be completed the day after the construction work. Your prompt review of this Work Plan is appreciated so that Flambeau can complete the work this year.

Sincerely,

Foth Infrastructure & Environment, LLC



Sharon V.F. Kozicki, C.E.M., P.G.
Project Geologist



James B. Hutchison, P.E.
Senior Engineer

cc: Ms. Jana Murphy, Flambeau Mining Company
Mr. Steve Donohue, Foth Infrastructure & Environment, LLC
Mr. Hank Handzel, DeWitt, Ross & Stevens
Mr. Dave Cline, Kennecott Minerals Company
Ms. CeCe Tesky, Rusk County Zoning
Mr. Randy Tatur, Rusk County Board
Mr. Al Christianson, City of Ladysmith
Mr. Tom Reigel, Town of Grant
Mr. Jon Kleist, WDNR Ladysmith
Mr. Terry Koehn, WDNR Spooner
Ms. Ann Coakley, WDNR Rhinelander

Attachment 1 NLS Lab Reports & Chain-of-Custodies
Attachment 2 Specifications
Attachment 3 Clean Fill Test Results

Table 1
2008 Monitoring Results

	Sample ID	S-IOBF-7 (0-.12)	S-IOBF-8 (0-.25)	S-IOBF-9 (0-.19)	S-IOBF-10 (0-.2)	S-IOBF-11 (0-.15)	S-IOBF-12 (0-.17)	BFSW-C1	BFSW-C1	BFSW-C1	BFSW- C1Dup	BFSW-C2	BFSW-C2	BFSW-C2	S-MSBF-1 (0-.15)	S-MSBF-2 (0-.12)	S-MSBF-3 (0-.13)	S-MSBF-4 (0-.15)	S-MSBF-5 (0-.22)	
	Collection Date	5/27/2008	5/27/2008	5/27/2008	5/27/2008	5/27/2008	5/27/2008	4/25/2008	6/8/2008	6/8/2008	4/25/2008	4/25/2008	6/8/2008	6/8/2008	8/12/2008	8/12/2008	8/12/2008	8/12/2008	8/12/2008	
	Area	0.9-acre Biofilter	0.9-acre Biofilter	0.9-acre Biofilter	0.9-acre Biofilter	0.9-acre Biofilter	0.9-acre Biofilter	0.9-acre Biofilter	0.9-acre Biofilter	0.9-acre Biofilter	0.9-acre Biofilter	0.9-acre Biofilter	0.9-acre Biofilter	0.9-acre Biofilter	0.9-acre Biofilter	1.7-acre Constructed Wetland	1.7-acre Constructed Wetland	1.7-acre Constructed Wetland	1.7-acre Constructed Wetland	1.7-acre Constructed Wetland
	Sample Depth	0-.12'	0-.25'	0-.19'	0-.2'	0-.15'	0-.17'	NA	NA	NA	NA	NA	NA	NA	NA	0-.15'	0-.12'	0-.13'	0-.15'	0-.22'
	Matrix	SED	SED	SED	SED	SED	SED	SW	SW	SW	SW	SW	SW	SW	SW	SED	SED	SED	SED	SED
	Batch	118737	118737	118737	118737	118737	118737	117583	119677	119016	117583	117583	119016	119677	121641	121641	121641	121641	121641	121641
Parameter	Units																			
Conductivity, lab	umho@25C							88	89		87	163		98						
Copper, dis. as Cu by ICP-Trace	µg/L									55				18						
Copper, tot. recoverable as Cu by ICP	mg/Kg DWB	1500	910	2100	750	730	360								37	71	54	32	28	
Copper, tot. recoverable as Cu by ICP-Trace	µg/L							80	61		71	22		8.8						
Hardness, tot. recoverable as CaCO3 (calc/unfilt/trace)	mg/L							30	30		30	27		19						
Iron, dis. as Fe by ICP-Trace	mg/L									0.24			0.41							
Iron, tot. recoverable as Fe by ICP	mg/Kg DWB	26000	22000	54000	24000	21000	16000								17000	25000	26000	18000	22000	
Iron, tot. recoverable as Fe by ICP-Trace	mg/L							0.41		0.46	0.44	0.82	0.69							
Manganese, dis. as Mn by ICP-Trace	µg/L									5.5			21							
Manganese, tot. recoverable as Mn by ICP	mg/Kg DWB	370	380	1100	440	440	300								470	490	480	330	500	
Manganese, tot. recoverable as Mn by ICP-Trace	µg/L							16			18	140								
pH, Lab	s.u.							7.63	7.58		7.59	7.63		7.31						
pH, lab (soil/sludge)	s.u. pHw																			
Solids, tot. volatile	% DWB																			
Solids, total on solids	%	51.5	51.4	16.3	41.5	29.9	42.1								14.5	15.3	15.7	20.4	21.3	
Sulfate, as SO4 (unfiltered)	mg/L							6.1		5.4	6.3	7	5.7							
Sulfide as S	%																			
Zinc, dis. as Zn by ICP-Trace	µg/L												6.4 J							
Zinc, tot. recoverable as Zn by ICP	mg/Kg DWB	120	87	250	96	98	61								57	64	69	51	59	
Zinc, tot. recoverable as Zn by ICP-Trace	µg/L							25	24	24	20	7.3 J		<5.0						

**Table 1
2008 Monitoring Results**

	Sample ID	S-MSBF-6 (0-.17)	S-CP-01N- 0-3"	S-CP-02N- 0-3"	S-CP-03N- 0-3"	S-CP-03N- 3-6"	S-CP-03N- 12-15"	S-CP-04N- 0-3"	S-CP-04N- 3-6"	S-CP-04N- 12-15"	CP-05N- 0-3"	CP-05N- 3-6"	CP-05N- 12-15"	CP-06N- 0-3"	CP-06N- 3-6"	CP-06N- 12-15"	S-CP-03S	S-CP-04S	
	Collection Date	8/12/2008	7/10/2008	7/10/2008	7/10/2008	7/10/2008	7/10/2008	7/10/2008	7/10/2008	7/10/2008	7/10/2008	7/10/2008	7/10/2008	7/10/2008	7/10/2008	7/10/2008	7/28/2008	7/28/2008	
	Area	1.7-acre Constructed Wetland	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane
	Sample Depth	0-.17'	0-.25'	0-.25'	0-.25'	.25-.5'	1-1.25'	0-.25'	.25-.5'	1-1.25'	0-.25'	.25-.5'	1-1.25'	0-.25'	.25-.5'	1-1.25'	0-.33'	0-.33'	
	Matrix	SED	SED	SED	SED	SED	SED	SED	SED	SED	SED	SO	SO	SO	SO	SO	SO	SO	SO
Batch	121641	120241	120241	120241	120241	120241	120241	120241	120241	120241	120241	120241	120241	120241	120241	120241	121091	121091	
Parameter	Units																		
Conductivity, lab	umho@25C																		
Copper, dis. as Cu by ICP-Trace	µg/L																		
Copper, tot. recoverable as Cu by ICP	mg/Kg DWB	44	96	890	82	32	21	180	18	18	76	21	29	110	46	23	83	79	
Copper, tot. recoverable as Cu by ICP-Trace	µg/L																		
Hardness, tot. recoverable as CaCO3 (calc/unfilt/trace)	mg/L																		
Iron, dis. as Fe by ICP-Trace	mg/L																		
Iron, tot. recoverable as Fe by ICP	mg/Kg DWB	21000																	
Iron, tot. recoverable as Fe by ICP-Trace	mg/L																		
Manganese, dis. as Mn by ICP-Trace	µg/L																		
Manganese, tot. recoverable as Mn by ICP	mg/Kg DWB	380																	
Manganese, tot. recoverable as Mn by ICP-Trace	µg/L																		
pH, Lab	s.u.																		
pH, lab (soil/sludge)	s.u. pHw		6.8	6.5	7	6.8	7	6.7	7.1	8.3	8.1	7.3	6.7	7.2	6.6	6.8	4.5	4.7	
Solids, tot. volatile	% DWB																		
Solids, total on solids	%	22	72	74.3	83.7	83.5	84.7	79.5	88.3	88.6	79.2	84.2	91.4	89.5	92.3	94.9	90.5	91.4	
Sulfate, as SO4 (unfiltered)	mg/L																		
Sulfide as S	%		0.03 B	0.01 B	0.01 B	<0.01	<0.01	0.01 B	<0.01	<0.01	0.01 B	0.01 B	<0.01	<0.01	0.02 B	0.01 B	0.07 B	<0.01	
Zinc, dis. as Zn by ICP-Trace	µg/L																		
Zinc, tot. recoverable as Zn by ICP	mg/Kg DWB	57																	
Zinc, tot. recoverable as Zn by ICP-Trace	µg/L																		

**Table 1
2008 Monitoring Results**

	Sample ID	SW-CP-01	SW-CP-02	SW-CP-01	SW-CP-02	SW-CP-04	S-ET-01A	S-ET-01B	SW-ET-01a	SW-ET-01b	S 1A-1D	S 3A-3D	S 4A-4D	SW-1	SW-2	SW-3	S-SS-HH-1	S-SS-HH-2	S-SS-HH-3
	Collection Date	5/3/2008	5/3/2008	6/8/2008	6/8/2008	6/8/2008	7/29/2008	7/29/2008	5/3/2008	5/3/2008	7/31/2008	7/31/2008	7/31/2008	4/25/2008	4/25/2008	4/25/2008	7/31/2008	7/31/2008	7/31/2008
	Area	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Copper Park Lane	Equestrian Trailhead	Equestrian Trailhead	Equestrian Trailhead	Equestrian Trailhead	Flambeau River	Flambeau River	Flambeau River	Flambeau River	Flambeau River	Flambeau River	H&H Building	H&H Building	H&H Building
	Sample Depth	NA	NA	NA	NA	NA	0-.33'	0-.33'	NA	NA	NA	NA	NA	NA	NA	NA	0-.33'	0-.33'	0-.33'
	Matrix	SW	SW	SW	SW	SW	SO	SO	SW	SW	SED	SED	SED	SW	SW	SW	SO	SO	SO
Batch	117795	117795	119016	119016	119016	121091	121091	117795	117795	121189	121189	121189	117701	117701	117701	121188	121188	121188	
Parameter	Units																		
Conductivity, lab	umho@25C	514	184	228	136	490			37	59				71	70	75			
Copper, dis. as Cu by ICP-Trace	µg/L	140	140	380	340	34			7.8	4.9									
Copper, tot. recoverable as Cu by ICP	mg/Kg DWB						20	27			8.6	17	24				76	71	70
Copper, tot. recoverable as Cu by ICP-Trace	µg/L	280	170	440	340	26			6.8	5.1				4.4	2.8 J	5.6			
Hardness, tot. recoverable as CaCO3 (calc/unfilt/trace)	mg/L	32	15	16	15	120			16	22				28	27	25			
Iron, dis. as Fe by ICP-Trace	mg/L	0.76	0.49	2.7	2.4	0.44			0.19	0.072 J									
Iron, tot. recoverable as Fe by ICP	mg/Kg DWB										16000	24000	22000						
Iron, tot. recoverable as Fe by ICP-Trace	mg/L	2.1	1.2	2.5	2.4	0.61			1.2	0.2				0.78	0.72	0.77			
Manganese, dis. as Mn by ICP-Trace	µg/L	18	8.4	24	25	110			5.6	1.4 J									
Manganese, tot. recoverable as Mn by ICP	mg/Kg DWB										1000	1600	1200						
Manganese, tot. recoverable as Mn by ICP-Trace	µg/L	72	26	49	40	140			23	6.5				96	88	82			
pH, Lab	s.u.	6.91	6.98	8.23	8.24	7.18			7.38	7.38				7.53	7.54	7.46			
pH, lab (soil/sludge)	s.u. pHw						6.2	6.6									5.7	5.3	5.7
Solids, tot. volatile	% DWB										<2.0	6.2	6.7						
Solids, total on solids	%						89.8	87.4			75.2	36.6	30.8				96.4	97.4	97.7
Sulfate, as SO4 (unfiltered)	mg/L	13	8.9	26	13	17			1.5	7.9				4.7 J	4.9 J	4.7 J			
Sulfide as S	%						<0.01	<0.01									<0.01	0.01 B	<0.01
Zinc, dis. as Zn by ICP-Trace	µg/L	55	26	42	39	31			11	7 J									
Zinc, tot. recoverable as Zn by ICP	mg/Kg DWB										32	80	81						
Zinc, tot. recoverable as Zn by ICP-Trace	µg/L	70	31	59	47	35			6.3 J	5				8.5 J	5.5 J	11			

**Table 1
2008 Monitoring Results**

	Sample ID	S-SS-HH-4	S-SS-HH-5	S-27E-01-Organics	S-27E-02-Organics	S-27E-03-Organics	S-27E-04-Organics	S-27W-01-Organics	S-27W-02-Organics	S-27W-03-Organics	S-27W-04-Organics	S-27E-01-Soil	S-27E-02-Soil	S-27E-03-Soil	S-27E-04-Soil	S-27W-01-Soil	S-27W-02-Soil	S-27W-03-Soil	S-27W-04-Soil	
	Collection Date	7/31/2008	7/31/2008	7/29/2008	7/29/2008	7/29/2008	7/29/2008	7/28/2008	7/29/2008	7/29/2008	7/29/2008	7/29/2008	7/29/2008	7/29/2008	7/29/2008	7/28/2008	7/29/2008	7/29/2008	7/29/2008	7/29/2008
	Area	H&H Building	H&H Building	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27
	Sample Depth	0-.33'	0-.33'	NA	NA	NA	NA	NA	NA	NA	NA	NA	0-.33'	0-.33'	0-.33'	0-.33'	0-.33'	0-.33'	0-.33'	0-.33'
	Matrix	SO	SO	ORGANICS	ORGANICS	ORGANICS	ORGANICS	ORGANICS	ORGANICS	ORGANICS	ORGANICS	ORGANICS	SO	SO	SO	SO	SO	SO	SO	SO
Batch	121188	121188	121091	121091	121091	121091	121091	121091	121091	121091	121091	121091	121091	121091	121091	121091	121091	121091	121091	121091
Parameter	Units																			
Conductivity, lab	umho@25C																			
Copper, dis. as Cu by ICP-Trace	µg/L																			
Copper, tot. recoverable as Cu by ICP	mg/Kg DWB	290	54	10	13	66	34	4.4	2.5	56	180	17	13	38	30	14	24	25	23	
Copper, tot. recoverable as Cu by ICP-Trace	µg/L																			
Hardness, tot. recoverable as CaCO3 (calc/unfilt/trace)	mg/L																			
Iron, dis. as Fe by ICP-Trace	mg/L																			
Iron, tot. recoverable as Fe by ICP	mg/Kg DWB																			
Iron, tot. recoverable as Fe by ICP-Trace	mg/L																			
Manganese, dis. as Mn by ICP-Trace	µg/L																			
Manganese, tot. recoverable as Mn by ICP	mg/Kg DWB																			
Manganese, tot. recoverable as Mn by ICP-Trace	µg/L																			
pH, Lab	s.u.																			
pH, lab (soil/sludge)	s.u. pHw	5.1	6.3	5.3	6.5	6.1	6.2	5.6	5.3	5.7	5.2	6.5	6.0	5.8	6.0	6.0	5.7	5.2	4.8	
Solids, tot. volatile	% DWB																			
Solids, total on solids	%	92.9	95.6	35.5	40.4	24	37.1	66.4	51.6	31.5	46.4	81.3	77.7	51.2	59.6	85.7	81.2	63.8	64.5	
Sulfate, as SO4 (unfiltered)	mg/L																			
Sulfide as S	%	0.01 B	<0.01	<0.01	0.01 B	0.04 B	0.02 B	<0.01	<0.01	<0.01	<0.01	0.01 B	<0.01	0.01 B	<0.01	<0.01	<0.01	0.02 B	<0.01	
Zinc, dis. as Zn by ICP-Trace	µg/L																			
Zinc, tot. recoverable as Zn by ICP	mg/Kg DWB																			
Zinc, tot. recoverable as Zn by ICP-Trace	µg/L																			

**Table 1
2008 Monitoring Results**

Parameter	Sample ID	SW-27E-01	SW-27E-02	SW-27E-03	SW-27E-04	SW-27W-01	SW-27W-02	SW-27W-03	SW-27W-04	SW-C8	SW-C8	SW-C8	S-RR-01	S-RR-02	S-RR-03	S-RR-04	S-RR-05	S-RR-06	S-RR-07	
	Collection Date	5/3/2008	5/3/2008	5/3/2008	5/3/2008	5/3/2008	5/3/2008	5/3/2008	5/3/2008	4/25/2008	6/8/2008	6/8/2008	7/28/2008	7/28/2008	7/28/2008	7/28/2008	7/28/2008	7/28/2008	7/28/2008	7/28/2008
	Area	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Hwy 27	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Rail Spur
	Sample Depth	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0-.33'	0-.33'	0-.33'	0-.33'	0-.33'	0-.33'	0-.33'
	Matrix	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SO	SO	SO	SO	SO	SO	SO
	Batch	117795	117795	117795	117795	117795	117795	117795	117795	117795	117583	119016	119677	121091	121091	121091	121091	121091	121091	121091
Units																				
Conductivity, lab	umho@25C	118	106	146	121	482	421	611	444	457		22								
Copper, dis. as Cu by ICP-Trace	µg/L	23	22	23	19	24	31	33	27		110									
Copper, tot. recoverable as Cu by ICP	mg/Kg DWB												19	12	10	9	15	11	19	
Copper, tot. recoverable as Cu by ICP-Trace	µg/L	25	25	22	18	33	32	34	27	33		100								
Hardness, tot. recoverable as CaCO3 (calc/unfilt/trace)	mg/L	5.4	6.7	6.8	6.5	11	7.4	12	18	25		12								
Iron, dis. as Fe by ICP-Trace	mg/L	0.46	0.38	0.53	0.42	0.46	0.37	0.44	0.38		2.4									
Iron, tot. recoverable as Fe by ICP	mg/Kg DWB																			
Iron, tot. recoverable as Fe by ICP-Trace	mg/L	0.6	1	0.89	0.94	1.2	0.87	0.68	0.45	0.8		2.4								
Manganese, dis. as Mn by ICP-Trace	µg/L	6.3	6.8	7.6	6.3	7.1	6.1	10	17		17									
Manganese, tot. recoverable as Mn by ICP	mg/Kg DWB																			
Manganese, tot. recoverable as Mn by ICP-Trace	µg/L	34	100	16	15	49	16	26	24	63		79								
pH, Lab	s.u.	6.69	6.74	6.79	6.84	6.69	6.7	7.07	6.39	7.19		7.1								
pH, lab (soil/sludge)	s.u. pHw												5.9	5.9	5.6	5.8	5.9	5.6	6.3	
Solids, tot. volatile	% DWB																			
Solids, total on solids	%												57.2	82	73.9	72.7	85.8	82.2	87.8	
Sulfate, as SO4 (unfiltered)	mg/L	6.6	6.7	6.9	5.8	8.9	8.5	12	6.5	6.9		3.6 J								
Sulfide as S	%												0.01 B	0.01 B	<0.01	0.01 B	<0.01	<0.01	<0.01	
Zinc, dis. as Zn by ICP-Trace	µg/L	14	15	18	15	56	29	25	29		33									
Zinc, tot. recoverable as Zn by ICP	mg/Kg DWB																			
Zinc, tot. recoverable as Zn by ICP-Trace	µg/L	14	22	18	15	68	31	24	27	42		36								

**Table 1
2008 Monitoring Results**

Parameter	Units	Sample ID	S-RR-08	S-RR-09	SW-C3	SW-C3	SW-C3	SW-RR-01	SW-RR-02	SW-RR-03	SW-RR-04	SW-RR-05	SW-RR-06	SW-RR-07	SW-RR-08	SW-RR-09	S-1013-NT	S-1014-NT	S-SS-MS-1	S-SS-MS-2	
		Collection Date	7/28/2008	7/28/2008	4/25/2008	6/8/2008	6/8/2008	5/4/2008	5/4/2008	5/4/2008	5/4/2008	5/4/2008	5/4/2008	5/4/2008	5/4/2008	5/4/2008	5/4/2008	7/29/2008	7/29/2008	7/31/2008	7/31/2008
		Area	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Rail Spur	Reclaimed Flambeau Mine	Reclaimed Flambeau Mine	Reclaimed Flambeau Mine	Reclaimed Flambeau Mine
		Sample Depth	0-.33'	0-.33'	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0-.33'	0-.33'	Comp: 0-.33'	Comp: 0-.33'
		Matrix	SO	SO	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SO	SO	SO	SO
		Batch	121091	121091	117701	119016	119677	117795	117795	117795	117795	117795	117795	117795	117795	117795	117795	121091	121091	121188	121188
Conductivity, lab	umho@25C			31		29	41	34	28	25	22	25	63	53	33						
Copper, dis. as Cu by ICP-Trace	µg/L				16		11	11	7.8	5.9	8.1	6	6.5	15	6.9						
Copper, tot. recoverable as Cu by ICP	mg/Kg DWB	16	17													94	43	7.8	8.9		
Copper, tot. recoverable as Cu by ICP-Trace	µg/L			6.9		9	11	8.9	7.1	9.1	9.6	6.6	8	17	7.6						
Hardness, tot. recoverable as CaCO3 (calc/unfilt/trace)	mg/L			11		13	9.3	9	10	9.0	8.2	9.4	21	17	12						
Iron, dis. as Fe by ICP-Trace	mg/L				0.77		0.24	0.2	0.5	0.20	0.17	0.20	0.39	0.61	0.59						
Iron, tot. recoverable as Fe by ICP	mg/Kg DWB																				
Iron, tot. recoverable as Fe by ICP-Trace	mg/L			0.72		1.1	0.39	0.38	0.85	0.64	0.56	0.49	0.62	1.3	0.96						
Manganese, dis. as Mn by ICP-Trace	µg/L				17		5.2	5.3	23	14	5.8	4.6	46	38	370						
Manganese, tot. recoverable as Mn by ICP	mg/Kg DWB																				
Manganese, tot. recoverable as Mn by ICP-Trace	µg/L			25		45	7.6	7.7	230	21	24	76	88	150	420						
pH, Lab	s.u.			6.92		6.62	6.39	6.41	6.31	6.66	6.26	6.11	6.84	6.24	6.19						
pH, lab (soil/sludge)	s.u. pHw	5.8	5.8													5.9	6.0	6.1	6		
Solids, tot. volatile	% DWB																				
Solids, total on solids	%	74.6	69.1													86.2	83	89.2	93.6		
Sulfate, as SO4 (unfiltered)	mg/L			3.3 J		2.6 J	<2.5	<2.5	2.7 J	2.6 J	<2.5	<2.5	<2.5	<2.5	<2.5						
Sulfide as S	%	<0.01	<0.01													<0.01	0.01 B	0.01 B	<0.01		
Zinc, dis. as Zn by ICP-Trace	µg/L				11		16	14	10	6.3 J	6.9 J	10	6.1 J	25	15						
Zinc, tot. recoverable as Zn by ICP	mg/Kg DWB																				
Zinc, tot. recoverable as Zn by ICP-Trace	µg/L			9.2 J		10	15	14	13	15	7.9 J	11	5.8 J	27	16						


**Table 1
2008 Monitoring Results**

Parameter	Sample ID	S-SS-MS-3	S-SS-MS-4	S-SS-MS-5	SW-1014-NT	S-GP-01	S-L-01	SW-GP-01	SW-L-01	SW-A1	SW-B1	S-C-1	S-C-2	SW-C1	SW-C1	SW-C1	SW-C5	SW-C5	SW-C5	
	Collection Date	7/31/2008	7/31/2008	7/31/2008	5/3/2008	7/29/2008	7/29/2008	5/3/2008	5/3/2008	4/25/2008	4/25/2008	5/28/2008	5/28/2008	4/25/2008	6/8/2008	6/8/2008	4/25/2008	6/8/2008	6/8/2008	
	Area	Reclaimed Flambeau Mine	Reclaimed Flambeau Mine	Reclaimed Flambeau Mine	Reclaimed Flambeau Mine	Regional	Regional	Regional	Regional	Stream A	Stream B	Stream C	Stream C	Stream C	Stream C	Stream C	Stream C	Stream C	Stream C	
	Sample Depth	Comp: 0-.33'	Comp: 0-.33'	Comp: 0-.33'	NA	Comp: 0-.33'	Comp: 0-.33'	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Matrix	SO	SO	SO	SW	SO	SO	SW	SW	SW	SW	SED	SED	SW	SW	SW	SW	SW	SW	SW
Batch	121188	121188	121188	117795	121091	121091	117795	117795	117701	117701	118737	118737	117701	119016	119677	117583	119016	119677	119677	
Units																				
Conductivity, lab	umho@25C				90			216	434	93	59			103		73	57		44	
Copper, dis. as Cu by ICP-Trace	µg/L				12			8.8	18					42		28				
Copper, tot. recoverable as Cu by ICP	mg/Kg DWB	11	13	12		12	17					180	7.2							
Copper, tot. recoverable as Cu by ICP-Trace	µg/L				11			8.9	20	3.5 J	4.5			27		32	14		23	
Hardness, tot. recoverable as CaCO3 (calc/unfilt/trace)	mg/L				32			18	5.8	18	22			21		16	11		11	
Iron, dis. as Fe by ICP-Trace	mg/L				0.045 J			0.32	0.45											
Iron, tot. recoverable as Fe by ICP	mg/Kg DWB											20000	8400						0.93	
Iron, tot. recoverable as Fe by ICP-Trace	mg/L				0.14			3.2	1.2	1.1	0.69			0.83		1.1	0.66	1.1		
Manganese, dis. as Mn by ICP-Trace	µg/L				1.5 J			11	5.3					12					12	
Manganese, tot. recoverable as Mn by ICP	mg/Kg DWB											490	150							
Manganese, tot. recoverable as Mn by ICP-Trace	µg/L				59			95	28	81	27			20		38	17			
pH, Lab	s.u.				7.3			7.01	6.96	7.37	7.49			7.1		6.7	6.78		6.87	
pH, lab (soil/sludge)	s.u. pHw	6	6	6		6.9	6.9													
Solids, tot. volatile	% DWB																			
Solids, total on solids	%	89.8	84.5	91.7		78.5	72.7													
Sulfate, as SO4 (unfiltered)	mg/L				11			4.7 J	16	<2.5	3.5 J	40.2	80.2							
Sulfide as S	%	<0.01	<0.01	<0.01		0.01 B	<0.01							4.5 J		3.7 J	3.4 J	<2.5		
Zinc, dis. as Zn by ICP-Trace	µg/L				6.8 J			26	15											
Zinc, tot. recoverable as Zn by ICP	mg/Kg DWB											330	27		39				37	
Zinc, tot. recoverable as Zn by ICP-Trace	µg/L				<5.0			37	20	7.3 J	<5.0			63		44	35		41	

Notes:

dis.=Dissolved
 CU = Copper
 ICP = Inductively Coupled Plasma
 Calc = Calculated
 Unfilt = Unfiltered
 Fe = Iron
 Mn = Manganese
 tot = total
 SO₄ = Sulfate
 Zn = Zinc
 Umho@25C = micromhos@ 25 °Celsius
 µg/L = micrograms/liter
 S = Sulfur

mg/kg = milligrams/kilogram
 mg/l = milligrams/liter
 DWB = milligrams/kilogram
 s.u - Standard Unit
 % = Percent
 pHw = pH of water slurry from solid
 (') = feet
 SW = Surface Water
 Sed = Sediment
 SO = Soil
 J = Result is between the limit of detection and limit of quantification
 < = Result is less than the limit of detection
 QA = Quality Assurance



NOTES

1. Aerial photography base map downloaded from USDA Geospatial Data Gateway. (2005 1 Meter NAIP Imagery)
2. Horizontal datum based on NAD 1983. Horizontal coordinates based on Wisconsin State Plane North (Foot).
3. Surface water locations SW-C1, SW-C3, BFSW-C1, BFSW-C2, SW-C5, and SW-C8 were resampled in June, 2008 to confirm results from April, 2008 and correlate to samples from CP-01, CP-02, and CP-04 sampled at the same time.

LEGEND

- SW-C5 ○ Matrix-Sample Point ID
- 28 Dissolved Copper in Surface Water (ug/L)
- 23 Total Copper in Surface Water (ug/L)
- Wetland Boundary
- Biofilter Boundary
- Industrial Outlot Boundary
- Reclaimed Flambeau Mine Area
- Flambeau Project Area
- Intermittent Stream

Sampling Category

- Stipulated Monitoring
- Supplemental Sampling
- Biofilter Management Plan Monitoring
- Stipulated Program and Biofilter Management Plan Monitoring



Foth Infrastructure & Environment, LLC


REVISED	DATE	BY	DESCRIPTION

CHECKED BY:	SWF	DATE:	OCT '08
APPROVED BY:	JB-H	DATE:	OCT '08
APPROVED BY:		DATE:	

FLAMBEAU MINING COMPANY

FIGURE 1
COPPER CONCENTRATIONS
IN SURFACE WATER, 2008 MONITORING

Scale:	Date: OCTOBER, 2008
Prepared by: BJW1	Project No: 08F777



- NOTES**
1. Aerial photography base map downloaded from USDA Geospatial Data Gateway. (2005 1 Meter NAIP Imagery)
 2. Horizontal datum based on NAD 1983. For vertical coordinates based on Wisconsin State Plane North (Feet).
 3. Soil sample depth is 0.33' unless otherwise noted.

LEGEND

S-CP-06NO	Matrix-Sample Point ID
110	Copper in Soil/Sediment, (mg/Kg)
	Wetland Boundary
	Biofilter Boundary
	Industrial Outlot Boundary
	Reclaimed Flambeau Mine Area
	Flambeau Project Area
	Intermittent Stream

- Sampling Categories**
- Stipulated Monitoring
 - Supplemental Sampling



Foth Infrastructure & Environment, LLC


REVISED	DATE	BY	DESCRIPTION

CHECKED BY: SVF DATE: OCT. '08
 APPROVED BY: JEH1 DATE: OCT. '08
 APPROVED BY: DATE:

FLAMBEAU MINING COMPANY

FIGURE 2
 COPPER CONCENTRATIONS
 IN SOIL/SEDIMENTS, 2008 MONITORING

Scale: Date: OCTOBER, 2008
 Prepared by: BJW1 Project No: 08F777



NOTES

- Digital orthophoto imagery provided by Aero-Metric, Inc., Sheboygan, WI. Date of Acquisition: May 17, 2008.
- Horizontal datum based on NAD 1983. Horizontal coordinates based on Wisconsin State Plane North (Foot).
- Surface water locations SW-C1, SW-C3, BFSW-C1, BFSW-C2, SW-C5, and SW-C8 were resampled in June, 2008 to confirm results from April, 2008 and correlate to samples from CP-01, CP-02, and CP-04 sampled at the same time.

LEGEND

- | | | | |
|---------|------------------------------------------|---|--------------------------------------------------------|
| SW-C5 ○ | Matrix-Sample Point ID | ● | Stipulated Monitoring |
| 28 | Dissolved Copper in Surface Water (ug/L) | ● | Supplemental Sampling |
| 23 | Total Copper in Surface Water (ug/L) | ● | Biofilter Management Plan Monitoring |
| | Biofilter Boundary | ● | Stipulated Program and Biofilter Management Monitoring |
| | Industrial Outlet Boundary | | |
| | Flambeau Project Area | | |
| | Intermittent Stream | | |



Foth Infrastructure & Environment, LLC


REVISED	DATE	BY	DESCRIPTION

CHECKED BY:	SVF	DATE:	OCT, '08
APPROVED BY:	JBH	DATE:	OCT, '08
APPROVED BY:		DATE:	

FLAMBEAU MINING COMPANY

**FIGURE 3
COPPER CONCENTRATIONS
IN SURFACE WATER, 2008 MONITORING**

Scale:	Date: OCTOBER, 2008
Prepared by: BJW1	Project No: 08F777



NOTES
 1. Digital orthophoto imagery provided by Aero-Metric, Inc., Sheboygan, WI. Date of Acquisition: May 17, 2008.
 2. Horizontal datum based on NAD 1983. Horizontal coordinates based on Wisconsin State Plane North (1 east).
 3. Soil sample depth is 0.33' unless otherwise noted.


LEGEND
 S-CP-06NO 110 Matrix-Sample Point ID Copper in Soil/Sediment, (mg/Kg)
 Biofilter Boundary
 Industrial Outlet Boundary
 Flambeau Project Area
 Intermittent Stream

Sampling Categories
 Stipulated Monitoring
 Supplemental Sampling



Foth Infrastructure & Environment, LLC			
REVISED	DATE	BY	DESCRIPTION
CHECKED BY:	BVF	DATE:	OCT. 08
APPROVED BY:	JRH1	DATE:	OCT. 08
APPROVED BY:		DATE:	

FLAMBEAU MINING COMPANY	
FIGURE 4 COPPER CONCENTRATIONS IN SOIL/SEDIMENTS, 2008 MONITORING	
Scale:	Date: OCTOBER, 2008
Prepared by: BJWM	Project No: 98F777





N

LEGEND

- EXISTING CONTOUR
- EXISTING SPOT ELEVATION
- EXISTING TREE/BRUSH
- EXISTING WATER
- EXISTING WATER
- EXISTING CULVERT
- EXISTING BITUMINOUS PAVED AREA
- PROPOSED SILT FENCE LOCATION
- S-CP-05N SAMPLING POINT
- ANCHOR TRENCH LOCATION
- PROPOSED REPLACEMENT SOIL AREA (EROSION CONTROL MAT PLACED ON TOP OF NEW TOPSOIL)

NOTES:

1. TOPOGRAPHY BY PHOTOGRAMMETRIC METHODS FROM AERIAL PHOTOGRAPHS TAKEN ON MAY 17, 2008, BY AEROMETRIC ENGINEERING, MAPLE GROVE, MN. HORIZONTAL DATUM IS NAD 83, COUNTY. VERTICAL DATUM IS NGVD 29.



Foth
Foth Infrastructure & Environment, LLC

FLAMBEAU MINING COMPANY

FIGURE 5
SOIL REPLACEMENT AREA

Scale: Date: OCTOBER, 2006

Prepared By: JRB2 Checked By: JBH1 06F777

Attachment 1
NLS Lab Reports

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/13/08 Code: S Page 1 of 3

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117583

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: BF Monitoring - Spring 2008

SW-C5 NLS ID: 475993

COC: 103566:1 Matrix: SW

Collected: 04/25/08 14:17 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	57	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	14	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	11	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.66	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	17	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	6.78	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	[3.4]	mg/L	10	2.5	5.0	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	35	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

BFSW-C2 NLS ID: 475994

COC: 103566:2 Matrix: SW

Collected: 04/25/08 14:25 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	163	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	22	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	27	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.82	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	140	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	7.63	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	7.0	mg/L	10	2.5	5.0	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	[7.3]	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

SW-C8 NLS ID: 475995

COC: 103566:3 Matrix: SW

Collected: 04/25/08 14:30 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	457	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	33	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	25	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.80	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	63	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	7.19	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	6.9	mg/L	10	2.5	5.0	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	42	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/13/08 Code: S Page 2 of 3

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117583

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: BF Monitoring - Spring 2008

BFSW-C1 NLS ID: 475996

COC: 103566:4 Matrix: SW

Collected: 04/25/08 17:27 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	88	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	80	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfil/trace)	30	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.41	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	16	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	7.63	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	6.1	mg/L	10	2.5	5.0	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	25	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

Equip Blank NLS ID: 475997

COC: 103566:5 Matrix: DI

Collected: 04/24/08 18:27 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	3.0	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	[3.6]	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfil/trace)	ND	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	ND	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	ND	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	5.93	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	ND	mg/L	1	0.25	0.50	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	42	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

DI Water NLS ID: 475998

COC: 103566:6 Matrix: DI

Collected: 04/24/08 18:25 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	3.0	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	[2.5]	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfil/trace)	ND	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	ND	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	ND	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	5.75	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	ND	mg/L	1	0.25	0.50	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	ND	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/13/08 Code: S Page 3 of 3

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117583

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: BF Monitoring - Spring 2008


BFSW-C1Dup NLS ID: 475999

COC: 103566:7 Matrix: SW
 Collected: 04/25/08 17:36 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	87	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	71	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfil/trace)	30	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.44	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	18	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	7.59	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	6.3	mg/L	10	2.5	5.0	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	20	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection LOQ = Limit of Quantitation ND = Not Detected (< LOD) 1000 ug/L = 1 mg/L
 DWB = Dry Weight Basis NA = Not Applicable %DWB = (mg/kg DWB) / 10000
 MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by: 
 Authorized by:
 R. T. Krueger
 President

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

Wisconsin Lab Cert. No. 721026460
WI DATCP 105-000330

Analytical Laboratory and Environmental Services


400 North Lake Avenue • Crandon, WI 54520-1298
Tel: (715) 478-2777 • Fax: (715) 478-3060

CLIENT <i>Flambeau Mining Co.</i>	
ADDRESS <i>214100 Hwy 27</i>	
CITY <i>Ladysmith</i>	STATE <i>WI</i>
ZIP <i>54408</i>	PROJECT DESCRIPTION / NO. <i>RF Monitoring - Springs 2007</i>
QUOTATION NO.	DNR FID # <i>855 034 735</i>
DNR LICENSE # <i>03180</i>	CONTACT <i>Jana E. Murphy</i>
PHONE <i>715-532-4100</i>	PURCHASE ORDER NO.
FAX <i>715-532-1885</i>	

MATRIX:
SW = surface water
WW = waste water
GW = groundwater
DW = drinking water
TIS = tissue
AIR = air
SOIL = soil
SED = sediment
PROD = product
SL = sludge
OTHER

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.
Indicate G or C if WW Sample is Grab or Composite.

ANALYZE PER ORDER OF ANALYSIS	USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered. Indicate G or C if WW Sample is Grab or Composite.												
	SW	WW	GW	DW	TIS	AIR	SOIL	SED	PROD	SL	OTHER		
<i>SW</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>



NO. 103566

ITEM NO.	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS												COLLECTION REMARKS (i.e. DNR Well ID #)
		DATE	TIME		SW	WW	GW	DW	TIS	AIR	SOIL	SED	PROD	SL	OTHER		
1.	<i>SW-05</i>	<i>4-25-08</i>	<i>2:17 pm</i>	<i>SW</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Grab - Unfiltered</i>
2.	<i>BFSW-07</i>	<i>4-25-08</i>	<i>2:25 pm</i>	<i>SW</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Grab - Unfiltered</i>
3.	<i>SW-08</i>	<i>4-25-08</i>	<i>2:30 pm</i>	<i>SW</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Grab - Unfiltered</i>
4.	<i>BFSW-08</i>	<i>4-25-08</i>	<i>5:27 pm</i>	<i>SW</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Composite - Unfiltered</i>
5.	<i>Equip. Blank</i>	<i>4-24-08</i>	<i>6:27 pm</i>	<i>SW</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>---</i>
6.	<i>DI Salts</i>	<i>4-24-08</i>	<i>6:35 pm</i>	<i>SW</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>---</i>
7.	<i>BFSW-CIDup</i>	<i>4-25-08</i>	<i>5:36 pm</i>	<i>SW</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Y</i>	<i>Comp - Unfiltered</i>
8.																	
9.																	
10.																	

COLLECTED BY (signature) <i>Jana E. Murphy</i>	CUSTODY SEAL NO. (IF ANY)	DATE/TIME <i>4-25-08 3:27 pm</i>
RELINQUISHED BY (signature) <i>Jana E. Murphy</i>	RECEIVED BY (signature)	DATE/TIME
DISPATCHED BY (signature) <i>Jana E. Murphy</i>	METHOD OF TRANSPORT <i>UPS Ground</i>	DATE/TIME <i>5-28-08 ~ 2:00 pm</i>
RECEIVED AT NLS BY (signature) <i>Jana E. Murphy</i>	DATE/TIME <i>4/28/08</i>	CONDITION <i>Good</i>
COOLER # <i>16223</i>	REMARKS & OTHER INFORMATION	TEMP
PRESERVATIVE: NP = no preservative S = sulfuric acid	WDNR FACILITY NUMBER <i>W10988128300</i>	E-MAIL-ADDRESS <i>jana.murphy@nlservice.net</i>

REPORT TO <i>Flambeau Mining</i>
INVOICE TO <i>Same</i>

1. TO MEET REGULATORY REQUIREMENTS, THIS FORM **MUST** BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
2. PLEASE USE ONE LINE PER SAMPLE, NOT PER BOTTLE.
3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
4. PARTIES COLLECTING SAMPLE, LISTED AS REPORT TO AND LISTED AS INVOICE TO AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

DUPLICATE COPY

IMPORTANT!

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/13/08 Code: S Page 1 of 3

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117701

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: Surface Water - Spring 2008

SW-B1 NLS ID: 476000

COC: 103567:1 Matrix: SW

Collected: 04/25/08 10:16 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	59	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	4.5	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	22	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.69	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	27	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	7.49	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	[3.5]	mg/L	10	2.5	5.0	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	ND	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

SW-A1 NLS ID: 476001

COC: 103567:2 Matrix: SW

Collected: 04/25/08 10:25 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	93	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	[3.5]	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	18	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	1.1	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	81	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	7.37	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	ND	mg/L	10	2.5	5.0	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	[7.3]	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

SW-C1 NLS ID: 476002

COC: 103567:3 Matrix: SW

Collected: 04/25/08 10:40 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	103	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	27	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	21	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.83	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	20	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	7.10	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	[4.5]	mg/L	10	2.5	5.0	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	63	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/13/08 Code: S Page 2 of 3

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117701

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: Surface Water - Spring 2008

SW-C3 NLS ID: 476003

COC: 103567:4 Matrix: SW
 Collected: 04/25/08 10:47 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	31	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	6.9	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	11	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.72	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	25	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	6.92	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	[3.3]	mg/L	10	2.5	5.0	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	[9.2]	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

Dipper Blank NLS ID: 476004

COC: 103567:5 Matrix: DI
 Collected: 04/25/08 15:45 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	3.0	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	ND	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	ND	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	ND	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	ND	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	5.90	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	ND	mg/L	1	0.25	0.50	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	ND	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

SW-3 NLS ID: 476005

COC: 103567:6 Matrix: SW
 Collected: 04/25/08 18:09 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	75	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	5.6	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	25	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.77	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	82	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	7.46	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	[4.7]	mg/L	10	2.5	5.0	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	11	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Grandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/13/08 Code: S Page 3 of 3

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117701

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: Surface Water - Spring 2008

SW-2 NLS ID: 476006

COC: 103567:7 Matrix: SW

Collected: 04/25/08 18:24 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	70	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	[2.8]	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfil/trace)	27	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.72	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	88	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	7.54	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	[4.9]	mg/L	10	2.5	5.0	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	[5.5]	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

SW-1 NLS ID: 476007

COC: 103567:8 Matrix: SW

Collected: 04/25/08 18:48 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	71	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	4.4	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfil/trace)	28	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.78	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	96	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	7.53	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	[4.7]	mg/L	10	2.5	5.0	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	[8.5]	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

SW Dup NLS ID: 476008

COC: 103567:9 Matrix: SW


Collected: 04/25/08 00:00 Received: 04/29/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	33	umho@25C	1			04/29/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	7.7	ug/L	1	1.3	4.0	05/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfil/trace)	11	mg/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.76	mg/L	1	0.033	0.10	05/12/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	24	ug/L	1	1.0*	2.0*	05/12/08	EPA 200.7	721026460
pH, Lab	6.44	s.u.	1			04/30/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	[3.2]	mg/L	10	2.5	5.0	05/05/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	10	ug/L	1	5.0*	10*	05/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					04/30/08	EPA 200.7M	721026460

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection LOQ = Limit of Quantitation ND = Not Detected (< LOD) 1000 ug/L = 1 mg/L
 DWB = Dry Weight Basis NA = Not Applicable %DWB = (mg/kg DWB) / 10000
 MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by:



Authorized by:
 R. T. Krueger
 President

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

CLIENT: Flamborough Mining Co.
 ADDRESS: 14100 Hwy 27
 CITY: Ladysmith STATE: WI ZIP: 54848
 PROJECT DESCRIPTION / NO.: Surface Water - Spring 2008 QUOTATION NO.:
 DNR FID #: 855 034 730 DNR LICENSE #: 03180
 CONTACT: Jana E. Murphy PHONE: 715-532-6690
 PURCHASE ORDER NO.: FAX: 715-532-6885


Wisconsin Lab Cert. No. 721026460
 WI DATCP 105-000330

Analytical Laboratory and Environmental Services
 400 North Lake Avenue • Crandon, WI 54520-1298
 Tel: (715) 478-2777 • Fax: (715) 478-3060

MATRIX:
 SW = surface water
 WW = waste water
 GW = groundwater
 DW = drinking water
 TIS = tissue
 AIR = air
 SOIL = soil
 SED = sediment
 PROD = product
 SL = sludge
 OTHER

USE BOXES BELOW: Indicate Y or N if GW Sample is field filled.
 Indicate G or C if WW Sample is Grab or Composite.

ANALYZE PER ORDER OF ANALYSIS	SW	WW	GW	DW	TIS	AIR	SOIL	SED	PROD	SL	OTHER



ITEM NO.	ANALYZES LAB/INSTR.	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS											COLLECTION REMARKS (i.e. DNR Well ID #)		
			DATE	TIME		1	2	3	4	5	6	7	8	9	10	11		12	
1.	4716000	SW-B1	4-25-08	10:11 AM	SW	X	X	X	X	X	X	X	X	X	X	X	X		Flamborough Mining Co.
2.	4716001	SW-A1	4-25-08	10:25 AM	SW	X	X	X	X	X	X	X	X	X	X	X	X		
3.	4716002	SW-C1	4-25-08	10:40 AM	SW	X	X	X	X	X	X	X	X	X	X	X	X		
4.	4716003	SW-C3	4-25-08	10:47 AM	SW	X	X	X	X	X	X	X	X	X	X	X	X		
5.	4716004	Dipping Blank	4-25-08	3:15 PM	DI	X	X	X	X	X	X	X	X	X	X	X	X		
6.	4716005	SW-3	4-25-08	6:09 PM	SW	X	X	X	X	X	X	X	X	X	X	X	X		
7.	4716006	SW-2	4-25-08	6:24 PM	SW	X	X	X	X	X	X	X	X	X	X	X	X		
8.	4716007	SW-1	4-25-08	6:48 PM	SW	X	X	X	X	X	X	X	X	X	X	X	X		
9.	4716008	Field Dup	4-25-08	—	SW	X	X	X	X	X	X	X	X	X	X	X	X		
10.																			

COLLECTED BY (signature): Jana E. Murphy CUSTODY SEAL NO. (IF ANY): 4-25-08 DATE/TIME: 4-25-08
 RELINQUISHED BY (signature): Steve Anderson RECEIVED BY (signature): [Signature] DATE/TIME:
 DISPATCHED BY (signature): Jana E. Murphy METHOD OF TRANSPORT: UPS Ground DATE/TIME: 4-28-08 ~ 2:00 PM
 RECEIVED AT NLS BY (signature): [Signature] DATE/TIME: 4/29/08 CONDITION: on ice TEMP:
 COOLER #: 16-907 REMARKS & OTHER INFORMATION:
 PRESERVATIVE: N = nitric acid, Z = zinc acetate, S = sulfuric acid, OH = sodium hydroxide, HA = hydrochloric & ascorbic acid, M = methanol, H = hydrochloric acid
 WDNR FACILITY NUMBER: WTD08R1028300 EMAIL ADDRESS: jana-murphy@clear.wine.net

REPORT TO: Flamborough Mining Co.
 INVOICE TO: same

1. TO MEET REGULATORY REQUIREMENTS, THIS FORM MUST BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
2. PLEASE USE ONE LINE PER SAMPLE, NOT PER BOTTLE.
3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
4. PARTIES COLLECTING SAMPLE, LISTED AS REPORT TO AND LISTED AS INVOICE TO AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

IMPORTANT

DUPLICATE COPY

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 06/12/08 Code: S Page 1 of 3

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 118737

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: Sediment Samples

Soil, S-IOBF-7 (0-.12) NLS ID: 480267

Matrix: SO
 Collected: 05/27/08 12:15 Received: 06/03/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	1500	mg/Kg DWB	10	1.4	4.6	06/11/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	26000	mg/Kg DWB	10	5.7	19	06/11/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	370	mg/Kg DWB	10	0.72	2.4	06/11/08	SW846 6010	721026460
Solids, total on solids	51.5	%	1	0.10*		06/03/08	ASTM D2216	721026460
Zinc, tot. recoverable as Zn by ICP	120	mg/Kg DWB	10	1.2	4.0	06/11/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					06/09/08	SW846 3050M	721026460

Soil, S-IOBF-8 (0-.25) NLS ID: 480268

Matrix: SO
 Collected: 05/27/08 12:20 Received: 06/03/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	910	mg/Kg DWB	10	1.4	4.9	06/11/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	22000	mg/Kg DWB	10	6.1	20	06/11/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	380	mg/Kg DWB	10	0.76	2.6	06/11/08	SW846 6010	721026460
Solids, total on solids	51.4	%	1	0.10*		06/03/08	ASTM D2216	721026460
Zinc, tot. recoverable as Zn by ICP	87	mg/Kg DWB	10	1.3	4.3	06/11/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					06/09/08	SW846 3050M	721026460

Soil, S-IOBF-9 (0-.19) NLS ID: 480269

Matrix: SO
 Collected: 05/27/08 12:36 Received: 06/03/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	2100	mg/Kg DWB	10	4.8	16	06/11/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	54000	mg/Kg DWB	10	20	67	06/11/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	1100	mg/Kg DWB	10	2.5	8.5	06/11/08	SW846 6010	721026460
Solids, total on solids	16.3	%	1	0.10*		06/03/08	ASTM D2216	721026460
Zinc, tot. recoverable as Zn by ICP	250	mg/Kg DWB	10	4.4	14	06/11/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					06/09/08	SW846 3050M	721026460

Soil, S-IOBF-10 (0-.2) NLS ID: 480270

Matrix: SO
 Collected: 05/27/08 12:45 Received: 06/03/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	750	mg/Kg DWB	10	1.6	5.5	06/11/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	24000	mg/Kg DWB	10	6.9	23	06/11/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	440	mg/Kg DWB	10	0.86	2.9	06/11/08	SW846 6010	721026460
Solids, total on solids	41.5	%	1	0.10*		06/03/08	ASTM D2216	721026460
Zinc, tot. recoverable as Zn by ICP	96	mg/Kg DWB	10	1.5	4.8	06/11/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					06/09/08	SW846 3050M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 06/12/08 Code: S Page 2 of 3

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 118737

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: Sediment Samples

Soil, S-IOBF-11 (0-.15) NLS ID: 480271

Matrix: SO

Collected: 05/27/08 13:00 Received: 06/03/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	730	mg/Kg DWB	2	0.46	1.6	06/11/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	21000	mg/Kg DWB	10	9.8	32	06/11/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	440	mg/Kg DWB	10	1.2	4.1	06/11/08	SW846 6010	721026460
Solids, total on solids	29.9	%	1	0.10*		06/03/08	ASTM D2216	721026460
Zinc, tot. recoverable as Zn by ICP	98	mg/Kg DWB	2	0.42	1.4	06/11/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					06/09/08	SW846 3050M	721026460

Soil, S-IOBF-12 (0-.17) NLS ID: 480272

Matrix: SO

Collected: 05/27/08 12:50 Received: 06/03/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	360	mg/Kg DWB	2	0.29	1.0	06/11/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	16000	mg/Kg DWB	10	6.3	21	06/11/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	300	mg/Kg DWB	10	0.78	2.6	06/11/08	SW846 6010	721026460
Solids, total on solids	42.1	%	1	0.10*		06/03/08	ASTM D2216	721026460
Zinc, tot. recoverable as Zn by ICP	61	mg/Kg DWB	2	0.27	0.88	06/11/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					06/09/08	SW846 3050M	721026460

Soil, S-C-1 NLS ID: 480273

Matrix: SO

Collected: 05/28/08 09:30 Received: 06/03/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	180	mg/Kg DWB	5	0.61	2.1	06/11/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	20000	mg/Kg DWB	10	5.2	17	06/11/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	490	mg/Kg DWB	10	0.65	2.2	06/11/08	SW846 6010	721026460
Solids, total on solids	40.2	%	1	0.10*		06/03/08	ASTM D2216	721026460
Zinc, tot. recoverable as Zn by ICP	330	mg/Kg DWB	5	0.56	1.8	06/11/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					06/09/08	SW846 3050M	721026460

Soil, S-C-2 NLS ID: 480274

Matrix: SO

Collected: 05/28/08 10:30 Received: 06/03/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	7.2	mg/Kg DWB	1	0.077	0.26	06/11/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	9400	mg/Kg DWB	10	3.3	11	06/11/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	150	mg/Kg DWB	10	0.41	1.4	06/11/08	SW846 6010	721026460
Solids, total on solids	80.2	%	1	0.10*		06/03/08	ASTM D2216	721026460
Zinc, tot. recoverable as Zn by ICP	27	mg/Kg DWB	1	0.070	0.23	06/11/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					06/09/08	SW846 3050M	721026460

ANALYTICAL REPORT

NORTHERN LAKE SERVICE, INC.
Analytical Laboratory and Environmental Services
400 North Lake Avenue - Crandon, WI 54520
Ph: (715)-478-2777 Fax: (715)-478-3060

WDNR Laboratory ID No. 721026460
WDATCP Laboratory Certification No. 105-330
EPA Laboratory ID No. WI00034

Printed: 06/12/08 Code: S Page 3 of 3

Client: Flambeau Mining Company
Attn: Jana Murphy
N4100 Highway 27
Ladysmith, WI 54848

NLS Project: 118737

NLS Customer: 11750


Fax: 715 532 6885 Phone: 715 532 6690

Project: Sediment Samples

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection LOQ = Limit of Quantitation ND = Not Detected (< LOD) 1000 ug/L = 1 mg/L
DWB = Dry Weight Basis NA = Not Applicable %DWB = (mg/kg DWB) / 10000
MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by:



Authorized by:
R. T. Krueger
President

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 06/12/08 Code: S Page 1 of 1

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 118830

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: Resample of SW CP-01 & 02 Project #117795

Prev. 476883, SW-CP-02 NLS ID: 480567

COC: 103967(C):3 Matrix: SW
 Collected: 05/03/08 12:48 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, dis. as Cu by ICP-Trace	200	ug/L	1	1.3	4.0	06/10/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	170	ug/L	1	1.3	4.0	06/10/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	15	mg/L	1	1.0*	2.0*	06/10/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.52	mg/L	1	0.033	0.10	06/10/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	1.7	mg/L	1	0.033	0.10	06/10/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	28	ug/L	1	1.0*	2.0*	06/11/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	28	ug/L	1	1.0*	2.0*	06/10/08	EPA 200.7	721026460
Zinc, dis. as Zn by ICP-Trace	29	ug/L	1	5.0*	10*	06/10/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	44	ug/L	1	5.0*	10*	06/10/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					06/05/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					06/05/08	EPA 200.7M	721026460

Prev. 476884, SW-CP-01 NLS ID: 480568


COC: 103967(C):4 Matrix: SW
 Collected: 05/03/08 12:57 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, dis. as Cu by ICP-Trace	140	ug/L	1	1.3	4.0	06/10/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	280	ug/L	1	1.3	4.0	06/10/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	32	mg/L	1	1.0*	2.0*	06/10/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.72	mg/L	1	0.033	0.10	06/10/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	2.3	mg/L	1	0.033	0.10	06/10/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	18	ug/L	1	1.0*	2.0*	06/10/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	74	ug/L	1	1.0*	2.0*	06/10/08	EPA 200.7	721026460
Zinc, dis. as Zn by ICP-Trace	57	ug/L	1	5.0*	10*	06/10/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	71	ug/L	1	5.0*	10*	06/10/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					06/05/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					06/05/08	EPA 200.7M	721026460

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection LOQ = Limit of Quantitation ND = Not Detected (< LOD) 1000 ug/L = 1 mg/L
 DWB = Dry Weight Basis NA = Not Applicable %DWB = (mg/kg DWB) / 10000
 MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by:



Authorized by:
 R. T. Krueger
 President

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/21/08 Code: S Page 1 of 13

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117795
 NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS SW - May 08

SW-ET-01a NLS ID: 476881

COC: 103967:1 Matrix: SW
 Collected: 05/03/08 12:11 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	37	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	7.8	ug/L	1	1.3	4.0	05/20/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	6.8	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	16	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.19	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	1.2	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	5.6	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	23	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	7.38	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	ND	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	11	ug/L	1	5.0*	10*	05/20/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	[6.3]	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

SW-ET-01b NLS ID: 476882

COC: 103967:2 Matrix: SW
 Collected: 05/03/08 12:20 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	59	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	4.9	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	5.1	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	22	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	[0.072]	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.20	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	[1.4]	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	6.5	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	7.38	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	7.9	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	[7.0]	ug/L	1	5.0*	10*	05/20/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	ND	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/21/08 Code: S Page 2 of 13

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117795

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS SW - May 08

SW-CP-02 NLS ID: 476883

COC: 103967:3 Matrix: SW

Collected: 05/03/08 12:48 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	184	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	140	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	170	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	15	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.49	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	1.2	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	8.4	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	26	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.98	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	8.9	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	26	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	31	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

SW-CP-01 NLS ID: 476884

COC: 103967:4 Matrix: SW

Collected: 05/03/08 12:57 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	514	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	140	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	280	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	32	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.76	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	2.1	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	18	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	72	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.91	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	13	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	55	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	70	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. W100034

Printed: 05/21/08 Code: S Page 3 of 13

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117795

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS SW - May 08

SW-1014-NT NLS ID: 476885

COC: 103967:5 Matrix: SW
 Collected: 05/03/08 13:18 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	90	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	12	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	11	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfilt/trace)	32	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	[0.045]	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.14	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	[1.5]	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	59	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	7.30	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	11	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	[6.8]	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	ND	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

SW-L-01 NLS ID: 476886

COC: 103967:6 Matrix: SW
 Collected: 05/03/08 14:12 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	434	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	18	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	20	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfilt/trace)	5.8	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.45	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	1.2	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	5.3	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	28	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.96	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	16	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	15	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	20	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/21/08 Code: S Page 4 of 13

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117795

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS SW - May 08

SW-GP-01 NLS ID: 476887

COC: 103967:7 Matrix: SW

Collected: 05/03/08 14:25 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	216	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	8.8	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	8.9	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	18	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.32	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	3.2	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	11	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	95	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	7.01	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	[4.7]	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	26	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	37	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

SW-27W-01 NLS ID: 476888

COC: 103967:8 Matrix: SW

Collected: 05/03/08 14:35 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	482	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	24	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	33	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	11	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.46	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	1.2	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	7.1	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	49	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.69	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	8.9	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	56	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	68	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/21/08 Code: S Page 5 of 13

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117795

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS SW - May 08

SW-27E-01 NLS ID: 476889

COC: 103967:9 Matrix: SW
 Collected: 05/03/08 14:40 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	118	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	23	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	25	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	5.4	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.46	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.60	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	6.3	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	34	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.69	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	6.6	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	14	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	14	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

SW-27W-02 NLS ID: 476890

COC: 103967:10 Matrix: SW
 Collected: 05/03/08 14:54 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	421	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	31	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	32	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	7.4	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.37	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.87	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	6.1	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	16	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.70	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	8.5	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	29	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	31	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Grandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/21/08 Code: S Page 6 of 13

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117795

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS SW - May 08

SW-27E-02 NLS ID: 476891

COC: 103967:1 Matrix: SW

Collected: 05/03/08 14:59 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	106	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	22	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	25	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	6.7	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.38	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	1.0	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	6.8	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	100	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.74	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	6.7	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	15	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	22	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

SW-27W-03 NLS ID: 476892

COC: 103967:2 Matrix: SW

Collected: 05/03/08 15:10 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	611	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	33	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	34	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	12	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.44	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.68	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	10	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	26	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	7.07	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	12	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	25	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	24	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/21/08 Code: S Page 7 of 13

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117795
 NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS SW - May 08

SW-27E-03 NLS ID: 476893

COC: 103967:3 Matrix: SW
 Collected: 05/03/08 15:15 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	146	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	23	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	22	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	6.8	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.53	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.89	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	7.6	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	16	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.79	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	6.9	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	18	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	18	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

SW-27W-04 NLS ID: 476894

COC: 103967:4 Matrix: SW
 Collected: 05/03/08 15:20 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	444	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	27	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	27	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	18	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.38	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.45	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	17	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	24	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.39	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	6.5	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	29	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	27	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/21/08 Code: S Page 8 of 13

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117795

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS SW - May 08

SW-27E-04 NLS ID: 476895

COC: 103967:5 Matrix: SW

Collected: 05/03/08 15:25 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	121	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	19	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	18	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	6.5	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.42	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.94	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	6.3	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	15	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.84	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	5.8	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	15	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	15	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

SW-RR-01 NLS ID: 476896

COC: 103967:6 Matrix: SW

Collected: 05/04/08 11:05 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	41	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	11	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	11	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	9.3	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.24	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.39	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	5.2	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	7.6	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.39	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	ND	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	15	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	15	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/21/08 Code: S Page 9 of 13

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117795

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS SW - May 08

SW-RR-02 NLS ID: 476897

COC: 103967:7 Matrix: SW

Collected: 05/04/08 11:25 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	34	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	11	ug/L	1	1.3	4.0	05/20/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	8.9	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	9.0	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.20	mg/L	1	0.033	0.10	05/20/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.38	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	5.3	ug/L	1	1.0*	2.0*	05/20/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	7.7	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.41	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	ND	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	14	ug/L	1	5.0*	10*	05/20/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	14	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

SW-RR-03 NLS ID: 476898

COC: 103967:8 Matrix: SW

Collected: 05/04/08 11:37 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	28	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	7.8	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	7.1	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	10	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.50	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.85	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	23	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	230	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.31	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	[2.7]	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	10	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	13	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/21/08 Code: S Page 10 of 13

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117795

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS SW - May 08

SW-RR-08 NLS ID: 476899

COC: 103967:9 Matrix: SW
 Collected: 05/04/08 11:58 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	53	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	15	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	17	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfil/trace)	17	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.61	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	1.3	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	38	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	150	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.24	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	ND	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	25	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	27	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

SW-RR-09 NLS ID: 476900

COC: 103967:10 Matrix: SW
 Collected: 05/04/08 12:10 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	33	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	6.9	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	7.6	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfil/trace)	12	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.59	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.96	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	370	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	420	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.19	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	ND	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	15	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	16	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/21/08 Code: S Page 11 of 13

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117795
 NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS SW - May 08

SW-RR-04 NLS ID: 476901

COC: 103967:1 Matrix: SW
 Collected: 05/04/08 12:26 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	25	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	5.9	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	9.1	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfilt/trace)	9.0	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.20	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.64	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	14	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	21	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.66	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	[2.6]	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	[6.3]	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	15	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

SW-RR-05 NLS ID: 476902

COC: 103967:2 Matrix: SW
 Collected: 05/04/08 12:37 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	22	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	8.1	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	9.6	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfilt/trace)	6.2	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.17	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.56	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	5.8	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	24	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.26	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	ND	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	[6.9]	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	[7.9]	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 05/21/08 Code: S Page 12 of 13

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 117795

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS SW - May 08

SW-RR-06 NLS ID: 476903

COC: 103967:3 Matrix: SW
 Collected: 05/04/08 12:47 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	25	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	6.0	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	6.6	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	9.4	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.20	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.49	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	4.6	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	76	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.11	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	ND	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	10	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	11	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

SW-RR-07 NLS ID: 476904

COC: 103967:4 Matrix: SW
 Collected: 05/04/08 12:56 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	63	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	6.5	ug/L	1	1.3	4.0	05/15/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	8.0	ug/L	1	1.3	4.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	21	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.39	mg/L	1	0.033	0.10	05/15/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.62	mg/L	1	0.033	0.10	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	46	ug/L	1	1.0*	2.0*	05/15/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	88	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.84	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	ND	mg/L	10	2.5	5.0	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	[6.1]	ug/L	1	5.0*	10*	05/15/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	[5.8]	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					05/08/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					05/12/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

Printed: 05/21/08 Code: S Page 13 of 13

NLS Project: 117795

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS SW - May 08

Field Blank NLS ID: 476905

COC: 103967:5 Matrix: SW

Collected: 05/05/08 12:19 Received: 05/06/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	2.0	umho@25C	1			05/06/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	ND	ug/L	1	2.7	8.0	05/20/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	ND	ug/L	1	2.7	8.0	05/14/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO ₃ (calc/unfilt/trace)	ND	mg/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	ND	mg/L	1	0.0050	0.010	05/20/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	ND	mg/L	1	0.0050	0.010	05/14/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	ND	ug/L	1	1.0*	2.0*	05/20/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	ND	ug/L	1	1.0*	2.0*	05/14/08	EPA 200.7	721026460
pH, Lab	6.21	s.u.	1			05/07/08	EPA 150.1	721026460
Sulfate, as SO ₄ (unfiltered)	ND	mg/L	1	0.25	0.50	05/13/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	ND	ug/L	1	5.0*	10*	05/20/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	ND	ug/L	1	5.0*	10*	05/14/08	EPA 200.7	721026460
Lab filtration	yes					05/07/08	NA	721026460

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection

LOQ = Limit of Quantitation

ND = Not Detected (< LOD)

1000 ug/L = 1 mg/L


DWB = Dry Weight Basis

NA = Not Applicable

%DWB = (mg/kg DWB) / 10000

MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by:



Authorized by:
 R. T. Krueger
 President

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

CLIENT Flambeau Mining Co.	
ADDRESS 14100 Hwy 27	
CITY Ladysmith	STATE WI
ZIP 54848	QUOTATION NO.
PROJECT DESCRIPTION / NO. NS SW - May 08	
DNR FID #	DNR LICENSE #
CONTACT Jana Murphy	PHONE 715-533-6690
PURCHASE ORDER NO.	FAX 532-6885


Wisconsin Lab Cert. No. 721026460
WI DATCP 105-000330

Analytical Laboratory and Environmental Services
400 North Lake Avenue • Crandon, WI 54520-1298
Tel: (715) 478-2777 • Fax: (715) 478-3060

pg 1 of 3

MATRIX:
SW = surface water
WW = waste water
GW = groundwater
DW = drinking water
TIS = tissue
AIR = air
SOIL = soil
SED = sediment
PROD = product
SL = sludge
OTHER

ANALYZE PER ORDER OF ANALYSIS	USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered. Indicate G or C if WW Sample is Grab or Composite.										
	pH	Cond	Sulfate	Hardness	Calc	Mg	Diss	Chloride	Ammonia	Other	
1.											
2.											
3.											
4.											
5.											
6.											
7.											
8.											
9.											
10.											



NO. 103985

ITEM NO.	SAMPLE ID	COLLECTION		MATRIX (See above)	COLLECTION REMARKS (i.e. DNR Well ID #)
		DATE	TIME		
1.	SW-ET-01a	5-3-08	12:11 pm	SW	
2.	SW-ET-01b	5-3-08	12:20 pm	SW	
3.	SW-CP-02	5-3-08	12:48 pm	SW	
4.	SW-CP-01	5-3-08	12:57 pm	SW	
5.	SW-1014-NT	5-3-08	1:18 pm	SW	
6.	SW-1-01	5-3-08	2:12 pm	SW	
7.	SW-GP-01	5-3-08	2:25 pm	SW	
8.	SW-27W-01	5-3-08	2:35 pm	SW	
9.	SW-27E-01	5-3-08	2:40 pm	SW	
10.	SW-27W-02	5-3-08	2:54 pm	SW	

COLLECTED BY (signature) Jana Murphy	CUSTODY SEAL NO. (IF ANY)	DATE/TIME	REPORT TO Flambeau Mining
RELINQUISHED BY (signature) Steve Anders, Jr.	RECEIVED BY (signature)	DATE/TIME	
DISPATCHED BY (signature) Jana Murphy	METHOD OF TRANSPORT HPS Ground	DATE/TIME 5-5-08 2:00 pm	INVOICE TO same
RECEIVED AT NLS BY (signature) Karen Heffer	DATE/TIME 5/6/08 10:00	CONDITION Amoxic	
COOLER # 48-11	REMARKS & OTHER INFORMATION unfiltered - Lab filtering required		
PRESERVATIVE N = nitric acid OH = sodium hydroxide NP = no preservative Z = zinc acetate HA = hydrochloric & ascorbic acid S = sulfuric acid M = methanol H = hydrochloric acid	WDNR FACILITY NUMBER	E-MAIL ADDRESS jana-murphy@clearwire.net	

IMPORTANT!

1. TO MEET REGULATORY REQUIREMENTS, THIS FORM **MUST** BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
2. PLEASE USE ONE LINE PER SAMPLE, **NOT** PER BOTTLE.
3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
4. PARTIES COLLECTING SAMPLE, LISTED AS **REPORT TO** AND LISTED AS **INVOICE TO** AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

CLIENT Flambro Mining Co.	
ADDRESS 24100 Hwy 27	
CITY Ladysmith	STATE WI
PROJECT DESCRIPTION / NO. NS SW - May 08	ZIP 54848
DNR FID #	QUOTATION NO.
DNR LICENSE #	
CONTACT Tom Murphy	PHONE 715-532-6690
PURCHASE ORDER NO.	FAX 532-6885

Wisconsin Lab Cert. No. 721026460
WI DATCP 105-000330


Analytical Laboratory and Environmental Services
400 North Lake Avenue • Crandon, WI 54520-1298
Tel: (715) 478-2777 • Fax: (715) 478-3060

pg 3 of 5

MATRIX:
SW = surface water
WW = waste water
GW = groundwater
DW = drinking water
TIS = tissue
AIR = air
SOIL = soil
SED = sediment
PROD = product
SL = sludge
OTHER

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.
Indicate G or C if WW Sample is Grab or Composite.

ANALYZE PER ORDER OF ANALYSIS	USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered. Indicate G or C if WW Sample is Grab or Composite.									
	pH, Cond	Sulfate	Hardness	Total	Dissolved	Ammonia	Nitrate	Nitrite	Phosphate	Other



NO. 01448
17247

ITEM NO.	SAMPLE ID	COLLECTION		MATRIX (See above)	COLLECTION REMARKS (i.e. DNR Well ID #)
		DATE	TIME		
1.	SW-RR-01	5-4-08	12:26 pm	SW	
2.	SW-RR-05	5-4-08	12:27 pm	SW	
3.	SW-RR-06	5-4-08	12:47 pm	SW	
4.	SW-RR-07	5-4-08	12:56 pm	SW	
5.	Field Blank	5-5-08	12:14 pm	DI Water	
6.					
7.					
8.					
9.					
10.					

COLLECTED BY (signature) Tom Murphy	CUSTODY SEAL NO. (IF ANY)	DATE/TIME	REPORT TO Flambro Mining
RELINQUISHED BY (signature) Steve Ambrose	RECEIVED BY (signature)	DATE/TIME	
DISPATCHED BY (signature) Tom Murphy	METHOD OF TRANSPORT UPS Ground	DATE/TIME 5-5-08 2:00 pm	INVOICE TO same
RECEIVED AT NLS BY (signature) Karen de Gu	DATE/TIME 5/6/08 11:00 AM	CONDITION Good	
COOLER # 45-477	REMARKS & OTHER INFORMATION Unfiltered - Lab filtering required	WDNR FACILITY NUMBER	E-MAIL ADDRESS jama-murphy@clearwire.net

IMPORTANT:

1. TO MEET REGULATORY REQUIREMENTS, THIS FORM **MUST** BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
2. PLEASE USE ONE LINE PER SAMPLE, **NOT** PER BOTTLE.
3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
4. PARTIES COLLECTING SAMPLE, LISTED AS **REPORT TO** AND LISTED AS **INVOICE TO** AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No: 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 06/26/08 Code: S Page 1 of 4

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 119016

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NSSW-June 08

CP-02 NLS ID: 481345

COC: 104985:1 Matrix: SW

Collected: 06/08/08 10:45 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	136	umho@25C	1			06/11/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	340	ug/L	1	1.3	4.0	06/16/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	340	ug/L	1	1.3	4.0	06/11/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	15	mg/L	1	1.0*	2.0*	06/11/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	2.4	mg/L	1	0.033	0.10	06/18/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	2.4	mg/L	1	0.033	0.10	06/11/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	25	ug/L	1	1.0*	2.0*	06/16/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	40	ug/L	1	1.0*	2.0*	06/11/08	EPA 200.7	721026460
pH, Lab	8.24	s.u.	1			06/11/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	13	mg/L	10	2.5	5.0	06/17/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	39	ug/L	1	5.0*	10*	06/16/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	47	ug/L	1	5.0*	10*	06/11/08	EPA 200.7	721026460
Lab filtration	yes					06/11/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					06/10/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					06/17/08	EPA 200.7M	721026460

CP-01 NLS ID: 481346

COC: 104985:2 Matrix: SW

Collected: 06/08/08 10:51 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	228	umho@25C	1			06/11/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	380	ug/L	1	1.3	4.0	06/16/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	440	ug/L	1	1.3	4.0	06/11/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	16	mg/L	1	1.0*	2.0*	06/11/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	2.7	mg/L	1	0.033	0.10	06/18/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	2.5	mg/L	1	0.033	0.10	06/11/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	24	ug/L	1	1.0*	2.0*	06/16/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	49	ug/L	1	1.0*	2.0*	06/11/08	EPA 200.7	721026460
pH, Lab	8.23	s.u.	1			06/11/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	26	mg/L	10	2.5	5.0	06/17/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	42	ug/L	1	5.0*	10*	06/16/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	59	ug/L	1	5.0*	10*	06/11/08	EPA 200.7	721026460
Lab filtration	yes					06/11/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					06/10/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					06/17/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 406 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 06/26/08 Code: S Page 2 of 4

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 119016

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NSSW-June 08

CP-04 NLS ID: 481347

COC: 104985:3 Matrix: SW

Collected: 06/08/08 11:04 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	490	umho@25C	1			06/11/08	EPA 120.1	721026460
Copper, dis. as Cu by ICP-Trace	34	ug/L	1	1.3	4.0	06/16/08	EPA 200.7	721026460
Copper, tot. recoverable as Cu by ICP-Trace	26	ug/L	1	1.3	4.0	06/11/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfilw/trace)	120	mg/L	1	1.0*	2.0*	06/11/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.44	mg/L	1	0.033	0.10	06/18/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.61	mg/L	1	0.033	0.10	06/11/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	110	ug/L	1	1.0*	2.0*	06/16/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	140	ug/L	1	1.0*	2.0*	06/11/08	EPA 200.7	721026460
pH, Lab	7.18	s.u.	1			06/11/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	17	mg/L	10	2.5	5.0	06/17/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	31	ug/L	1	5.0*	10*	06/16/08	EPA 200.7	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	35	ug/L	1	5.0*	10*	06/11/08	EPA 200.7	721026460
Lab filtration	yes					06/11/08	NA	721026460
Metals digestion - tot. recov.ICP	yes					06/10/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					06/17/08	EPA 200.7M	721026460

SW-C3 NLS ID: 481348

COC: 104985:4 Matrix: SW

Collected: 06/08/08 10:33 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, dis. as Cu by ICP-Trace	16	ug/L	1	1.3	4.0	06/16/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.77	mg/L	1	0.033	0.10	06/18/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	17	ug/L	1	1.0*	2.0*	06/16/08	EPA 200.7	721026460
Zinc, dis. as Zn by ICP-Trace	11	ug/L	1	5.0*	10*	06/16/08	EPA 200.7	721026460
Lab filtration	yes					06/11/08	NA	721026460
Metals digestion - dissolved ICP	yes					06/17/08	EPA 200.7M	721026460

SW-C1 NLS ID: 481349

COC: 104985:5 Matrix: SW

Collected: 06/08/08 10:40 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, dis. as Cu by ICP-Trace	42	ug/L	1	1.3	4.0	06/16/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.85	mg/L	1	0.033	0.10	06/18/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	12	ug/L	1	1.0*	2.0*	06/18/08	EPA 200.7	721026460
Zinc, dis. as Zn by ICP-Trace	39	ug/L	1	5.0*	10*	06/16/08	EPA 200.7	721026460
Lab filtration	yes					06/11/08	NA	721026460
Metals digestion - dissolved ICP	yes					06/17/08	EPA 200.7M	721026460

ANALYTICAL REPORT

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 06/26/08 Code: S Page 3 of 4

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 119016

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NSSW-June 08

BFSW-C2 NLS ID: 481350

COC: 104985:6 Matrix: SW
 Collected: 06/08/08 11:15 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, dis. as Cu by ICP-Trace	18	ug/L	1	1.3	4.0	06/16/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.41	mg/L	1	0.033	0.10	06/18/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.69	mg/L	1	0.033	0.10	06/11/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	21	ug/L	1	1.0*	2.0*	06/18/08	EPA 200.7	721026460
Sulfate, as SO4 (unfiltered)	5.7	mg/L	10	2.5	5.0	06/17/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	[6.4]	ug/L	1	5.0*	10*	06/16/08	EPA 200.7	721026460
Lab filtration	yes					06/11/08	NA	721026460
Metals digestion - tot. recov. ICP	yes					06/10/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					06/17/08	EPA 200.7M	721026460

SW-C8 NLS ID: 481351

COC: 104985:7 Matrix: SW
 Collected: 06/08/08 11:24 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, dis. as Cu by ICP-Trace	110	ug/L	1	1.3	4.0	06/16/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	2.4	mg/L	1	0.033	0.10	06/18/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	17	ug/L	1	1.0*	2.0*	06/16/08	EPA 200.7	721026460
Zinc, dis. as Zn by ICP-Trace	33	ug/L	1	5.0*	10*	06/16/08	EPA 200.7	721026460
Lab filtration	yes					06/11/08	NA	721026460
Metals digestion - dissolved ICP	yes					06/17/08	EPA 200.7M	721026460

SW-C5 NLS ID: 481352

COC: 104985:8 Matrix: SW
 Collected: 06/08/08 11:37 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, dis. as Cu by ICP-Trace	28	ug/L	1	1.3	4.0	06/16/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.93	mg/L	1	0.033	0.10	06/18/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	1.1	mg/L	1	0.033	0.10	06/11/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	12	ug/L	1	1.0*	2.0*	06/18/08	EPA 200.7	721026460
Sulfate, as SO4 (unfiltered)	ND	mg/L	10	2.5	5.0	06/17/08	EPA 300.0	721026460
Zinc, dis. as Zn by ICP-Trace	37	ug/L	1	5.0*	10*	06/16/08	EPA 200.7	721026460
Lab filtration	yes					06/11/08	NA	721026460
Metals digestion - tot. recov. ICP	yes					06/10/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					06/17/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 06/26/08 Code: S Page 4 of 4

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 119016

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NSSW-June 08

BFSW-C1 NLS ID: 481353


COC: 104985:9 Matrix: SW
 Collected: 06/08/08 11:45 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, dis. as Cu by ICP-Trace	55	ug/L	1	1.3	4.0	06/16/08	EPA 200.7	721026460
Iron, dis. as Fe by ICP-Trace	0.24	mg/L	1	0.033	0.10	06/18/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	0.46	mg/L	1	0.033	0.10	06/11/08	EPA 200.7	721026460
Manganese, dis. as Mn by ICP-Trace	5.5	ug/L	1	1.0*	2.0*	06/18/08	EPA 200.7	721026460
Sulfate, as SO4 (unfiltered)	5.4	mg/L	10	2.5	5.0	06/17/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	24	ug/L	1	5.0*	10*	06/11/08	EPA 200.7	721026460
Lab filtration	yes					06/11/08	NA	721026460
Metals digestion - tot. recov. ICP	yes					06/10/08	EPA 200.7M	721026460
Metals digestion - dissolved ICP	yes					06/17/08	EPA 200.7M	721026460

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection LOQ = Limit of Quantitation ND = Not Detected (< LOD) 1000 ug/L = 1 mg/L
 DWB = Dry Weight Basis NA = Not Applicable %DWB = (mg/kg DWB) / 10000
 MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by:



Authorized by:
 R. T. Krueger
 President

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

Wisconsin Lab Cert. No. 721026460
WI DATCP 105-000330


Analytical Laboratory and Environmental Services
400 North Lake Avenue • Crandon, WI 54520-1298
Tel: (715) 478-2777 • Fax: (715) 478-3060

CLIENT Flambeau Mining Co.	
ADDRESS N4400 Hwy 27	
CITY Ladysmith	STATE WI
ZIP 54848	
PROJECT DESCRIPTION / NO. NS SW - JUN 08	QUOTATION NO.
DNR FID #	DNR LICENSE #
CONTACT Tom F. Murphy	PHONE 715-532-1490
PURCHASE ORDER NO.	FAX

MATRIX:
SW = surface water
WW = waste water
GW = groundwater
DW = drinking water
TIS = tissue
AIR = air
SOIL = soil
SED = sediment
PROD = product
SL = sledge
OTHER

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.
Indicate G or C if WW Sample is Grab or Composite.

ANALYZE PER ORDER OF ANALYSIS	USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered. Indicate G or C if WW Sample is Grab or Composite.				
	SW	WW	GW	DW	TIS
Sulfate	X	X	X	X	X
Ammonia	X	X	X	X	X
NO ₃ -N	X	X	X	X	X
NO ₂ -N	X	X	X	X	X
PH	X	X	X	X	X
Temp	X	X	X	X	X
DO	X	X	X	X	X



NO. 104985

ITEM NO.	NLS ID	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS					COLLECTION REMARKS (i.e. DNR Well ID #)
			DATE	TIME		SW	WW	GW	DW	TIS	
1.	481345	CP-02	1-8-08	10:45 AM	SW	X	X	X	X	X	
2.	481346	CP-01	1-8-08	10:51 AM	SW	X	X	X	X	X	
3.	481347	CP-04	1-8-08	11:04 AM	SW	X	X	X	X	X	
4.	481348	SW-C3	}	10:33	SW			X			
5.	481349	SW-C1		10:40	SW			X			
6.	481350	BESW-C2		11:15	SW	X		X		X	
7.	481351	SW-C8		11:34	SW			X			
8.	481352	SW-C5		11:37	SW	X		X		X	
9.	481353	BESW-C1		11:45	SW	X		X		X	
10.											

COLLECTED BY (signature) Tom F. Murphy	CUSTODY SEAL NO. (IF ANY) 1-8-08	DATE/TIME
RELINQUISHED BY (signature) Tom F. Murphy	RECEIVED BY (signature) Steve Conder	DATE/TIME
DISPATCHED BY (signature) Tom F. Murphy	METHOD OF TRANSPORT UPS Ground	DATE/TIME 10-9-08 3:00 PM
RECEIVED AT NLS BY (signature) Paul Braun	DATE/TIME 10/10/08 12:30	CONDITION DRIED
COOLER # 48-173	REMARKS & OTHER INFORMATION	TEMP
PRESERVATIVE: NP = no preservative S = sulfuric acid	WDNR FACILITY NUMBER	E-MAIL ADDRESS

REPORT TO Flambeau Mining
INVOICE TO SAME

1. TO MEET REGULATORY REQUIREMENTS, THIS FORM **MUST** BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
2. PLEASE USE ONE LINE PER SAMPLE, NOT PER BOTTLE.
3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
4. PARTIES COLLECTING SAMPLE, LISTED AS REPORT TO AND LISTED AS INVOICE TO AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

DUPLICATE COPY

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 06/26/08 Code: S Page 1 of 2

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 119677

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: SW-June 08

SW-C3 NLS ID: 483907

COC: 104985:4 Matrix: SW
 Collected: 06/08/08 10:33 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	29	umho@25C	1			06/12/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	9.0	ug/L	1	1.3	4.0	06/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	13	mg/L	1	1.0*	2.0*	06/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	1.1	mg/L	1	0.033	0.10	06/18/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	45	ug/L	1	1.0*	2.0*	06/12/08	EPA 200.7	721026460
pH, Lab	6.62	s.u.	1			06/12/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	[2.6]	mg/L	10	2.5	5.0	06/17/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	10	ug/L	1	5.0*	10*	06/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					06/17/08	EPA 200.7M	721026460

SW-C1 NLS ID: 483908

COC: 104985:5 Matrix: SW
 Collected: 06/08/08 10:40 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	73	umho@25C	1			06/12/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	32	ug/L	1	1.3	4.0	06/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	16	mg/L	1	1.0*	2.0*	06/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	1.1	mg/L	1	0.033	0.10	06/18/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	38	ug/L	1	1.0*	2.0*	06/12/08	EPA 200.7	721026460
pH, Lab	6.70	s.u.	1			06/12/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	[3.7]	mg/L	10	2.5	5.0	06/17/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	44	ug/L	1	5.0*	10*	06/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					06/17/08	EPA 200.7M	721026460

BFSW-C2 NLS ID: 483909

COC: 104985:6 Matrix: SW
 Collected: 06/08/08 11:15 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	98	umho@25C	1			06/12/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	8.8	ug/L	1	1.3	4.0	06/11/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	19	mg/L	1	1.0*	2.0*	06/11/08	EPA 200.7	721026460
pH, Lab	7.31	s.u.	1			06/12/08	EPA 150.1	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	ND	ug/L	1	5.0*	10*	06/11/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					06/10/08	EPA 200.7M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 06/26/08 Code: S Page 2 of 2

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 119677

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: SW-June 08

SW-C8 NLS ID: 483910

COC: 104985:7 Matrix: SW
 Collected: 06/08/08 11:24 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	22	umho@25C	1			06/12/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	100	ug/L	1	1.3	4.0	06/12/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	12	mg/L	1	1.0*	2.0*	06/12/08	EPA 200.7	721026460
Iron, tot. recoverable as Fe by ICP-Trace	2.4	mg/L	1	0.033	0.10	06/19/08	EPA 200.7	721026460
Manganese, tot. recoverable as Mn by ICP-Trace	79	ug/L	1	1.0*	2.0*	06/12/08	EPA 200.7	721026460
pH, Lab	7.10	s.u.	1			06/12/08	EPA 150.1	721026460
Sulfate, as SO4 (unfiltered)	[3.6]	mg/L	10	2.5	5.0	06/17/08	EPA 300.0	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	36	ug/L	1	5.0*	10*	06/12/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					06/18/08	EPA 200.7M	721026460

SW-C5 NLS ID: 483911

COC: 104985:8 Matrix: SW
 Collected: 06/08/08 11:37 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	44	umho@25C	1			06/12/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	23	ug/L	1	1.3	4.0	06/11/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	11	mg/L	1	1.0*	2.0*	06/11/08	EPA 200.7	721026460
pH, Lab	6.87	s.u.	1			06/12/08	EPA 150.1	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	41	ug/L	1	5.0*	10*	06/11/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					06/10/08	EPA 200.7M	721026460


BFSW-C1 NLS ID: 483912

COC: 104985:9 Matrix: SW
 Collected: 06/08/08 11:45 Received: 06/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Conductivity, lab	89	umho@25C	1			06/12/08	EPA 120.1	721026460
Copper, tot. recoverable as Cu by ICP-Trace	61	ug/L	1	1.3	4.0	06/11/08	EPA 200.7	721026460
Hardness, tot. recoverable as CaCO3 (calc/unfill/trace)	30	mg/L	1	1.0*	2.0*	06/11/08	EPA 200.7	721026460
pH, Lab	7.58	s.u.	1			06/12/08	EPA 150.1	721026460
Zinc, tot. recoverable as Zn by ICP-Trace	24	ug/L	1	5.0*	10*	06/11/08	EPA 200.7	721026460
Metals digestion - tot. recov.ICP	yes					06/10/08	EPA 200.7M	721026460

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection LOQ = Limit of Quantitation ND = Not Detected (< LOD) 1000 ug/L = 1 mg/L
 DWB = Dry Weight Basis NA = Not Applicable %DWB = (mg/kg DWB) / 10000
 MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by: 
 Authorized by:
 R. T. Krueger
 President

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

CLIENT: Flambeau Mining Co
 ADDRESS: N4100 Husky Dr
 CITY: Ladysmith WI STATE: WI ZIP: 54848
 PROJECT DESCRIPTION / NO.: SID - June 08 QUOTATION NO.:
 DNR FID # _____ DNR LICENSE # _____
 CONTACT: Sam E Murphy PHONE: _____
 PURCHASE ORDER NO. _____ FAX: _____

Wisconsin Lab Cert. No. 721026460
 WI DATCP 105-000330

Analytical Laboratory and Environmental Services

400 North Lake Avenue • Crandon, WI 54520-1298
 Tel: (715) 478-2777 • Fax: (715) 478-3060

MATRIX:
 SW = surface water
 WW = waste water
 GW = groundwater
 DW = drinking water
 TIS = tissue
 AIR = air
 SOIL = soil
 SED = sediment
 PROD = product
 SL = sludge
 OTHER

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.
 Indicate G or C if WW Sample is Grab or Composite.

ANALYZE PER ORDER OF ANALYSIS	USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered. Indicate G or C if WW Sample is Grab or Composite.										
	SW	WW	GW	DW	TIS	AIR	SOIL	SED	PROD	SL	OTHER
Sulfate	X	X	X	X							
Cu	X	X	X	X							
Zn	X	X	X	X							
Fe	X	X	X	X							
Mn	X	X	X	X							
Chloride	X	X	X	X							
Ammonia											
Phosphate											
Nitrate											
Calcium											
Magnesium											
Fluoride											
Barium											
Cadmium											
Copper											
Lead											
Nickel											
Silver											
Vanadium											
Chromium											
Molybdenum											
Mercury											
Thallium											
Antimony											
As											
B											
Br											
C											
Co											
Cr											
Hg											
Mn											
Pb											
Se											
V											
W											
Xe											
Zn											



NO. 104986

ITEM NO.	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS										COLLECTION REMARKS (i.e. DNR Well ID #)		
		DATE	TIME		SW	WW	GW	DW	TIS	AIR	SOIL	SED	PROD	SL		OTHER	
1.	SW-C3	10:33	6-8-08	SW	X	X	X	X									
2.	SW-C1	10:40			X	X	X	X									
3.	BFSW-C2	11:15						X	X								
4.	SW-C8	11:24			X	X	X	X									
5.	SW-C5	11:37						X	X								
6.	BFSW-C1	11:45						X	X								
7.																	
8.																	
9.																	
10.																	

COLLECTED BY (signature): [Signature] CUSTODY SEAL NO. (IF ANY): _____ DATE/TIME: 6-8-08
 RELINQUISHED BY (signature): [Signature] RECEIVED BY (signature): [Signature] DATE/TIME: _____
 DISPATCHED BY (signature): [Signature] METHOD OF TRANSPORT: UPS Ground DATE/TIME: 6-9-08 3:00pm
 RECEIVED AT NLS BY (signature): [Signature] DATE/TIME: 6-10-08 13:30 CONDITION: original TEMP.: _____
 COOLER # _____ REMARKS & OTHER INFORMATION: _____
 PRESERVATIVE: N = nitric acid, Z = zinc acetate, S = sulfuric acid, OII = sodium hydroxide, HIA = hydrochloric & ascorbic acid, M = methanol, H = hydrochloric acid
 WDNR FACILITY NUMBER _____ E-MAIL ADDRESS _____

REPORT TO: [Signature]
Flambeau Mining
-717 Ute
 INVOICE TO: Same

IMPORTANT!

1. TO MEET REGULATORY REQUIREMENTS, THIS FORM MUST BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
2. PLEASE USE ONE LINE PER SAMPLE, NOT PER BOTTLE.
3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
4. PARTIES COLLECTING SAMPLE, LISTED AS REPORT TO AND LISTED AS INVOICE TO AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

ANALYTICAL REPORT

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 07/30/08 Code: S Page 1 of 4

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 120241

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: CP Soil Sampling

Soil, S-CP-01N-0-3" NLS ID: 485887

COC: 108269:1 Matrix: SO

Collected: 07/10/08 12:10 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	96	mg/Kg DWB	1	0.32	1.1	07/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.8	s.u. pHw	1			07/18/08	SW846 9045	721026460
Solids, total on solids	72.0	%	1	0.10		07/14/08	ASTM D2216	721026460
Sulfide, as S	see attached					07/27/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

Soil, S-CP-02N-0-3" NLS ID: 485888

COC: 108269:2 Matrix: SO

Collected: 07/10/08 14:00 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	890	mg/Kg DWB	1	0.31	1.0	07/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.5	s.u. pHw	1			07/18/08	SW846 9045	721026460
Solids, total on solids	74.3	%	1	0.10		07/14/08	ASTM D2216	721026460
Sulfide, as S	see attached					07/27/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

Soil, S-CP-03N-0-3" NLS ID: 485889

COC: 108269:3 Matrix: SO

Collected: 07/10/08 13:45 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	82	mg/Kg DWB	1	0.26	0.90	07/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	7.0	s.u. pHw	1			07/18/08	SW846 9045	721026460
Solids, total on solids	83.7	%	1	0.10		07/14/08	ASTM D2216	721026460
Sulfide, as S	see attached					07/27/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

Soil, S-CP-03N-3-6" NLS ID: 485890

COC: 108269:4 Matrix: SO

Collected: 07/10/08 13:45 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	32	mg/Kg DWB	1	0.27	0.91	07/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.8	s.u. pHw	1			07/18/08	SW846 9045	721026460
Solids, total on solids	83.5	%	1	0.10		07/14/08	ASTM D2216	721026460
Sulfide, as S	see attached					07/27/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

Soil, S-CP-03N-12-15" NLS ID: 485891

COC: 108269:5 Matrix: SO

Collected: 07/10/08 13:45 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	21	mg/Kg DWB	1	0.24	0.81	07/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	7.0	s.u. pHw	1			07/18/08	SW846 9045	721026460
Solids, total on solids	84.7	%	1	0.10		07/14/08	ASTM D2216	721026460
Sulfide, as S	see attached					07/27/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 07/30/08 Code: S Page 2 of 4

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 120241

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: CP Soil Sampling

Soil, S-CP-04N-0-3" NLS ID: 485892

COC: 108269:6 Matrix: SO
 Collected: 07/10/08 13:30 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	180	mg/Kg DWB	1	0.24	0.82	07/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.7	s.u. pHw	1			07/18/08	SW846 9045	721026460
Solids, total on solids	79.5	%	1	0.10*		07/14/08	ASTM D2216	721026460
Sulfide, as S	see attached					07/27/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

Soil, S-CP-04N-3-6" NLS ID: 485893

COC: 108269:7 Matrix: SO
 Collected: 07/10/08 13:30 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	18	mg/Kg DWB	1	0.25	0.84	07/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	7.1	s.u. pHw	1			07/18/08	SW846 9045	721026460
Solids, total on solids	88.3	%	1	0.10*		07/14/08	ASTM D2216	721026460
Sulfide, as S	see attached					07/27/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

Soil, S-CP-04N-12-15" NLS ID: 485894

COC: 108269:8 Matrix: SO
 Collected: 07/10/08 13:30 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	18	mg/Kg DWB	1	0.23	0.79	07/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	8.3	s.u. pHw	1			07/18/08	SW846 9045	721026460
Solids, total on solids	88.6	%	1	0.10*		07/14/08	ASTM D2216	721026460
Sulfide, as S	see attached					07/27/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

CUL-C\ NLS ID: 485895

COC: 108269:9 Matrix: MS
 Collected: 07/10/08 11:45 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	83	mg/Kg DWB	1	0.98	3.3	07/25/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	850000	mg/Kg DWB	100	420	1400	07/28/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	2500	mg/Kg DWB	10	5.2	18	07/28/08	SW846 6010	721026460
Solids, total on solids	100.0	%	1	0.10*		07/14/08	ASTM D2216	721026460
	Assumed to be 100% solid							
Zinc, tot. recoverable as Zn by ICP	130	mg/Kg DWB	1	0.90	2.9	07/28/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

Soil, CP-05N-0-3" NLS ID: 485896

COC: 108272:1 Matrix: SO
 Collected: 07/10/08 13:00 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	76	mg/Kg DWB	1	0.27	0.91	07/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	8.1	s.u. pHw	1			07/18/08	SW846 9045	721026460
Solids, total on solids	79.2	%	1	0.10*		07/14/08	ASTM D2216	721026460
Sulfide, as S	see attached					07/27/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

ANALYTICAL REPORT

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Grandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 07/30/08 Code: S Page 3 of 4

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 120241

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: CP Soil Sampling

Soil, CP-05N-3-6" NLS ID: 485897

COC: 108272:2 Matrix: SO

Collected: 07/10/08 13:00 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	21	mg/Kg DWB	1	0.26	0.90	07/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	7.3	s.u. pHw	1			07/18/08	SW846 9045	721026460
Solids, total on solids	84.2	%	1	0.10*		07/14/08	ASTM D2216	721026460
Sulfide, as S	see attached					07/27/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

Soil, CP-05N-12-15" NLS ID: 485898

COC: 108272:3 Matrix: SO

Collected: 07/10/08 13:00 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	29	mg/Kg DWB	1	0.23	0.77	07/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.7	s.u. pHw	1			07/18/08	SW846 9045	721026460
Solids, total on solids	91.4	%	1	0.10*		07/14/08	ASTM D2216	721026460
Sulfide, as S	see attached					07/28/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

Soil, CP-06N-0-3" NLS ID: 485899

COC: 108272:4 Matrix: SO

Collected: 07/10/08 12:30 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	110	mg/Kg DWB	1	0.24	0.83	07/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	7.2	s.u. pHw	1			07/18/08	SW846 9045	721026460
Solids, total on solids	89.5	%	1	0.10*		07/14/08	ASTM D2216	721026460
Sulfide, as S	see attached					07/28/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

Soil, CP-06N-3-6" NLS ID: 485900

COC: 108272:5 Matrix: SO

Collected: 07/10/08 12:30 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	46	mg/Kg DWB	1	0.22	0.75	07/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.6	s.u. pHw	1			07/18/08	SW846 9045	721026460
Solids, total on solids	92.3	%	1	0.10*		07/14/08	ASTM D2216	721026460
Sulfide, as S	see attached					07/28/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

Soil, CP-06N-12-15" NLS ID: 485901

COC: 108272:6 Matrix: SO

Collected: 07/10/08 12:30 Received: 07/10/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	23	mg/Kg DWB	1	0.24	0.82	07/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.8	s.u. pHw	1			07/18/08	SW846 9045	721026460
Solids, total on solids	94.9	%	1	0.10*		07/14/08	ASTM D2216	721026460
Sulfide, as S	see attached					07/28/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					07/16/08	SW846 3050M	721026460

ANALYTICAL REPORT

NORTHERN LAKE SERVICE, INC.
Analytical Laboratory and Environmental Services
400 North Lake Avenue - Crandon, WI 54520
Ph: (715)-478-2777 Fax: (715)-478-3060

WDNR Laboratory ID No. 721026460
WDATCP Laboratory Certification No. 105-330
EPA Laboratory ID No. WI00034

Printed: 07/30/08 Code: S Page 4 of 4

Client: Flambeau Mining Company
Attn: Jana Murphy
N4100 Highway 27
Ladysmith, WI 54848

NLS Project: 120241

NLS Customer: 11750


Fax: 715 532 6885 Phone: 715 532.6690

Project: CP Soil Sampling

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection LOQ = Limit of Quantitation ND = Not Detected (< LOD) 1000 ug/L = 1 mg/L
DWB = Dry Weight Basis NA = Not Applicable %DWB = (mg/kg DWB) / 10000
MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by:



Authorized by:
R. T. Krueger
President

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3821

Sample ID: 485887

ACZ Sample ID: L70491-01

Date Sampled: 07/10/08 12:10

Date Received: 07/15/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	ML	PL	Date	Analyst	
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.07	B	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Pyritic Sulfide		0.03	B	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Sulfate			U	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Total		0.09	B	*	%	0.01	0.1	07/27/08 0:00	bjl
Total Sulfur minus Sulfate		0.09	B	*	%	0.01	0.1	07/27/08 0:00	bjl

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	ML	PL	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972						07/15/08 22:00	brd
Crush and Pulverize	USDA No. 1, 1972						07/17/08 14:00	bjl

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3821

Sample ID: 485888

ACZ Sample ID: L70491-02

Date Sampled: 07/10/08 14:00

Date Received: 07/15/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	XC	Units	Min	Max	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.04	B	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Pyritic Sulfide		0.01	B	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Sulfate		0.01	B	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Total		0.06	B	*	%	0.01	0.1	07/27/08 0:00	bjl
Total Sulfur minus Sulfate		0.05	B	*	%	0.01	0.1	07/27/08 0:00	bjl

Soil Preparation

Parameter	EPA Method	Result	Unit	XC	Units	Min	Max	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							07/15/08 22:01	brd
Crush and Pulverize	USDA No. 1, 1972							07/17/08 14:05	bjl

Northern Lake Service, Inc.
Project ID: S08-3821
Sample ID: 485889

ACZ Sample ID: L70491-03
Date Sampled: 07/10/08 13:45
Date Received: 07/15/08
Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Min	Max	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4							
Sulfur Organic Residual				U *	%	0.01 0.1	07/27/08 0:00	bjl
Sulfur Pyritic Sulfide		0.01		B *	%	0.01 0.1	07/27/08 0:00	bjl
Sulfur Sulfate				U *	%	0.01 0.1	07/27/08 0:00	bjl
Sulfur Total		0.01		B *	%	0.01 0.1	07/27/08 0:00	bjl
Total Sulfur minus Sulfate		0.01		B *	%	0.01 0.1	07/27/08 0:00	bjl

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Min	Max	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972						07/15/08 22:03	brd
Crush and Pulverize	USDA No. 1, 1972						07/17/08 14:11	bjl



ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.

Project ID: S08-3821

Sample ID: 485890

ACZ Sample ID: L70491-04

Date Sampled: 07/10/08 13:45

Date Received: 07/15/08

Sample Matrix: Soil

Soil Analysis

Parameter	Method	Results	Unit	Qualifier	Scale	Units	Units	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.01	B	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Pyritic Sulfide			U	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Sulfate			U	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Total		0.01	B	*	%	0.01	0.1	07/27/08 0:00	bjl
Total Sulfur minus Sulfate		0.01	B	*	%	0.01	0.1	07/27/08 0:00	bjl

Soil Preparation

Parameter	Method	Results	Unit	Qualifier	Scale	Units	Units	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							07/15/08 22:04	brd
Crush and Pulverize	USDA No. 1, 1972							07/17/08 14:17	bjl

Northern Lake Service, Inc.

Project ID: S08-3821

Sample ID: 485891

ACZ Sample ID: L70491-05

Date Sampled: 07/10/08 13:45

Date Received: 07/15/08

Sample Matrix: Soil

Soil Analysis

Sample ID	EPA Method	Result	Unit	%	U	U	U	U	Date	Analyst	
Sulfur Forms	M600/2-78-054 3.2.4										
Sulfur Organic Residual					U	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Pyritic Sulfide					U	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Sulfate					U	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Total					U	*	%	0.01	0.1	07/27/08 0:00	bjl
Total Sulfur minus Sulfate					U	*	%	0.01	0.1	07/27/08 0:00	bjl

Soil Preparation

Sample ID	EPA Method	Result	Unit	%	U	U	U	U	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972								07/15/08 22:06	brd
Crush and Pulverize	USDA No. 1, 1972								07/17/08 14:23	bjl

Northern Lake Service, Inc.

Project ID: S08-3821

Sample ID: 485892

ACZ Sample ID: L70491-06

Date Sampled: 07/10/08 13:30

Date Received: 07/15/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Units	Qualifier	MDL	MDL	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4							
Sulfur Organic Residual		0.01	B	*	%	0.01 0.1	07/27/08 0:00	bjl
Sulfur Pyritic Sulfide		0.01	B	*	%	0.01 0.1	07/27/08 0:00	bjl
Sulfur Sulfate			U	*	%	0.01 0.1	07/27/08 0:00	bjl
Sulfur Total		0.02	B	*	%	0.01 0.1	07/27/08 0:00	bjl
Total Sulfur minus Sulfate		0.02	B	*	%	0.01 0.1	07/27/08 0:00	bjl

Soil Preparation

Parameter	EPA Method	Result	Units	Qualifier	MDL	MDL	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972						07/15/08 22:08	brd
Crush and Pulverize	USDA No. 1, 1972						07/17/08 14:28	bjl

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

**Inorganic Analytical
Results**

Northern Lake Service, Inc.

Project ID: S08-3821

Sample ID: 485893

ACZ Sample ID: L70491-07

Date Sampled: 07/10/08 13:30

Date Received: 07/15/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	MDL	LOD	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4						
Sulfur Organic Residual		U *	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Pyritic Sulfide		U *	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Sulfate		U *	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Total		U *	%	0.01	0.1	07/27/08 0:00	bjl
Total Sulfur minus Sulfate		U *	%	0.01	0.1	07/27/08 0:00	bjl

Soil Preparation

Parameter	EPA Method	Result	Unit	MDL	LOD	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972					07/15/08 22:09	brd
Crush and Pulverize	USDA No. 1, 1972					07/17/08 14:34	bjl

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.
 Project ID: S08-3821
 Sample ID: 485894

ACZ Sample ID: L70491-08
 Date Sampled: 07/10/08 13:30
 Date Received: 07/15/08
 Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Units	Min	Max	Result	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4						
Sulfur Organic Residual		U *	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Pyritic Sulfide		U *	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Sulfate		U *	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Total		U *	%	0.01	0.1	07/27/08 0:00	bjl
Total Sulfur minus Sulfate		U *	%	0.01	0.1	07/27/08 0:00	bjl

Soil Preparation

Air Dry at 34 Degrees C	USDA No. 1, 1972					07/15/08 22:11	brd
Crush and Pulverize	USDA No. 1, 1972					07/17/08 14:40	bjl

Northern Lake Service, Inc.
Project ID: S08-3821
Sample ID: 485896

ACZ Sample ID: L70491-09
Date Sampled: 07/10/08 13:00
Date Received: 07/15/08
Sample Matrix: Soil

Soil Analysis

Parameter	Method	Result	Units	Qualifier	Method	Units	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4							
Sulfur Organic Residual		0.02	B	*	%	0.01 0.1	07/27/08 0:00	bjl
Sulfur Pyritic Sulfide		0.01	B	*	%	0.01 0.1	07/27/08 0:00	bjl
Sulfur Sulfate			U	*	%	0.01 0.1	07/27/08 0:00	bjl
Sulfur Total		0.02	B	*	%	0.01 0.1	07/27/08 0:00	bjl
Total Sulfur minus Sulfate		0.02	B	*	%	0.01 0.1	07/27/08 0:00	bjl

Soil Preparation

Parameter	Method	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972	07/15/08 22:12	brd
Crush and Pulverize	USDA No. 1, 1972	07/17/08 14:46	bjl

Northern Lake Service, Inc.
Project ID: S08-3821
Sample ID: 485897

ACZ Sample ID: L70491-10
Date Sampled: 07/10/08 13:00
Date Received: 07/15/08
Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Units	Min	Max	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual			U	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Pyritic Sulfide		0.01	B	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Sulfate			U	*	%	0.01	0.1	07/27/08 0:00	bjl
Sulfur Total		0.01	B	*	%	0.01	0.1	07/27/08 0:00	bjl
Total Sulfur minus Sulfate		0.01	B	*	%	0.01	0.1	07/27/08 0:00	bjl

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Units	Min	Max	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							07/15/08 22:14	brd
Crush and Pulverize	USDA No. 1, 1972							07/17/08 14:51	bjl

Northern Lake Service, Inc.

Project ID: S08-3821

Sample ID: 485898

ACZ Sample ID: L70491-11

Date Sampled: 07/10/08 13:00

Date Received: 07/15/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Qualifier	Unit	MDL	Rel	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4							
Sulfur Organic Residual		U *	%	0.01	0.1		07/28/08 0:00	bjl
Sulfur Pyritic Sulfide		U *	%	0.01	0.1		07/28/08 0:00	bjl
Sulfur Sulfate		U *	%	0.01	0.1		07/28/08 0:00	bjl
Sulfur Total		U *	%	0.01	0.1		07/28/08 0:00	bjl
Total Sulfur minus Sulfate		U *	%	0.01	0.1		07/28/08 0:00	bjl

Soil Preparation

Parameter	EPA Method	Result	Qualifier	Unit	MDL	Rel	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972						07/15/08 22:16	brd
Crush and Pulverize	USDA No. 1, 1972						07/17/08 14:57	bjl

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3821

Sample ID: 485899

ACZ Sample ID: L70491-12

Date Sampled: 07/10/08 12:30

Date Received: 07/15/08

Sample Matrix: Soil

Soil Analysis

Element	EPA Method	Result	Unit	Qualifier	Method	MDL	PAH	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.02	B	*	%	0.01	0.1	07/28/08 0:00	bjl
Sulfur Pyritic Sulfide			U	*	%	0.01	0.1	07/28/08 0:00	bjl
Sulfur Sulfate		0.01	B	*	%	0.01	0.1	07/28/08 0:00	bjl
Sulfur Total		0.03	B	*	%	0.01	0.1	07/28/08 0:00	bjl
Total Sulfur minus Sulfate		0.02	B	*	%	0.01	0.1	07/28/08 0:00	bjl

Soil Preparation

Element	EPA Method	Result	Unit	Qualifier	Method	MDL	PAH	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							07/15/08 22:17	brd
Crush and Pulverize	USDA No. 1, 1972							07/17/08 15:03	bjl

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3821

Sample ID: 485900

ACZ Sample ID: L70491-13

Date Sampled: 07/10/08 12:30

Date Received: 07/15/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Conc	Unit	Date	Analyst	
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual			U	*	%	0.01	0.1	07/28/08 0:00	bjl
Sulfur Pyritic Sulfide		0.02	B	*	%	0.01	0.1	07/28/08 0:00	bjl
Sulfur Sulfate			U	*	%	0.01	0.1	07/28/08 0:00	bjl
Sulfur Total		0.02	B	*	%	0.01	0.1	07/28/08 0:00	bjl
Total Sulfur minus Sulfate		0.02	B	*	%	0.01	0.1	07/28/08 0:00	bjl

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972				07/15/08 22:19	brd
Crush and Pulverize	USDA No. 1, 1972				07/17/08 15:09	bjl

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.
 Project ID: S08-3821
 Sample ID: 485901


ACZ Sample ID: L70491-14
 Date Sampled: 07/10/08 12:30
 Date Received: 07/15/08
 Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Units	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4						
Sulfur Organic Residual				U *	%	0.01 0.1	07/28/08 0:00 bjl
Sulfur Pyritic Sulfide		0.01		B *	%	0.01 0.1	07/28/08 0:00 bjl
Sulfur Sulfate				U *	%	0.01 0.1	07/28/08 0:00 bjl
Sulfur Total				U *	%	0.01 0.1	07/28/08 0:00 bjl
Total Sulfur minus Sulfate				U *	%	0.01 0.1	07/28/08 0:00 bjl

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Units	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972					07/15/08 22:21	brd
Crush and Pulverize	USDA No. 1, 1972					07/17/08 15:14	bjl



Abbreviations

Table with 2 columns: Abbreviation and Definition. Includes terms like Batch, Found, Limit, Lower, MDL, PCN/SCN, PQL, QC, Rec, RPD, Upper, and Sample.

Abbreviations

Table with 4 columns: Abbreviation, Description, Abbreviation, Description. Includes terms like AS, ASD, CCB, CCV, DUP, ICB, ICV, ICSAB, LCSS, LCSSD, LCSW, LCSWD, LFB, LFM, LFMD, LRB, MS, MSD, PBS, PBW, PQV, and SDL.

Abbreviations

Table with 2 columns: Abbreviation and Definition. Includes terms like Blanks, Control Samples, Duplicates, Spikes/Fortified Matrix, and Standard.

Abbreviations

Table with 2 columns: Abbreviation and Definition. Includes terms like B, H, and U.

References

- List of references including EPA 600/4-83-020, EPA 600/R-93-100, EPA 600/R-94-111, EPA SW-846, and Standard Methods for the Examination of Water and Wastewater, 19th edition, 1995.

Comments

- Comments regarding QC results, matrices for inorganic analyses, and reporting basis.

Northern Lake Service, Inc.

ACZ Project ID: L70491

ACZ ID	WORK NUMBER	PARAMETER	METHOD	UNIT	DESCRIPTION
L70491-01	WG248812	Sulfur Organic Residual	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70491-02	WG248812	Sulfur Organic Residual	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70491-03	WG248812	Sulfur Organic Residual	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70491-04	WG248812	Sulfur Organic Residual	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054	3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).

Northern Lake Service, Inc.

ACZ Project ID: L70491

ACZ LABORATORY WORKING PARAMETER METHOD QUALITY CONTROL

L70491-05	WG248812	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70491-06	WG248812	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70491-07	WG248812	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70491-08	WG248812	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).

Northern Lake Service, Inc.

ACZ Project ID: L70491

ACZ ID WORK NUMBER PARAMETER LOCATION METHOD ANALYSIS DESCRIPTION

L70491-09	WG248812	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70491-10	WG248812	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70491-11	WG248812	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70491-12	WG248812	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).

Northern Lake Service, Inc.

ACZ Project ID: L70491

REPORT WORKSHEET PARAMETER METHOD DATA QUALIFICATION

L70491-13	WG248812	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70491-14	WG248812	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.

ACZ Project ID: L70491

Soil Analysis



Sulfur Forms

M600/2-76-054 3.2.4

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

CLIENT: Flambeau Mining Co.
 ADDRESS: N4100 Hwy 27
 CITY: Ladysmith STATE: WI ZIP: 54848
 PROJECT DESCRIPTION / NO.: CP Soil Sampling QUOTATION NO.:
 DNR FID # _____ DNR LICENSE # _____
 CONTACT: Jim E. Murphy PHONE: 715-532-6090
 PURCHASE ORDER NO. _____ FAX: 715-532-6885


Wisconsin Lab Cert. No. 721026460
 WI DATCP 105-000330

Analytical Laboratory and Environmental Services
 400 North Lake Avenue • Crandon, WI 54520-1298
 Tel: (715) 478-2777 • Fax: (715) 478-3060

MATRIX:
 SW = surface water
 WW = waste water
 GW = groundwater
 DW = drinking water
 TIS = tissue
 AIR = air
 SOIL = soil
 SED = sediment
 PROD = product
 SL = sludge
 OTHER

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.
 Indicate G or C if WW Sample is Grab or Composite.

ANALYZE PER ORDER OF ANALYSIS	USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered. Indicate G or C if WW Sample is Grab or Composite.										
	Copper	Iron	Manganese	Zinc	pH	Sulfide	Total Solids				
1.	X				X	X	X				
2.	X				X	X	X				
3.	X				X	X	X				
4.	X				X	X	X				
5.	X				X	X	X				
6.	X				X	X	X				
7.	X				X	X	X				
8.	X				X	X	X				
9.	X	X	X	X							
10.											



ITEM NO.	UNITS	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS										COLLECTION REMARKS (i.e. DNR Well ID #)
			DATE	TIME		Copper	Iron	Manganese	Zinc	pH	Sulfide	Total Solids				
1.	485887	S-CP-01N-0-3"	7/10/08	1210	Soil	X				X	X	X				
2.	485888	S-CP-02N-0-3"		1400		X				X	X	X				
3.	485889	S-CP-03N-0-3"		1345		X				X	X	X				
4.	485890	S-CP-03N-3-6"		↓		X				X	X	X				
5.	485891	S-CP-03N-12-15"		↓		X				X	X	X				
6.	485892	S-CP-04N-0-3"		1330		X				X	X	X				
7.	485893	S-CP-04N-3-6"		↓		X				X	X	X				
8.	485894	S-CP-04N-12-15"		↓		X				X	X	X				
9.	485895	CUL-C1		1145	Other	X	X	X	X							
10.																

COLLECTED BY (signature): [Signature] CUSTODY SEAL NO. (IF ANY): _____ DATE/TIME: 7/10/08 14:00
 RELINQUISHED BY (signature): [Signature] RECEIVED BY (signature): [Signature] DATE/TIME: 7/10/08 16:45
 DISPATCHED BY (signature): _____ METHOD OF TRANSPORT: _____ DATE/TIME: _____

REPORT TO: Flambeau Mining

RECEIVED AT NLS BY (signature): [Signature] DATE/TIME: 7-10-08 16:45 CONDITION: in box TEMP.: _____
 COOLER # _____ REMARKS & OTHER INFORMATION: _____
 PRESERVATIVE: H = nitric acid OH = sodium hydroxide WDNR FACILITY NUMBER: _____ E-MAIL ADDRESS: flambeau@nls.com
 NP = no preservative Z = zinc acetate HA = hydrochloric & ascorbic acid
 S = sulfuric acid M = methanol H = hydrochloric acid

INVOICE TO: same

1. TO MEET REGULATORY REQUIREMENTS, THIS FORM **MUST** BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
2. PLEASE USE ONE LINE PER SAMPLE, **NOT** PER BOTTLE.
3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
4. PARTIES COLLECTING SAMPLE, LISTED AS **REPORT TO** AND LISTED AS **INVOICE TO** AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

IMPORTANT!

DUPLICATE COPY

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

CLIENT: Flambeau Mining Co.
 ADDRESS: N4100 Hwy 27
 CITY: Ladysmith STATE: WI ZIP: 54948
 PROJECT DESCRIPTION / NO.: CR Soil Sampling QUOTATION NO.:
 DNR FID # _____ DNR LICENSE # _____
 CONTACT: Tara E Murphy PHONE: 715-532-6600
 PURCHASE ORDER NO. _____ FAX: 715-532-1885

Wisconsin Lab Cert. No. 721026460
 WI DATCP 105-000330


Analytical Laboratory and Environmental Services
 400 North Lake Avenue • Crandon, WI 54520-1298
 Tel: (715) 478-2777 • Fax: (715) 478-3060

MATRIX:
 SW = surface water
 WW = waste water
 GW = groundwater
 DW = drinking water
 TIS = tissue
 AIR = air
 SOIL = soil
 SED = sediment
 PROD = product
 SL = sludge
 OTHER

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.
 Indicate G or C if WW Sample is Grab or Composite.

ANALYZE PER ORDER OF ANALYSIS

ANALYZE PER ORDER OF ANALYSIS	Copper	Pb	Sulfide	Total Solids																	
1.	X	X	X	X																	
2.																					
3.																					
4.																					
5.																					
6.																					
7.																					
8.																					
9.																					
10.																					



NO. 109272

ITEM NO.	DNR Well ID #	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS														COLLECTION REMARKS (i.e. DNR Well ID #)					
			DATE	TIME		Copper	Pb	Sulfide	Total Solids																
1.	485891	S-CR-05N-0-3"	7/10/08	1300	soil	X	X	X	X																
2.	485897	S-CR-05N-3-6"																							
3.	485898	S-CR-05N-12-15"																							
4.	485899	S-CR-06N-0-3"		1230																					
5.	485900	S-CR-06N-3-6"																							
6.	485901	S-CR-06N-12-15"																							
7.																									
8.																									
9.																									
10.																									

COLLECTED BY (signature): _____ CUSTODY SEAL NO. (IF ANY): _____ DATE/TIME: 7/10/08 1450
 RELINQUISHED BY (signature): _____ RECEIVED BY (signature): _____ DATE/TIME: 7/10/08 1445
 DISPATCHED BY (signature): _____ METHOD OF TRANSPORT: _____ DATE/TIME: _____

REPORT TO: Flambeau Mining
 INVOICE TO: same

RECEIVED AT NLS BY (signature): _____ DATE/TIME: 7-10-08 1445 CONDITION: OK TEMP: _____
 COOLER # _____ REMARKS & OTHER INFORMATION: _____
 PRESERVATIVE: N = nitric acid OH = sodium hydroxide
 NP = no preservative Z = zinc acetate HAA = hydrochloric & ascorbic acid
 M = methanol H = hydrochloric acid
 WDNR FACILITY NUMBER: _____ E-MAIL ADDRESS: tara-murphy@clearwire.net

1. TO MEET REGULATORY REQUIREMENTS, THIS FORM **MUST** BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
2. PLEASE USE ONE LINE PER SAMPLE, NOT PER BOTTLE.
3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
4. PARTIES COLLECTING SAMPLE, LISTED AS REPORT TO AND LISTED AS INVOICE TO AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

IMPORTANT!

DUPLICATE COPY

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 08/28/08 Code: S Page 1 of 7

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 121091

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS Soils

Soil, S-CP-03S NLS ID: 488261

COC: 108738:1 Matrix: SO
 Collected: 07/28/08 14:35 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	83	mg/Kg DWB	1	0.25	0.85	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	4.5	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	90.5	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-CP-04S NLS ID: 488262

COC: 108738:2 Matrix: SO
 Collected: 07/28/08 14:45 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	79	mg/Kg DWB	1	0.24	0.83	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	4.7	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	91.4	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-RR-01 NLS ID: 488263

COC: 108738:3 Matrix: SO
 Collected: 07/28/08 11:15 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	19	mg/Kg DWB	1	0.096	0.33	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.9	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	57.2	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-RR-02 NLS ID: 488264

COC: 108738:4 Matrix: SO
 Collected: 07/28/08 11:30 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	12	mg/Kg DWB	1	0.12	0.39	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.9	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	82.0	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-RR-03 NLS ID: 488265

COC: 108738:5 Matrix: SO
 Collected: 07/28/08 11:55 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	10	mg/Kg DWB	1	0.12	0.42	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.6	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	73.9	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

Printed: 08/28/08 Code: 5 Page 2 of 7

NLS Project: 121091

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS Soils

Soil, S-RR-04 NLS ID: 488266

COC: 108738:6 Matrix: SO
 Collected: 07/28/08 12:10 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	9.0	mg/Kg DWB	1	0.13	0.44	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.8	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	72.7	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-RR-05 NLS ID: 488267

COC: 108738:7 Matrix: SO
 Collected: 07/28/08 12:25 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	15	mg/Kg DWB	1	0.11	0.38	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.9	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	85.8	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-RR-06 NLS ID: 488268

COC: 108738:8 Matrix: SO
 Collected: 07/28/08 12:40 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	11	mg/Kg DWB	1	0.12	0.41	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.6	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	82.2	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-RR-07 NLS ID: 488269

COC: 108738:9 Matrix: SO
 Collected: 07/28/08 12:55 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	19	mg/Kg DWB	1	0.092	0.31	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.3	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	87.8	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-RR-08 NLS ID: 488270

COC: 108738:10 Matrix: SO
 Collected: 07/28/08 13:25 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	16	mg/Kg DWB	1	0.098	0.33	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.8	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	74.6	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

Printed: 08/28/08 Code: S Page 3 of 7

NLS Project: 121091

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS Soils

Soil, S-RR-09 NLS ID: 488271

COC: 108739:1 Matrix: SO
 Collected: 07/28/08 13:50 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	17	mg/Kg DWB	1	0.067	0.23	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.8	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	69.1	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-27W-01-Organics NLS ID: 488272

COC: 108739:2 Matrix: SO
 Collected: 07/28/08 15:25 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	4.4	mg/Kg DWB	1	0.19	0.65	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.6	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	66.4	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-27W-01-Soil NLS ID: 488273

COC: 108739:3 Matrix: SO
 Collected: 07/28/08 15:25 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	14	mg/Kg DWB	1	0.078	0.27	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.0	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	85.7	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-27W-02-Organics NLS ID: 488274

COC: 108739:4 Matrix: SO
 Collected: 07/29/08 09:25 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	2.5	mg/Kg DWB	1	0.23	0.78	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.3	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	51.6	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-27W-02-Soil NLS ID: 488275

COC: 108739:5 Matrix: SO
 Collected: 07/29/08 09:25 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	24	mg/Kg DWB	1	0.28	0.95	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.7	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	81.2	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 08/28/08 Code: S Page 4 of 7

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 121091

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS Soils

Soil, S-27W-03-Organics NLS ID: 488276

COC: 108739:6 Matrix: SO
 Collected: 07/29/08 09:35 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	56	mg/Kg DWB	1	0.14	0.49	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.7	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	31.5	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-27W-03-Soil NLS ID: 488277

COC: 108739:7 Matrix: SO
 Collected: 07/29/08 09:35 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	25	mg/Kg DWB	1	0.079	0.27	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.2	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	63.8	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-27W-04-Organics NLS ID: 488278

COC: 108739:8 Matrix: SO
 Collected: 07/29/08 09:50 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	180	mg/Kg DWB	1	0.24	0.80	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.2	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	46.4	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-27W-04-Soil NLS ID: 488279

COC: 108739:9 Matrix: SO
 Collected: 07/29/08 09:50 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	23	mg/Kg DWB	1	0.090	0.31	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	4.8	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	64.5	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-27E-01-Organics NLS ID: 488280

COC: 108739:10 Matrix: SO
 Collected: 07/29/08 11:05 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	10	mg/Kg DWB	1	0.30	1.0	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.3	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	35.5	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

Printed: 08/28/08 Code: S Page 5 of 7

NLS Project: 121091

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS Soils

Soil, S-27E-01-Soil NLS ID: 488281

COC: 108741:1 Matrix: SO
 Collected: 07/29/08 11:05 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	17	mg/Kg DWB	1	0.27	0.91	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.5	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	61.3	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-27E-02-Organics NLS ID: 488282

COC: 108741:2 Matrix: SO
 Collected: 07/29/08 10:40 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	13	mg/Kg DWB	1	0.44	1.5	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.5	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	40.4	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-27E-02-Soil NLS ID: 488283

COC: 108741:3 Matrix: SO
 Collected: 07/29/08 10:40 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	13	mg/Kg DWB	1	0.15	0.51	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.0	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	77.7	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-27E-03-Organics NLS ID: 488284

COC: 108741:4 Matrix: SO
 Collected: 07/29/08 10:25 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	66	mg/Kg DWB	1	0.19	0.64	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.1	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	24.0	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-27E-03-Soil NLS ID: 488285

COC: 108741:5 Matrix: SO
 Collected: 07/29/08 10:25 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	38	mg/Kg DWB	1	0.19	0.64	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.8	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	51.2	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

Printed: 08/28/08 Code: S Page 6 of 7

NLS Project: 121091

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: NS Soils

Soil, S-27E-04-Organics NLS ID: 488286

COC: 108741:6 Matrix: SO
 Collected: 07/29/08 10:10 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	34	mg/Kg DWB	1	0.38	1.3	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.2	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	37.1	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-27E-04-Soil NLS ID: 488287

COC: 108741:7 Matrix: SO
 Collected: 07/29/08 10:10 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	30	mg/Kg DWB	1	0.11	0.39	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.0	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	59.6	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-ET-01B NLS ID: 488288

COC: 108741:8 Matrix: SO
 Collected: 07/29/08 11:40 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	27	mg/Kg DWB	1	0.13	0.43	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.6	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	87.4	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-ET-01A NLS ID: 488289

COC: 108741:9 Matrix: SO
 Collected: 07/29/08 11:55 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	20	mg/Kg DWB	1	0.16	0.54	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.2	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	89.8	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-1013-NT NLS ID: 488290

COC: 108741:10 Matrix: SO
 Collected: 07/29/08 12:15 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	94	mg/Kg DWB	1	0.20	0.67	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.9	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	86.2	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

Printed: 08/28/08 Code: S Page 7 of 7

NLS Project: 121091

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532-6690

Project: NS Soils

Soil, S-1014-NT NLS ID: 488291

COC: 108740:1 Matrix: SO

Collected: 07/29/08 12:45 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	43	mg/Kg DWB	1	0.21	0.70	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.0	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	83.0	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-GP-01 NLS ID: 488292

COC: 108740:2 Matrix: SO

Collected: 07/29/08 13:20 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	12	mg/Kg DWB	1	0.15	0.52	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.9	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	78.5	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-L-01 NLS ID: 488293


COC: 108740:3 Matrix: SO

Collected: 07/29/08 13:40 Received: 07/31/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	17	mg/Kg DWB	1	0.16	0.55	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.9	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	72.7	%	1	0.10*		07/31/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/05/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection LOQ = Limit of Quantitation ND = Not Detected (< LOD) 1000 ug/L = 1 mg/L
 DWB = Dry Weight Basis NA = Not Applicable %DWB = (mg/kg DWB) / 10000
 MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by:  Authorized by:
 R. T. Krueger
 President

Northern Lake Service, Inc.

August 26, 2008

Project ID: S08-3934

ACZ Project ID: L70947

Sample Receipt

ACZ Laboratories, Inc. (ACZ) received 20 soil samples from Northern Lake Service, Inc. on August 5, 2008. The samples were received in good condition. Upon receipt, the sample custodian removed the samples from the cooler, inspected the contents, and logged the samples into ACZ's computerized Laboratory Information Management System (LIMS). The samples were assigned ACZ LIMS project number L70947. The custodian verified the sample information entered into the computer against the chain of custody (COC) forms and sample bottle labels.

Hold Times

All analyses were performed within EPA recommended holding times.

Sample Analysis

These samples were analyzed for inorganic parameters. The individual methods are referenced on both the ACZ invoice and the analytical reports. The extended qualifier reports may contain footnotes qualifying specific elements due to QC failures. In addition the following has been noted with this specific project:

1. The Sulfur Forms analyses were qualified with the ACZ 'N1' flag as the duplicate sample Relative Percent Difference (RPD) exceeded method control limits. The analyst commented that the high organic material content of the sample matrix was a probable contributing factor.

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

**Inorganic Analytical
Results**

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488261

ACZ Sample ID: L70947-01

Date Sampled: 07/28/08 14:35

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Units	Qualifier	Method	Units	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4							
Sulfur Organic Residual		0.33	%	*	0.01	0.1	08/15/08 0:00	lwt
Sulfur Pyritic Sulfide		0.07	%	B *	0.01	0.1	08/15/08 0:00	lwt
Sulfur Sulfate			%	U *	0.01	0.1	08/15/08 0:00	lwt
Sulfur Total		0.41	%	*	0.01	0.1	08/15/08 0:00	lwt
Total Sulfur minus Sulfate		0.41	%	*	0.01	0.1	08/15/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Units	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972			08/08/08 14:00	mjc
Crush and Pulverize	USDA No. 1, 1972			08/12/08 11:00	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488262

ACZ Sample ID: L70947-02

Date Sampled: 07/28/08 14:45

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Units	ML	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4							
Sulfur Organic Residual		0.07	B	*	%	0.01 0.1	08/15/08 0:00	lwt
Sulfur Pyritic Sulfide			U	*	%	0.01 0.1	08/15/08 0:00	lwt
Sulfur Sulfate		0.06	B	*	%	0.01 0.1	08/15/08 0:00	lwt
Sulfur Total		0.13		*	%	0.01 0.1	08/15/08 0:00	lwt
Total Sulfur minus Sulfate		0.07	B	*	%	0.01 0.1	08/15/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Units	ML	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972						08/08/08 14:03	mjc
Crush and Pulverize	USDA No. 1, 1972						08/12/08 12:03	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.

Project ID: S08-3934
 Sample ID: 488263

ACZ Sample ID: L70947-03
 Date Sampled: 07/28/08 11:15
 Date Received: 08/05/08
 Sample Matrix: Soil

Soil Analysis

Parameter	Method	Result	Unit	Qualifier	Scale	Value	Unit	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.02	B	*	%	0.01	0.1	08/16/08 0:00	lwt
Sulfur Pyritic Sulfide		0.01	B	*	%	0.01	0.1	08/16/08 0:00	lwt
Sulfur Sulfate			U	*	%	0.01	0.1	08/16/08 0:00	lwt
Sulfur Total		0.03	B	*	%	0.01	0.1	08/16/08 0:00	lwt
Total Sulfur minus Sulfate		0.03	B	*	%	0.01	0.1	08/16/08 0:00	lwt

Soil Preparation

Parameter	Method	Result	Unit	Qualifier	Scale	Value	Unit	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							08/08/08 14:07	mjc
Crush and Pulverize	USDA No. 1, 1972							08/12/08 13:07	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488264

ACZ Sample ID: L70947-04

Date Sampled: 07/28/08 11:30

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Concentration	Recovery	Date	Time	Unit
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual				U *	%	0.01	0.1	08/16/08 0:00	lwt
Sulfur Pyritic Sulfide		0.01		B *	%	0.01	0.1	08/16/08 0:00	lwt
Sulfur Sulfate				U *	%	0.01	0.1	08/16/08 0:00	lwt
Sulfur Total				U *	%	0.01	0.1	08/16/08 0:00	lwt
Total Sulfur minus Sulfate				U *	%	0.01	0.1	08/16/08 0:00	lwt

Soil Preparation

Air Dry at 34 Degrees	USDA No. 1, 1972						08/08/08 14:11	mjc
C							08/12/08 14:11	bjj/brd
Crush and Pulverize	USDA No. 1, 1972							

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

**Inorganic Analytical
Results**

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488265

ACZ Sample ID: L70947-05

Date Sampled: 07/28/08 11:55

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Method	Lab	Date	Time	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.02	B	*	%	0.01	0.1	08/16/08 0:00	lwt
Sulfur Pyritic Sulfide			U	*	%	0.01	0.1	08/16/08 0:00	lwt
Sulfur Sulfate			U	*	%	0.01	0.1	08/16/08 0:00	lwt
Sulfur Total		0.02	B	*	%	0.01	0.1	08/16/08 0:00	lwt
Total Sulfur minus Sulfate		0.02	B	*	%	0.01	0.1	08/16/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Method	Lab	Date	Time	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							08/08/08 14:15	mjc
Crush and Pulverize	USDA No. 1, 1972							08/12/08 15:15	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488266

ACZ Sample ID: L70947-06

Date Sampled: 07/28/08 12:10

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	Method	Result	Units	Qualifier	Scale	Conc	Units	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.01	B	*	%	0.01	0.1	08/17/08 0:00	lwt
Sulfur Pyritic Sulfide		0.01	B	*	%	0.01	0.1	08/17/08 0:00	lwt
Sulfur Sulfate			U	*	%	0.01	0.1	08/17/08 0:00	lwt
Sulfur Total		0.02	B	*	%	0.01	0.1	08/17/08 0:00	lwt
Total Sulfur minus Sulfate		0.02	B	*	%	0.01	0.1	08/17/08 0:00	lwt

Soil Preparation

Parameter	Method	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972	08/08/08 14:18	mjc
Crush and Pulverize	USDA No. 1, 1972	08/12/08 16:18	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3934
 Sample ID: 488267

ACZ Sample ID: L70947-07
 Date Sampled: 07/28/08 12:25
 Date Received: 08/05/08
 Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Qualifier	Units	MDL	LOD	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4							
Sulfur Organic Residual		0.01	B *	%	0.01	0.1	08/17/08 0:00	lwt
Sulfur Pyritic Sulfide			U *	%	0.01	0.1	08/17/08 0:00	lwt
Sulfur Sulfate		0.02	B *	%	0.01	0.1	08/17/08 0:00	lwt
Sulfur Total		0.02	B *	%	0.01	0.1	08/17/08 0:00	lwt
Total Sulfur minus Sulfate			U *	%	0.01	0.1	08/17/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Qualifier	Units	MDL	LOD	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972						08/08/08 14:22	mjc
Crush and Pulverize	USDA No. 1, 1972						08/12/08 17:22	bjl/brd

AGZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical
Results

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488268

ACZ Sample ID: L70947-08

Date Sampled: 07/28/08 12:40

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Units	VDL	PLD	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.02	B	*	%	0.01	0.1	08/17/08 0:00	lwt
Sulfur Pyritic Sulfide			U	*	%	0.01	0.1	08/17/08 0:00	lwt
Sulfur Sulfate		0.01	B	*	%	0.01	0.1	08/17/08 0:00	lwt
Sulfur Total		0.03	B	*	%	0.01	0.1	08/17/08 0:00	lwt
Total Sulfur minus Sulfate		0.02	B	*	%	0.01	0.1	08/17/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Units	VDL	PLD	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							08/08/08 14:26	mjc
Crush and Pulverize	USDA No. 1, 1972							08/12/08 18:26	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488269

ACZ Sample ID: L70947-09

Date Sampled: 07/28/08 12:55

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	PA Method	Result	Unit	Min	Max	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4						
Sulfur Organic Residual		U *	%	0.01	0.1	08/18/08 0:00	lwt
Sulfur Pyritic Sulfide		U *	%	0.01	0.1	08/18/08 0:00	lwt
Sulfur Sulfate		U *	%	0.01	0.1	08/18/08 0:00	lwt
Sulfur Total		U *	%	0.01	0.1	08/18/08 0:00	lwt
Total Sulfur minus Sulfate		U *	%	0.01	0.1	08/18/08 0:00	lwt

Soil Preparation

Parameter	PA Method	Result	Unit	Min	Max	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972					08/08/08 14:30	mjc
Crush and Pulverize	USDA No. 1, 1972					08/12/08 19:30	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488270

ACZ Sample ID: L70947-10

Date Sampled: 07/28/08 13:25

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	Method	Result	Unit	Qualifier	Units	ML	PL	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.02	%	B *		0.01	0.1	08/18/08 0:00	lwt
Sulfur Pyritic Sulfide			%	U *		0.01	0.1	08/18/08 0:00	lwt
Sulfur Sulfate		0.01	%	B *		0.01	0.1	08/18/08 0:00	lwt
Sulfur Total		0.03	%	B *		0.01	0.1	08/18/08 0:00	lwt
Total Sulfur minus Sulfate		0.02	%	B *		0.01	0.1	08/18/08 0:00	lwt

Soil Preparation

Parameter	Method	Result	Unit	ML	PL	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972					08/08/08 14:33	mjc
Crush and Pulverize	USDA No. 1, 1972					08/12/08 20:33	bjl/brd

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488271

ACZ Sample ID: L70947-11

Date Sampled: 07/28/08 13:50

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Unit	Qualifier	Result	Units	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4						
Sulfur Organic Residual		0.04	B *	%	0.01	0.1	08/18/08 0:00 lwt
Sulfur Pyritic Sulfide			U *	%	0.01	0.1	08/18/08 0:00 lwt
Sulfur Sulfate			U *	%	0.01	0.1	08/18/08 0:00 lwt
Sulfur Total		0.04	B *	%	0.01	0.1	08/18/08 0:00 lwt
Total Sulfur minus Sulfate		0.04	B *	%	0.01	0.1	08/18/08 0:00 lwt

Soil Preparation

Parameter	EPA Method	Unit	Qualifier	Result	Units	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972					08/08/08 14:37	mjc
Crush and Pulverize	USDA No. 1, 1972					08/12/08 21:37	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488273

ACZ Sample ID: L70947-12

Date Sampled: 07/28/08 15:25

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Units	Value	Units	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.02	B	*	%	0.01	0.1	08/19/08 0:00	lwt
Sulfur Pyritic Sulfide			U	*	%	0.01	0.1	08/19/08 0:00	lwt
Sulfur Sulfate		0.01	B	*	%	0.01	0.1	08/19/08 0:00	lwt
Sulfur Total		0.03	B	*	%	0.01	0.1	08/19/08 0:00	lwt
Total Sulfur minus Sulfate		0.02	B	*	%	0.01	0.1	08/19/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Units	Value	Units	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							08/08/08 14:41	mjc
Crush and Pulverize	USDA No. 1, 1972							08/12/08 22:41	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.
 Project ID: S08-3934
 Sample ID: 488274

ACZ Sample ID: L70947-13
 Date Sampled: 07/29/08 09:25
 Date Received: 08/05/08
 Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Units	ML	PL	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.09	B	*	%	0.01	0.1	08/19/08 0:00	lwt
Sulfur Pyritic Sulfide			U	*	%	0.01	0.1	08/19/08 0:00	lwt
Sulfur Sulfate			U	*	%	0.01	0.1	08/19/08 0:00	lwt
Sulfur Total		0.08	B	*	%	0.01	0.1	08/19/08 0:00	lwt
Total Sulfur minus Sulfate		0.08	B	*	%	0.01	0.1	08/19/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Units	ML	PL	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							08/08/08 14:45	mjc
Crush and Pulverize	USDA No. 1, 1972							08/12/08 23:45	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488275

ACZ Sample ID: L70947-14

Date Sampled: 07/29/08 09:25

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	QA/QC	Units	Lab #	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4						
Sulfur Organic Residual		0.03	B *	%	0.01	0.1	08/19/08 0:00 lwt
Sulfur Pyritic Sulfide			U *	%	0.01	0.1	08/19/08 0:00 lwt
Sulfur Sulfate			U *	%	0.01	0.1	08/19/08 0:00 lwt
Sulfur Total		0.03	B *	%	0.01	0.1	08/19/08 0:00 lwt
Total Sulfur minus Sulfate		0.03	B *	%	0.01	0.1	08/19/08 0:00 lwt

Soil Preparation

Parameter	EPA Method	Result	QA/QC	Units	Lab #	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972					08/08/08 14:48	mjc
Crush and Pulverize	USDA No. 1, 1972					08/13/08 0:48	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488276

ACZ Sample ID: L70947-15

Date Sampled: 07/29/08 09:35

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Qualifier	Units	MDL	LOD	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4							
Sulfur Organic Residual		0.11	*	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Pyritic Sulfide			U *	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Sulfate		0.03	B *	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Total		0.13	*	%	0.01	0.1	08/20/08 0:00	lwt
Total Sulfur minus Sulfate		0.10	*	%	0.01	0.1	08/20/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Qualifier	Units	MDL	LOD	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972						08/08/08 14:52	mjc
Crush and Pulverize	USDA No. 1, 1972						08/13/08 1:52	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

**Inorganic Analytical
Results**

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488277

ACZ Sample ID: L70947-16

Date Sampled: 07/29/08 09:35

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	Method	Result	Units	Qualifier	Conc	Conc	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4							
Sulfur Organic Residual		0.09	B	*	%	0.01 0.1	08/20/08 0:00	lwt
Sulfur Pyritic Sulfide		0.02	B	*	%	0.01 0.1	08/20/08 0:00	lwt
Sulfur Sulfate			U	*	%	0.01 0.1	08/20/08 0:00	lwt
Sulfur Total		0.06	B	*	%	0.01 0.1	08/20/08 0:00	lwt
Total Sulfur minus Sulfate		0.06	B	*	%	0.01 0.1	08/20/08 0:00	lwt

Soil Preparation

Parameter	Method	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972	08/08/08 14:56	mjc
Crush and Pulverize	USDA No. 1, 1972	08/13/08 2:56	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.
 Project ID: S08-3934
 Sample ID: 488278

ACZ Sample ID: L70947-17
 Date Sampled: 07/29/08 09:50
 Date Received: 08/05/08
 Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Qualifier	Units	ML	DL	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4							
Sulfur Organic Residual		0.20	*	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Pyritic Sulfide			U *	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Sulfate		0.07	B *	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Total		0.23	*	%	0.01	0.1	08/20/08 0:00	lwt
Total Sulfur minus Sulfate		0.16	*	%	0.01	0.1	08/20/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Qualifier	Units	ML	DL	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972						08/08/08 15:00	mjc
Crush and Pulverize	USDA No. 1, 1972						08/13/08 4:00	bjl/brd

Northern Lake Service, Inc.
Project ID: S08-3934
Sample ID: 488279

ACZ Sample ID: L70947-18
Date Sampled: 07/29/08 09:50
Date Received: 08/05/08
Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Conc	Units	Unit	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.05	B	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Pyritic Sulfide			U	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Sulfate		0.07	B	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Total		0.11		*	%	0.01	0.1	08/21/08 0:00	lwt
Total Sulfur minus Sulfate		0.04	B	*	%	0.01	0.1	08/21/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Conc	Units	Unit	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							08/08/08 15:03	mjc
Crush and Pulverize	USDA No. 1, 1972							08/13/08 5:03	bjl/brd

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488280

ACZ Sample ID: L70947-19

Date Sampled: 07/29/08 11:05

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Units	Unit	Unit	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.03	B	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Pyritic Sulfide			U	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Sulfate		0.02	B	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Total		0.05	B	*	%	0.01	0.1	08/21/08 0:00	lwt
Total Sulfur minus Sulfate		0.03	B	*	%	0.01	0.1	08/21/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Units	Unit	Unit	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							08/08/08 15:07	mjc
Crush and Pulverize	USDA No. 1, 1972							08/13/08 6:07	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.
 Project ID: S08-3934
 Sample ID: 488281

ACZ Sample ID: L70947-20
 Date Sampled: 07/29/08 11:05
 Date Received: 08/05/08
 Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Qual	Exc	Units	Min	Max	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.02	B	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Pyritic Sulfide		0.01	B	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Sulfate			U	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Total		0.03	B	*	%	0.01	0.1	08/21/08 0:00	lwt
Total Sulfur minus Sulfate		0.03	B	*	%	0.01	0.1	08/21/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Qual	Exc	Units	Min	Max	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							08/08/08 15:11	mjc
Crush and Pulverize	USDA No. 1, 1972							08/13/08 7:11	bjl/brd

Standard Definitions - Abbreviations

<i>Batch</i>	A distinct set of samples analyzed at a specific time
<i>Found</i>	Value of the QC Type of interest
<i>Limit</i>	Upper limit for RPD, in %.
<i>Lower</i>	Lower Recovery Limit, in % (except for LCSS, mg/Kg)
<i>MDL</i>	Method Detection Limit. Same as Minimum Reporting Limit. Allows for instrument and annual fluctuations.
<i>PCN/SCN</i>	A number assigned to reagents/standards to trace to the manufacturer's certificate of analysis
<i>PQL</i>	Practical Quantitation Limit, typically 5 times the MDL.
<i>QC</i>	True Value of the Control Sample or the amount added to the Spike
<i>Rec</i>	Amount of the true value or spike added recovered, in % (except for LCSS, mg/Kg)
<i>RPD</i>	Relative Percent Difference, calculation used for Duplicate QC Types
<i>Upper</i>	Upper Recovery Limit, in % (except for LCSS, mg/Kg)
<i>Sample</i>	Value of the Sample of interest

QC Sample Types

<i>AS</i>	Analytical Spike (Post Digestion)	<i>LCSWD</i>	Laboratory Control Sample - Water Duplicate
<i>ASD</i>	Analytical Spike (Post Digestion) Duplicate	<i>LFB</i>	Laboratory Fortified Blank
<i>CCB</i>	Continuing Calibration Blank	<i>LFM</i>	Laboratory Fortified Matrix
<i>CCV</i>	Continuing Calibration Verification standard	<i>LFMD</i>	Laboratory Fortified Matrix Duplicate
<i>DUP</i>	Sample Duplicate	<i>LRB</i>	Laboratory Reagent Blank
<i>ICB</i>	Initial Calibration Blank	<i>MS</i>	Matrix Spike
<i>ICV</i>	Initial Calibration Verification standard	<i>MSD</i>	Matrix Spike Duplicate
<i>ICSAB</i>	Inter-element Correction Standard - A plus B solutions	<i>PBS</i>	Prep Blank - Soil
<i>LCSS</i>	Laboratory Control Sample - Soil	<i>PBW</i>	Prep Blank - Water
<i>LCSSD</i>	Laboratory Control Sample - Soil Duplicate	<i>PCV</i>	Practical Quantitation Verification standard
<i>LCSW</i>	Laboratory Control Sample - Water	<i>SDL</i>	Serial Dilution

Pre-sample/Prep/Calibration

Blanks	Verifies that there is no or minimal contamination in the prep method or calibration procedure.
Control Samples	Verifies the accuracy of the method, including the prep procedure.
Duplicates	Verifies the precision of the instrument and/or method.
Spikes/Fortified Matrix	Determines sample matrix interferences, if any.
Standard	Verifies the validity of the calibration.

Abbreviations (cont)

<i>B</i>	Analyte concentration detected at a value between MDL and PQL.
<i>H</i>	Analysis exceeded method hold time. pH is a field test with an immediate hold time.
<i>U</i>	Analyte was analyzed for but not detected at the indicated MDL

References

- (1) EPA 600/4-83-020. Methods for Chemical Analysis of Water and Wastes, March 1983.
- (2) EPA 600/R-93-100. Methods for the Determination of Inorganic Substances in Environmental Samples, August 1993.
- (3) EPA 600/R-94-111. Methods for the Determination of Metals in Environmental Samples - Supplement I, May 1994.
- (5) EPA SW-846. Test Methods for Evaluating Solid Waste, Third Edition with Update III, December 1996.
- (6) Standard Methods for the Examination of Water and Wastewater, 19th edition, 1995.

Footnotes

- (1) QC results calculated from raw data. Results may vary slightly if the rounded values are used in the calculations.
- (2) Soil, Sludge, and Plant matrices for Inorganic analyses are reported on a dry weight basis.
- (3) Animal matrices for Inorganic analyses are reported on an "as received" basis.

Northern Lake Service, Inc.

ACZ Project ID: L70947

ACZ WORKING PARAMETER DATA TABLE

ACZ ID	WORKING PARAMETER	ANALYSIS	RESULTS	QUALIFIER
L70947-01	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.	
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).	
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
L70947-02	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.	
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).	
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
L70947-03	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.	
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).	
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
L70947-04	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.	
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).	
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
L70947-05	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.	
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).	
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.

Northern Lake Service, Inc.

ACZ Project ID: L70947

ACZ WORKSHEET

L70947-06	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
L70947-07	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
L70947-08	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
L70947-09	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
L70947-10	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1	RPD exceeded the method or laboratory acceptance limit. See Case Narrative.



ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.

ACZ Project ID: L70947

ACZ LABORATORY REPORT

ACZ ID	WORKBOOK	PARAMETER	METHOD	QUALIFIER DESCRIPTION
L70947-11	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.		
L70947-12	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.		
L70947-13	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.		
L70947-14	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.		
L70947-15	WG249957	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
			M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.		

Northern Lake Service, Inc.

ACZ Project ID: L70947

ANALYSIS OF SAMPLES FOR INORGANIC CATIONED ANALYTES

Sample ID	Sample Description	Method	Result
L70947-16	WG249957 Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.	
L70947-17	WG249957 Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.	
L70947-18	WG249957 Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.	
L70947-19	WG249957 Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.	
L70947-20	WG249957 Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.
		M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	R1 RPD exceeded the method or laboratory acceptance limit. See Case Narrative.	

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.

ACZ Project ID: L70947

Soil Analysis



Sulfur Forms

M600/2-78-054 3.2.4

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488282

ACZ Sample ID: L70951-01

Date Sampled: 07/29/08 10:40

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	Method	Result	Units	Qualifier	Units	Units	Date	Time	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.06	B	*	%	0.01	0.1	08/19/08 0:00	lwt
Sulfur Pyritic Sulfide		0.01	B	*	%	0.01	0.1	08/19/08 0:00	lwt
Sulfur Sulfate		0.02	B	*	%	0.01	0.1	08/19/08 0:00	lwt
Sulfur Total		0.09	B	*	%	0.01	0.1	08/19/08 0:00	lwt
Total Sulfur minus Sulfate		0.07	B	*	%	0.01	0.1	08/19/08 0:00	lwt

Soil Preparation

Parameter	Method	Result	Units	Qualifier	Units	Units	Date	Time	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							08/08/08 15:15	mjc
Crush and Pulverize	USDA No. 1, 1972							08/13/08 8:15	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

**Inorganic Analytical
Results**

Northern Lake Service, Inc.
Project ID: S08-3934
Sample ID: 488283

ACZ Sample ID: L70951-02
Date Sampled: 07/29/08 10:40
Date Received: 08/05/08
Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Method	Lab	Date	Time	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic		0.02	B	*	%	0.01	0.1	08/20/08 0:00	lwt
Residual									
Sulfur Pyritic Sulfide			U	*	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Sulfate			U	*	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Total		0.01	B	*	%	0.01	0.1	08/20/08 0:00	lwt
Total Sulfur minus Sulfate		0.01	B	*	%	0.01	0.1	08/20/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Method	Lab	Date	Time	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							08/08/08 15:18	mjc
Crush and Pulverize	USDA No. 1, 1972							08/13/08 9:18	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.
 Project ID: S08-3934
 Sample ID: 488284

ACZ Sample ID: L70951-03
 Date Sampled: 07/29/08 10:25
 Date Received: 08/05/08
 Sample Matrix: Soil

Soil Analysis

Parameter	Result	Unit	Qualifier	Method	Lab	Date	Time	Analyst
Sulfur Forms	M600/2-78-054 3.2.4							
Sulfur Organic Residual	0.23	%	*		0.01	0.1	08/20/08 0:00	lwt
Sulfur Pyritic Sulfide	0.04	%	B *		0.01	0.1	08/20/08 0:00	lwt
Sulfur Sulfate		%	U *		0.01	0.1	08/20/08 0:00	lwt
Sulfur Total	0.27	%	*		0.01	0.1	08/20/08 0:00	lwt
Total Sulfur minus Sulfate	0.27	%	*		0.01	0.1	08/20/08 0:00	lwt

Soil Preparation

Parameter	Result	Unit	Method	Lab	Date	Time	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972				08/08/08	15:22	mjc
Crush and Pufferize	USDA No. 1, 1972				08/13/08	10:22	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

**Inorganic Analytical
Results**

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488285

ACZ Sample ID: L70951-04

Date Sampled: 07/29/08 10:25

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Units	Units	Date	Time	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.06	B	*	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Pyritic Sulfide		0.01	B	*	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Sulfate			U	*	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Total		0.07	B	*	%	0.01	0.1	08/20/08 0:00	lwt
Total Sulfur minus Sulfate		0.07	B	*	%	0.01	0.1	08/20/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Units	Units	Date	Time	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							08/08/08 15:26	mjc
Crush and Pulverize	USDA No. 1, 1972							08/13/08 11:26	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

**Inorganic Analytical
Results**

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488286

ACZ Sample ID: L70951-05

Date Sampled: 07/29/08 10:10

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Method	Lab	Date	Time	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.08	B	*	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Pyritic Sulfide		0.02	B	*	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Sulfate		0.03	B	*	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Total		0.13		*	%	0.01	0.1	08/20/08 0:00	lwt
Total Sulfur minus Sulfate		0.10		*	%	0.01	0.1	08/20/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Method	Lab	Date	Time	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972						08/08/08 15:30		mjc
Crush and Pulverize	USDA No. 1, 1972						08/13/08 12:30		bjl/brd

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488287

ACZ Sample ID: L70951-06

Date Sampled: 07/29/08 10:10

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	Method	Result	Unit	Limit	Unit	Unit	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4							
Sulfur Organic Residual		0.04	B *	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Pyritic Sulfide			U *	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Sulfate		0.03	B *	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Total		0.07	B *	%	0.01	0.1	08/20/08 0:00	lwt
Total Sulfur minus Sulfate		0.04	B *	%	0.01	0.1	08/20/08 0:00	lwt

Soil Preparation

Parameter	Method	Result	Unit	Limit	Unit	Unit	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972						08/08/08 15:33	mjc
Crush and Pulverize	USDA No. 1, 1972						08/13/08 13:33	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488288

ACZ Sample ID: L70951-07

Date Sampled: 07/29/08 11:40

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	U	*	%	MDL	QAL	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4									
Sulfur Organic Residual				U	*	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Pyritic Sulfide				U	*	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Sulfate		0.02		B	*	%	0.01	0.1	08/20/08 0:00	lwt
Sulfur Total		0.02		B	*	%	0.01	0.1	08/20/08 0:00	lwt
Total Sulfur minus Sulfate				U	*	%	0.01	0.1	08/20/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972	08/08/08 15:37	mjc
Crush and Pulverize	USDA No. 1, 1972	08/13/08 14:37	bjl/brd

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488289

ACZ Sample ID: L70951-08

Date Sampled: 07/29/08 11:55

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Unit	Conc	Units	Lab	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4						
Sulfur Organic Residual		U	*	%	0.01	0.1	08/21/08 0:00 lwt
Sulfur Pyritic Sulfide		U	*	%	0.01	0.1	08/21/08 0:00 lwt
Sulfur Sulfate		U	*	%	0.01	0.1	08/21/08 0:00 lwt
Sulfur Total		U	*	%	0.01	0.1	08/21/08 0:00 lwt
Total Sulfur minus Sulfate		U	*	%	0.01	0.1	08/21/08 0:00 lwt

Soil Preparation

Parameter	EPA Method	Unit	Conc	Units	Lab	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972					08/08/08 15:41	mjc
Crush and Pulverize	USDA No. 1, 1972					08/13/08 15:41	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488290

ACZ Sample ID: L70951-09

Date Sampled: 07/29/08 12:15

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	Method	Concentration	Units	Qualifier	Units	Concentration	Units	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.07	B *	%		0.01	0.1	08/21/08 0:00	lwt
Sulfur Pyritic Sulfide			U *	%		0.01	0.1	08/21/08 0:00	lwt
Sulfur Sulfate		0.01	B *	%		0.01	0.1	08/21/08 0:00	lwt
Sulfur Total		0.08	B *	%		0.01	0.1	08/21/08 0:00	lwt
Total Sulfur minus Sulfate		0.07	B *	%		0.01	0.1	08/21/08 0:00	lwt

Soil Preparation

Parameter	Method	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972	08/08/08 15:45	mjc
Crush and Pulverize	USDA No. 1, 1972	08/13/08 16:45	bjl/brd

Northern Lake Service, Inc.
 Project ID: S08-3934
 Sample ID: 488291

ACZ Sample ID: L70951-10
 Date Sampled: 07/29/08 12:45
 Date Received: 08/05/08
 Sample Matrix: Soil

Soil Analysis

Parameter	Method	Result	Units	Qualifier	Method	Units	Date	Time	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.02	B	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Pyritic Sulfide		0.01	B	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Sulfate			U	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Total		0.02	B	*	%	0.01	0.1	08/21/08 0:00	lwt
Total Sulfur minus Sulfate		0.02	B	*	%	0.01	0.1	08/21/08 0:00	lwt

Soil Preparation

Air Dry at 34 Degrees C	USDA No. 1, 1972						08/08/08 15:48		mjc
Crush and Pulverize	USDA No. 1, 1972						08/13/08 17:48		bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

**Inorganic Analytical
Results**

Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488292

ACZ Sample ID: L70951-11

Date Sampled: 07/29/08 13:20

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Concentration	Unit	Qualifier	Limit	MDL	POE	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.04	B	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Pyritic Sulfide		0.01	B	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Sulfate			U	*	%	0.01	0.1	08/21/08 0:00	lwt
Sulfur Total		0.04	B	*	%	0.01	0.1	08/21/08 0:00	lwt
Total Sulfur minus Sulfate		0.04	B	*	%	0.01	0.1	08/21/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972	08/08/08 15:52	mjc
Crush and Pulverize	USDA No. 1, 1972	08/13/08 18:52	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.

Project ID: S08-3934

Sample ID: 488293

ACZ Sample ID: L70951-12

Date Sampled: 07/29/08 13:40

Date Received: 08/05/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Method	Units	MLL	PAL	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4									
Sulfur Organic Residual		0.02	B	*	%	0.01	0.1		08/21/08 0:00	lwt
Sulfur Pyritic Sulfide			U	*	%	0.01	0.1		08/21/08 0:00	lwt
Sulfur Sulfate			U	*	%	0.01	0.1		08/21/08 0:00	lwt
Sulfur Total		0.02	B	*	%	0.01	0.1		08/21/08 0:00	lwt
Total Sulfur minus Sulfate		0.02	B	*	%	0.01	0.1		08/21/08 0:00	lwt

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Method	Units	MLL	PAL	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972								08/08/08 15:56	mjc
Crush and Pulverize	USDA No. 1, 1972								08/13/08 19:56	bjl/brd

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.
 Project ID: S08-3934
 Sample ID: 488272

ACZ Sample ID: L70951-13
 Date Sampled: 07/28/08 15:25
 Date Received: 08/05/08
 Sample Matrix: Soil

Soil Analysis

Parameter	Method	Result	Units	Qualifier	Limit	Time	Operator
Sulfur Forms	M600/2-78-054 3.2.4						
Sulfur Organic Residual		0.03	B *	%	0.01 0.1	08/21/08 0:00	lwt
Sulfur Pyritic Sulfide			U *	%	0.01 0.1	08/21/08 0:00	lwt
Sulfur Sulfate		0.03	B *	%	0.01 0.1	08/21/08 0:00	lwt
Sulfur Total		0.06	B *	%	0.01 0.1	08/21/08 0:00	lwt
Total Sulfur minus Sulfate		0.03	B *	%	0.01 0.1	08/21/08 0:00	lwt

Soil Preparation

Parameter	Method	Time	Operator
Air Dry at 34 Degrees C	USDA No. 1, 1972	08/08/08 16:00	mjc
Crush and Pulverize	USDA No. 1, 1972	08/13/08 21:00	bjl/brd



Abbreviations

<i>Batch</i>	A distinct set of samples analyzed at a specific time
<i>Found</i>	Value of the QC Type of interest
<i>Limit</i>	Upper limit for RPD, in %.
<i>Lower</i>	Lower Recovery Limit, in % (except for LCSS, mg/Kg)
<i>MDL</i>	Method Detection Limit. Same as Minimum Reporting Limit. Allows for instrument and annual fluctuations.
<i>PCN/SCN</i>	A number assigned to reagents/standards to trace to the manufacturer's certificate of analysis
<i>PQL</i>	Practical Quantitation Limit, typically 5 times the MDL.
<i>QC</i>	True Value of the Control Sample or the amount added to the Spike
<i>Rec</i>	Amount of the true value or spike added recovered, in % (except for LCSS, mg/Kg)
<i>RPD</i>	Relative Percent Difference, calculation used for Duplicate QC Types
<i>Upper</i>	Upper Recovery Limit, in % (except for LCSS, mg/Kg)
<i>Sample</i>	Value of the Sample of interest

Abbreviations

<i>AS</i>	Analytical Spike (Post Digestion)	<i>LCSWD</i>	Laboratory Control Sample - Water Duplicate
<i>ASD</i>	Analytical Spike (Post Digestion) Duplicate	<i>LFB</i>	Laboratory Fortified Blank
<i>CCB</i>	Continuing Calibration Blank	<i>LFM</i>	Laboratory Fortified Matrix
<i>CCV</i>	Continuing Calibration Verification standard	<i>LFMD</i>	Laboratory Fortified Matrix Duplicate
<i>DUP</i>	Sample Duplicate	<i>LRB</i>	Laboratory Reagent Blank
<i>ICB</i>	Initial Calibration Blank	<i>MS</i>	Matrix Spike
<i>ICV</i>	Initial Calibration Verification standard	<i>MSD</i>	Matrix Spike Duplicate
<i>IGSAB</i>	Inter-element Correction Standard - A plus B solutions	<i>PBS</i>	Prep Blank - Soil
<i>LCSS</i>	Laboratory Control Sample - Soil	<i>PBW</i>	Prep Blank - Water
<i>LCSSD</i>	Laboratory Control Sample - Soil Duplicate	<i>PQV</i>	Practical Quantitation Verification standard
<i>LCSW</i>	Laboratory Control Sample - Water	<i>SDL</i>	Serial Dilution

QC Sample Preparation Procedures

Blanks	Verifies that there is no or minimal contamination in the prep method or calibration procedure.
Control Samples	Verifies the accuracy of the method, including the prep procedure.
Duplicates	Verifies the precision of the instrument and/or method.
Spikes/Fortified Matrix	Determines sample matrix interferences, if any.
Standard	Verifies the validity of the calibration.

QC Parameters (Only)

<i>B</i>	Analyte concentration detected at a value between MDL and PQL.
<i>H</i>	Analysis exceeded method hold time. pH is a field test with an immediate hold time.
<i>U</i>	Analyte was analyzed for but not detected at the indicated MDL

References

- (1) EPA 600/4-83-020. Methods for Chemical Analysis of Water and Wastes, March 1983.
- (2) EPA 600/R-93-100. Methods for the Determination of Inorganic Substances in Environmental Samples, August 1993.
- (3) EPA 600/R-94-111. Methods for the Determination of Metals in Environmental Samples - Supplement I, May 1994.
- (5) EPA SW-846. Test Methods for Evaluating Solid Waste, Third Edition with Update III, December 1996.
- (6) Standard Methods for the Examination of Water and Wastewater, 19th edition, 1995.

Comments

- (1) QC results calculated from raw data. Results may vary slightly if the rounded values are used in the calculations.
- (2) Soil, Sludge, and Plant matrices for Inorganic analyses are reported on a dry weight basis.
- (3) Animal matrices for Inorganic analyses are reported on an "as received" basis.




Northern Lake Service, Inc.

ACZ Project ID: L70951

ANALYSIS SUBSTRATE DATA TABLE

L70951-01	WG250008	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70951-02	WG250008	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70951-03	WG250008	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70951-04	WG250008	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).



Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.

ACZ Project ID: L70951

ANALYSIS INFORMATION

L70951-05	WG250008	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70951-06	WG250008	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70951-07	WG250008	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70951-08	WG250008	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).

Northern Lake Service, Inc.

ACZ Project ID: L70951

ANALYSIS DESCRIPTION

L70951-09	WG250008	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70951-10	WG250008	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70951-11	WG250008	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L70951-12	WG250008	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA	Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).

Northern Lake Service, Inc.

ACZ Project ID: L70951

ANALYSIS DESCRIPTION

Sample ID	Parameter	Method	Result
L70951-13	WG250008 Sulfur Organic Residual	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Total	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

CLIENT: Flambeau Mining Co.
 ADDRESS: N4100 Hwy 27
 CITY: Ladysmith STATE: WI ZIP: 54648
 PROJECT DESCRIPTION / NO.: N/S Soils QUOTATION NO.:
 DNR FID #: _____ DNR LICENSE #:
 CONTACT: Tom E Murphy PHONE: 715-532-6690
 PURCHASE ORDER NO.: _____ FAX: 715-532-6885

Wisconsin Lab Cert. No. 721026460
 WI DATCP.105-000330


Analytical Laboratory and Environmental Services
 400 North Lake Avenue • Crandon, WI 54520-1298
 Tel: (715) 478-2777 • Fax: (715) 478-3060

MATRIX:
 SW = surface water
 WW = waste water
 GW = groundwater
 DW = drinking water
 TIS = tissue
 AIR = air
 SOIL = soil
 SED = sediment
 PROD = product
 SL = sludge
 OTHER

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.
 Indicate G or C if WW Sample is Grab or Composite.

ANALYZE PER ORDER OF ANALYSIS

Copper Al Sulfide Total Solids



NO. 108738

ITEM NO.	DATE/TIME	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS										COLLECTION REMARKS (i.e. DNR Well ID #)									
			DATE	TIME		Copper	Al	Sulfide	Total Solids																
1.	7/27/08	S-CP-035	7/27/08	1435	soil	X	X	X	X																
2.		S-CP-045		1445																					
3.		S-RR-01		1115																					
4.		S-RR-02		1130																					
5.		S-RR-03		1155																					
6.		S-RR-04		1210																					
7.		S-RR-05		1225																					
8.		S-RR-06		1240																					
9.		S-RR-07		1255																					
10.		S-RR-08		1325																					

COLLECTED BY (signature): _____ CUSTODY SEAL NO. (IF ANY): _____ DATE/TIME: 7/27/08 1600
 RELINQUISHED BY (signature): _____ RECEIVED BY (signature): _____ DATE/TIME: 7/27/08 0700
 DISPATCHED BY (signature): _____ METHOD OF TRANSPORT: _____ DATE/TIME: _____

REPORT TO: Flambeau Mining Co.

RECEIVED AT NLS BY (signature): Yvonne Beaman DATE/TIME: 7/27/08 830 CONDITION: None TEMP: 16.1
 COOLER #: _____ REMARKS & OTHER INFORMATION: soils to stream valley (Kathy) run & flag
 PRESERVATIVE: N = nitric acid OH = sodium hydroxide WDN# FACILITY NUMBER: _____ E-MAIL ADDRESS: _____
 NP = no preservative Z = zinc acetate HA = hydrochloric & ascorbic acid
 S = sulfuric acid M = methanol H = hydrochloric acid

INVOICE TO: Same

IMPORTANT:

1. TO MEET REGULATORY REQUIREMENTS, THIS FORM **MUST** BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
2. PLEASE USE ONE LINE PER SAMPLE, **NOT** PER BOTTLE.
3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
4. PARTIES COLLECTING SAMPLE, LISTED AS REPORT TO AND LISTED AS INVOICE TO AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

DUPLICATE COPY

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

Wisconsin Lab Cert. No. 721026460
WI DATCP 105-000330

Analytical Laboratory and Environmental Services
400 North Lake Avenue • Crandon, WI 54520-1298
Tel: (715) 478-2777 • Fax: (715) 478-3060

CLIENT <i>Flambeau Mining Co.</i>	
ADDRESS <i>N4100 Hwy 27</i>	
CITY <i>Ladysmith</i>	STATE <i>WI</i>
ZIP <i>54848</i>	
PROJECT DESCRIPTION / NO. <i>AS Soils</i>	QUOTATION NO.
DNR FID #	DNR LICENSE #
CONTACT <i>Jana E. Murphy</i>	PHONE <i>715-532-6690</i>
PURCHASE ORDER NO.	FAX <i>715-532-6885</i>


MATRIX:
SW = surface water
WW = waste water
GW = groundwater
DW = drinking water
TIS = tissue
AIR = air
SOIL = soil
SED = sediment
PROD = product
SL = sludge
OTHER

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.
Indicate G or C if WW Sample is Grab or Composite.

ANALYZE PER ORDER OF ANALYSIS

*Ca 271-274
Pb
Sulfide
Total Solids*

GROUNDWATER



NO. 108739

ITEM NO.	LAB ID	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS				COLLECTION REMARKS (i.e. DNR Well ID #)
			DATE	TIME		Ca	Pb	Sulfide	Total Solids	
1.	271	S-RR-09	7/28/08	1350	Soil	X	X	X	X	
2.	272	S-27W-01-organics	↓	1525	↓	↓	↓	↓	↓	
3.	273	S-27W-01-soil	↓	1525	↓	↓	↓	↓	↓	
4.	274	S-27W-02-organics	7/29/08	0925	Soil	X	X	X	X	
5.	275	S-27W-02-soil	↓	0925	↓	↓	↓	↓	↓	
6.	276	S-27W-03-organics	↓	0935	↓	↓	↓	↓	↓	
7.	277	S-27W-03-soil	↓	0935	↓	↓	↓	↓	↓	
8.	278	S-27W-04-organics	↓	0950	↓	↓	↓	↓	↓	
9.	279	S-27W-04-soil	↓	0950	↓	↓	↓	↓	↓	
10.	280	S-27E-01-organics	↓	1105	↓	↓	↓	↓	↓	

COLLECTED BY (signature) <i>[Signature]</i>	CUSTODY SEAL NO. (IF ANY)	DATE/TIME <i>7/28/08 / 7/29/08 1700</i>
RELINQUISHED BY (signature) <i>[Signature]</i>	RECEIVED BY (signature)	DATE/TIME <i>7/30/08 0700</i>
DISPATCHED BY (signature)	METHOD OF TRANSPORT	DATE/TIME

REPORT TO
Flambeau Mining Co.

RECEIVED AT NLS BY (signature) <i>[Signature]</i>	DATE/TIME <i>7/31/08 8:30</i>	CONDITION <i>Wet</i>	TEMP <i>11/1</i>
REMARKS & OTHER INFORMATION			
COOLER #	WDNR FACILITY NUMBER	E-MAIL ADDRESS <i>jana-murphy@clearwire.net</i>	

INVOICE TO
Same

PRESERVATIVE:
N = nitric acid OH = sodium hydroxide
NP = no preservative Z = zinc acetate HA = hydrochloric & ascorbic acid
S = sulfuric acid M = methanol H = hydrochloric acid

1. TO MEET REGULATORY REQUIREMENTS, THIS FORM **MUST** BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
2. PLEASE USE ONE LINE PER SAMPLE, NOT PER BOTTLE.
3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
4. PARTIES COLLECTING SAMPLE, LISTED AS **REPORT TO** AND LISTED AS **INVOICE TO** AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

IMPORTANT!

DUPLICATE COPY

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

Wisconsin Lab Cert. No. 721026460
WI DATCP 105-000330


Analytical Laboratory and Environmental Services
400 North Lake Avenue • Crandon, WI 54520-1298
Tel: (715) 478-2777 • Fax: (715) 478-3060

CLIENT Flambeau Mining Co.	
ADDRESS N4100 Hwy 27	
CITY Ladysmith	STATE WI
ZIP 54848	
PROJECT DESCRIPTION / NO. NS Soils	QUOTATION NO.
DNR FID #	DNR LICENSE #
CONTACT Jana E. Murphy	PHONE 715-532-6109
PURCHASE ORDER NO.	FAX 715-532-6885

MATRIX:
SW = surface water
WW = waste water
GW = groundwater
DW = drinking water
TIS = tissue
AIR = air
SOIL = soil
SED = sediment
PROD = product
SL = sludge
OTHER

USE BOXES BELOW. Indicate Y or N if GW Sample is field filtered:
Indicate G or C if WW Sample is Grab or Composite:

ANALYZE PER ORDER OF ANALYSIS	Copper																				
	PH																				
	Sulfide																				
	Total Solids																				
	Water																				



NO. 108741

ITEM NO.	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS										COLLECTION REMARKS (i.e. DNR Well ID #)					
		DATE	TIME		Copper	PH	Sulfide	Total Solids	Water											
1.	S-27E-01-Soil	7/29/08	1105	Soil	X	X	X	X												
2.	S-27E-02-organics		1040																	
3.	S-27E-02-Soil		1040																	
4.	S-27E-03-organics		1025																	
5.	S-27E-03-Soil		1025																	
6.	S-27E-04-organics		1010																	
7.	S-27E-04-Soil		1010																	
8.	S-ET-01B		1140																	
9.	S-ET-01A		1155																	
10.	S-1013-NT		1215																	

COLLECTED BY (signature)	CUSTODY SEAL NO. (IF ANY)	DATE/TIME
RELINQUISHED BY (signature)	RECEIVED BY (signature)	DATE/TIME
DISPATCHED BY (signature)	METHOD OF TRANSPORT	DATE/TIME

REPORT TO
Flambeau Mining Co.

RECEIVED AT NLS BY (signature)	DATE/TIME	CONDITION	TEMP
COOLER # 45152	REMARKS & OTHER INFORMATION		
WPNR FACILITY NUMBER	E-MAIL ADDRESS		

INVOICE TO
Same

IMPORTANT!

1. TO MEET REGULATORY REQUIREMENTS, THIS FORM **MUST** BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
2. PLEASE USE ONE LINE PER SAMPLE, NOT PER BOTTLE.
3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
4. PARTIES COLLECTING SAMPLE, LISTED AS **REPORT TO** AND LISTED AS **INVOICE TO** AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

DUPLICATE COPY

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

CLIENT: **Flambeau Mining Co.**
 ADDRESS: **11100 Hwy 27**
 CITY: **La Crosse** STATE: **WI** ZIP: **54601**
 PROJECT DESCRIPTION / NO.: **NLS Soils** QUOTATION NO.: **54848**
 DNR FID # _____ DNR LICENSE # _____
 CONTACT: **Janae Murphy** PHONE: **715-532-6690**
 PURCHASE ORDER NO. _____ FAX: **715-532-6885**

Wisconsin Lab Cert. No. 721026460
 WI DATCP 105-000330


Analytical Laboratory and Environmental Services
 400 North Lake Avenue • Grandon, WI 54520-1298
 Tel: (715) 478-2777 • Fax: (715) 478-3060

MATRIX:
 SW = surface water
 WW = waste water
 GW = groundwater
 DW = drinking water
 TIS = tissue
 AIR = air
 SOIL = soil
 SED = sediment
 PROD = product
 SL = sludge
 OTHER

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.
 Indicate G or C if WW Sample is Grab or Composite.

ANALYZE PER ORDER OF ANALYSIS

SW	WW	GW	DW	TIS	AIR	SOIL	SED	PROD	SL	OTHER



ITEM NO.	ANALYSIS ELEMENT	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS										COLLECTION REMARKS (i.e. DNR Well ID #)						
			DATE	TIME		SW	WW	GW	DW	TIS	AIR	SOIL	SED	PROD	SL		OTHER					
1.	291	S-1014-MT	7/29/08	1245	Soil	X	X	X	X													
2.	292	S-6R-01	↓	1320	↓	↓	↓	↓	↓													
3.	293	S-1-0111	↓	1340	↓	↓	↓	↓	↓													
4.																						
5.																						
6.																						
7.																						
8.																						
9.																						
10.																						

COLLECTED BY (signature) _____ CUSTODY SEAL NO. (IF ANY) _____ DATE/TIME: **7/29/08 1200**

RELINQUISHED BY (signature) _____ RECEIVED BY (signature) _____ DATE/TIME: **7/30/08 0700**

DISPATCHED BY (signature) _____ METHOD OF TRANSPORT _____

REPORT TO: **Flambeau Mining Co.**

INVOICE TO: **Same**

RECEIVED AT NLS BY (signature) _____ DATE/TIME: **7/31/08 836** CONDITION: **NO. 108740** TEMP: _____

COOLER # _____ REMARKS & OTHER INFORMATION: _____

WDNR FACILITY NUMBER _____ E-MAIL ADDRESS: **janae-murphy@clearwire.net**

IMPORTANT!

1. TO MEET REGULATORY REQUIREMENTS, THIS FORM **MUST** BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
 2. PLEASE USE ONE LINE PER SAMPLE, NOT PER BOTTLE.
 3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
 4. PARTIES COLLECTING SAMPLE, LISTED AS **REPORT TO** AND LISTED AS **INVOICE TO** AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

DUPLICATE COPY

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 09/10/08 Code: S Page 1 of 1

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 121189

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: Sediment Samples - Stip-Soil

Sed-S 1A-1D NLS ID: 488660

COC: 108742:1 Matrix: SO

Collected: 07/31/08 14:10 Received: 08/01/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	8.6	mg/Kg DWB	1	0.061	0.21	08/25/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	16000	mg/Kg DWB	10	2.6	8.5	08/26/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	1000	mg/Kg DWB	10	0.32	1.1	08/26/08	SW846 6010	721026460
Solids, total on solids	75.2	%	1	0.10*		08/07/08	ASTM D2216	721026460
Solids, tot. volatile	ND	% DWB	1	2.0*		08/04/08	EPA 160.4	721026460
Zinc, tot. recoverable as Zn by ICP	32	mg/Kg DWB	1	0.055	0.18	08/25/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					08/14/08	SW846 3050M	721026460
Sieve test	see attached					09/02/08	ASTM D422	NA
Misc. Sample Prep	yes					08/04/08	NA	721026460

Sed-S 3A-3D NLS ID: 488661

COC: 108742:5 Matrix: SO

Collected: 07/31/08 14:45 Received: 08/01/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	17	mg/Kg DWB	1	0.13	0.43	08/25/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	24000	mg/Kg DWB	10	5.3	18	08/26/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	1600	mg/Kg DWB	10	0.67	2.2	08/26/08	SW846 6010	721026460
Solids, total on solids	36.6	%	1	0.10*		08/04/08	ASTM D2216	721026460
Solids, tot. volatile	6.2	% DWB	1	2.0*		08/04/08	EPA 160.4	721026460
Zinc, tot. recoverable as Zn by ICP	80	mg/Kg DWB	1	0.11	0.37	08/25/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					08/14/08	SW846 3050M	721026460
Sieve test	see attached					09/02/08	ASTM D422	NA
Misc. Sample Prep	yes					08/04/08	NA	721026460

Sed-S 4A-4D NLS ID: 488662

COC: 108741:1 Matrix: SO


Collected: 07/31/08 13:48 Received: 08/01/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	24	mg/Kg DWB	1	0.15	0.51	08/25/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	22000	mg/Kg DWB	10	6.3	21	08/26/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	1200	mg/Kg DWB	10	0.79	2.7	08/26/08	SW846 6010	721026460
Solids, total on solids	30.8	%	1	0.10*		08/04/08	ASTM D2216	721026460
Solids, tot. volatile	6.7	% DWB	1	2.0*		08/04/08	EPA 160.4	721026460
Zinc, tot. recoverable as Zn by ICP	81	mg/Kg DWB	1	0.14	0.44	08/25/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					08/14/08	SW846 3050M	721026460
Sieve test	see attached					09/02/08	ASTM D422	NA
Misc. Sample Prep	yes					08/04/08	NA	721026460


Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ lagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection LOQ = Limit of Quantitation ND = Not Detected (< LOD) 1000 ug/L = 1 mg/L
 DWB = Dry Weight Basis NA = Not Applicable %DWB = (mg/kg DWB) / 10000
 MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by:



Authorized by:
 R. T. Krueger
 President



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification					MC%	LL	PL	PI	Cc	Cu
● 488660										1.52	4.9
☒ LAB ID: SH2809											
▲											
★											
◎											
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay			
● 488660	4.75	0.88	0.489	0.1784	0.0	94.1	2.7	3.2			
☒											
▲											
★											
◎											


CLIENT: Northern Lake Service, Inc.
 PROJECT: NLS Project #121189

JOB NO.: 08-1-17951
 TEST DATE: 9/2/08
 SOURCE:
 SAMPLED BY: NLS
 TESTED BY: RSE
 REVIEWED BY: ARD

MILLER
 ENGINEERS
 SCIENTISTS

GRAIN SIZE ANALYSIS
 ASTM D422

GRAFSIEV GINT.GPJ MILLR.ENG.GDT 9/2/08 16:08



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification					MC%	LL	PL	PI	Cc	Cu
● 488661										3.33	13.3
☒ LAB ID: SH2810											
▲											
★											
©											
Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay			
● 488661	2.00	0.12	0.059	0.0089	0.0	65.3	28.4	6.3			
☒											
▲											
★											
©											


CLIENT : Northern Lake Service, Inc.
 PROJECT: NLS Project #121189

JOB NO.: 08-1-17951
 TEST DATE: 9/2/08
 SOURCE:
 SAMPLED BY: NLS
 TESTED BY: RSE
 REVIEWED BY: PGP

MILLER
 ENGINEERS
 SCIENTISTS

GRAIN SIZE ANALYSIS
 ASTM D422

GRAFSEV GINT.GPJ.MLR.ENG.GDT 9/2/08 16:09



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen Identification	Classification	MC%	LL	PL	PI	Cc	Cu
● 488662						1.21	29.2
☒ LAB ID: SH2811							
▲							
★							
◎							

Specimen Identification	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● 488662	2.00	0.14	0.029	0.0049	0.0	59.3	30.6	10.2
☒								
▲								
★								
◎								

CLIENT: Northern Lake Service, Inc. JOB NO.: 08-1-17951
PROJECT: NLS Project #121189 TEST DATE: 9/2/08

MILLER
ENGINEERS
SCIENTISTS

GRAIN SIZE ANALYSIS
ASTM D422

SOURCE:
SAMPLED BY: NLS
TESTED BY: RSE
REVIEWED BY: PGP

GRAFSIEV GINT GPJ MILLR ENG GDT 9/2/08 16:09

GRADATION ANALYSIS

CLIENT: Northern Lake Service, Inc.
PROJECT: NLS Project #121189

JOB NO.: 08-1-17951

LAB ID: SH2809
SPECIFICATION:
SAMPLED BY: NLS
SPECIMEN IDENTIFICATION: 488660

TEST DATE: 9/2/08
TESTED BY: RSE
REVIEWED BY: ARD
SOURCE:

TOTAL WEIGHT OF SAMPLE (g): 103.71

SIEVE TEST ANALYSIS (ASTM D422)

SIEVE SIZE	%FINER	REQUIRED SPECS	
		MIN	MAX
#200	5.9		
#100	8.8		
#60	12.4		
#40	22.9		
#20	58.4		
#10	95.7		
#4	100.0		

TABLE_SIEVE_GINT.GPJ MLR_ENG.GDT 9/2/08 15:25

MILLER
ENGINEERS
SCIENTISTS

GRADATION ANALYSIS

CLIENT: Northern Lake Service, Inc.
PROJECT: NLS Project #121189

JOB NO.: 08-1-17951

LAB ID: SH2810
SPECIFICATION:
SAMPLED BY: NLS
SPECIMEN IDENTIFICATION: 488661

TEST DATE: 9/2/08
TESTED BY: RSE
REVIEWED BY: PGP
SOURCE:

TOTAL WEIGHT OF SAMPLE (g): 43.51

SIEVE TEST ANALYSIS (ASTM D422)

SIEVE SIZE	%FINER	REQUIRED SPECS	
		MIN	MAX
#200	34.7		
#100	73.3		
#60	92.4		
#40	97.9		
#20	99.8		
#10	100.0		

GRADATION ANALYSIS

CLIENT: Northern Lake Service, Inc.
PROJECT: NLS Project #121189

JOB NO.: 08-1-17951

LAB ID: SH2811
SPECIFICATION:
SAMPLED BY: NLS
SPECIMEN IDENTIFICATION: 488662

TEST DATE: 9/2/08
TESTED BY: RSE
REVIEWED BY: PGP
SOURCE:

TOTAL WEIGHT OF SAMPLE (g): 51.96

SIEVE TEST ANALYSIS (ASTM D422)

SIEVE SIZE	%FINER	REQUIRED SPECS	
		MIN	MAX
#200	40.7		
#100	61.1		
#60	78.6		
#40	92.3		
#20	99.2		
#10	100.0		

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

Wisconsin Lab Cert. No. 721026460
WI DATCP 105-000330

Analytical Laboratory and Environmental Services
400 North Lake Avenue • Crandon, WI 54520-1298
Tel: (715) 478-2777 • Fax: (715) 478-3060

CLIENT Flambeau Mining Co.	
ADDRESS N4100 Hwy 29	
CITY Ladysmith	STATE WI
ZIP 54848	
PROJECT DESCRIPTION / NO. STIP - Soil	QUOTATION NO.
DNR FID #	DNR LICENSE #
CONTACT Janis E. Murphy	PHONE 715-532-6680
PURCHASE ORDER NO.	FAX 715-532-6885

MATRIX:
SW = surface water
WW = waste water
GW = groundwater
DW = drinking water
TIS = tissue
AIR = air
SOIL = soil
SED = sediment
PROD = product
SL = sludge
OTHER

ANALYZE PER ORDER OF ANALYSIS	USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered. Indicate G or C if WW Sample is Grab or Composite.										
	Copper	Zinc	Manganese	Zinc	Sieve Residue	Total Dissolved Solids	Total Solids				



NO. 108271

ITEM NO.	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS										COLLECTION REMARKS (i.e. DNR Well ID #)
		DATE	TIME		Copper	Zinc	Manganese	Zinc	Sieve Residue	Total Dissolved Solids	Total Solids				
1.	Sed-S-4A	7/31/08	1348	SED	X	X	X	X	X	X	X				
2.	Sed-S-4B	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓				
3.	Sed-S-4C	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓				
4.	Sed-S-4D	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓				
5.															
6.															
7.	Composite Sed-S-4A, 4B, 4C + 4D in lab before completion														
8.	parameter list.														
9.															
10.															

COLLECTED BY (signature)	CUSTODY SEAL NO. (IF ANY)	DATE/TIME 7/31/08 1500	
RELINQUISHED BY (signature)	RECEIVED BY (signature)	DATE/TIME 8/1/08	
DISPATCHED BY (signature)	METHOD OF TRANSPORT	DATE/TIME 8/1/08 1315	
RECEIVED AT NLS BY (signature)	DATE/TIME 8/1/08	CONDITION Good	TEMP.
COOLER #	REMARKS & OTHER INFORMATION		
PRESERVATIVE: NP = no preservative S = sulfuric acid	N = nitric acid Z = zinc acetate M = methanol	OH = sodium hydroxide HA = hydrochloric & ascorbic acid H = hydrochloric acid	WDNR FACILITY NUMBER
		E-MAIL ADDRESS	

REPORT TO Flambeau Mining Co.
INVOICE TO Same

- TO MEET REGULATORY REQUIREMENTS, THIS FORM MUST BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
- PLEASE USE ONE LINE PER SAMPLE, NOT PER BOTTLE.
- RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
- PARTIES COLLECTING SAMPLE, LISTED AS REPORT TO AND LISTED AS INVOICE TO AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

DUPLICATE COPY

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

Wisconsin Lab Cert. No. 721026460
WI DATCP 105-000330

Analytical Laboratory and Environmental Services
400 North Lake Avenue • Crandon, WI 54520-1298
Tel: (715) 478-2777 • Fax: (715) 478-3060

CLIENT Flambeau Mining Co.	
ADDRESS 11100 Hwy 97	
CITY Ladysmith	STATE WI
ZIP 54848	QUOTATION NO.
PROJECT DESCRIPTION / NO. Strip Soil	
DNR FID #	DNR LICENSE #
CONTACT Tara E Murphy	PHONE 715-532-4600
PURCHASE ORDER NO.	FAX 715-532-6885

MATRIX:
SW = surface water
WW = waste water
GW = groundwater
DW = drinking water
TIS = tissue
AIR = air
SOIL = soil
SED = sediment
PROD = product
SL = sludge
OTHER

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered:
Indicate G or C if WW Sample is Grab or Composite.

ANALYZE PER ORDER OF ANALYSIS	Copper	Lead	Manganese	Zinc	Sieve	Total Volatile Solids	Total Solids											



NO. 108742

ITEM NO.	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS										COLLECTION REMARKS (i.e. DNR Well ID #)		
		DATE	TIME		Copper	Lead	Manganese	Zinc	Sieve	Total Volatile Solids	Total Solids						
1.	Sed-S-1A	7/31/08	1410	SED	X	X	X	X	X	X	X	X					
2.	Sed-S-1B																
3.	Sed-S-1C																
4.	Sed-S-1D																
5.	Sed-S-3A		1445														
6.	Sed-S-3B																
7.	Sed-S-3C																
8.	Sed-S-3D																
9.	Composite Sed-S-1A, 1B, 1C, + 1D in lab before completing parameter list.																
10.	Composite Sed-S-3A, 3B, 3C, + 3D in lab before completing parameter list.																

COLLECTED BY (signature)	CUSTODY SEAL NO. (IF ANY)	DATE/TIME 7/31/08 1500
RELINQUISHED BY (signature)	RECEIVED BY (signature)	DATE/TIME 8/1/08
DISPATCHED BY (signature)	METHOD OF TRANSPORT	DATE/TIME 8/1/08 1315
RECEIVED AT NLS BY (signature)	DATE/TIME 8/1/08	CONDITION in m. (good)
COOLER # 13-105	REMARKS & OTHER INFORMATION	
PRESERVATIVE: NP = no preservative S = sulfuric acid	N = nitric acid Z = zinc acetate M = methanol	OH = sodium hydroxide HA = hydrochloric & ascorbic acid H = hydrochloric acid
WDNR FACILITY NUMBER	E-MAIL ADDRESS jara-murphy@delacorwisc.net	

REPORT TO Flambeau Mining Co.
INVOICE TO same

IMPORTANT

- TO MEET REGULATORY REQUIREMENTS, THIS FORM MUST BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
- PLEASE USE ONE LINE PER SAMPLE, NOT PER BOTTLE.
- RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
- PARTIES COLLECTING SAMPLE, LISTED AS REPORT TO AND LISTED AS INVOICE TO AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

DUPLICATE COPY

ANALYTICAL REPORT

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 08/27/08 Code: S Page 1 of 2

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 121641

NLS Customer: 11750

Fax: 715 532 6885 **Phone:** 715 532 6690

Project: Flambeau 08F777

Soil, S-MSBF-1 (0-.15) NLS ID: 490021

COC: Foth 100003 Matrix: SO
 Collected: 08/12/08 10:44 Received: 08/13/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	37	mg/Kg DWB	1	0.53	1.8	08/25/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	17000	mg/Kg DWB	1	2.2	7.4	08/26/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	470	mg/Kg DWB	1	0.28	0.94	08/26/08	SW846 6010	721026460
Solids, total on solids	14.5	%	1	0.10*		08/15/08	ASTM D2216	721026460
Zinc, tot. recoverable as Zn by ICP	57	mg/Kg DWB	1	0.48	1.6	08/25/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					08/14/08	SW846 3050M	721026460

Soil, S-MSBF-2 (0-.12) NLS ID: 490022

COC: Foth 100003 Matrix: SO
 Collected: 08/12/08 10:55 Received: 08/13/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	71	mg/Kg DWB	1	0.51	1.7	08/25/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	25000	mg/Kg DWB	10	22	71	08/26/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	490	mg/Kg DWB	1	0.27	0.91	08/26/08	SW846 6010	721026460
Solids, total on solids	15.3	%	1	0.10*		08/15/08	ASTM D2216	721026460
Zinc, tot. recoverable as Zn by ICP	64	mg/Kg DWB	1	0.46	1.5	08/25/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					08/14/08	SW846 3050M	721026460

Soil, S-MSBF-3 (0-.13) NLS ID: 490023

COC: Foth 100003 Matrix: SO
 Collected: 08/12/08 11:06 Received: 08/13/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	54	mg/Kg DWB	1	0.49	1.7	08/25/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	26000	mg/Kg DWB	10	21	69	08/26/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	480	mg/Kg DWB	1	0.26	0.87	08/26/08	SW846 6010	721026460
Solids, total on solids	15.7	%	1	0.10*		08/15/08	ASTM D2216	721026460
Zinc, tot. recoverable as Zn by ICP	69	mg/Kg DWB	1	0.45	1.5	08/25/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					08/14/08	SW846 3050M	721026460

Soil, S-MSBF-4 (0-.15) NLS ID: 490024

COC: Foth 100003 Matrix: SO
 Collected: 08/12/08 11:28 Received: 08/13/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	32	mg/Kg DWB	1	0.38	1.3	08/25/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	18000	mg/Kg DWB	10	16	53	08/26/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	330	mg/Kg DWB	1	0.20	0.68	08/26/08	SW846 6010	721026460
Solids, total on solids	20.4	%	1	0.10*		08/15/08	ASTM D2216	721026460
Zinc, tot. recoverable as Zn by ICP	51	mg/Kg DWB	1	0.35	1.1	08/25/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					08/14/08	SW846 3050M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 08/27/08 Code: S Page 2 of 2

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 121641

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532.6690

Project: Flambeau 08F777

Soil, S-MSBF-5 (0--22) NLS ID: 490025

COC: Foth 100003 Matrix: SO

Collected: 08/12/08 11:21 Received: 08/13/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	28	mg/Kg DWB	1	0.36	1.2	08/25/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	22000	mg/Kg DWB	10	15	50	08/26/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	500	mg/Kg DWB	1	0.19	0.64	08/26/08	SW846 6010	721026460
Solids, total on solids	21.3	%	1	0.10*		08/15/08	ASTM D2216	721026460
Zinc, tot. recoverable as Zn by ICP	59	mg/Kg DWB	1	0.33	1.1	08/25/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					08/14/08	SW846 3050M	721026460

Soil, S-MSBF-6 (0--17) NLS ID: 490026

COC: Foth 100003 Matrix: SO

Collected: 08/12/08 11:40 Received: 08/13/08


Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	44	mg/Kg DWB	1	0.33	1.1	08/25/08	SW846 6010	721026460
Iron, tot. recoverable as Fe by ICP	21000	mg/Kg DWB	10	14	46	08/26/08	SW846 6010	721026460
Manganese, tot. recoverable as Mn by ICP	380	mg/Kg DWB	1	0.18	0.59	08/26/08	SW846 6010	721026460
Solids, total on solids	22.0	%	1	0.10*		08/15/08	ASTM D2216	721026460
Zinc, tot. recoverable as Zn by ICP	57	mg/Kg DWB	1	0.30	0.99	08/25/08	SW846 6010	721026460
Metals digestion - tot. recov (solid) ICP	yes					08/14/08	SW846 3050M	721026460

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection LOQ = Limit of Quantitation ND = Not Detected (< LOD) 1000 ug/L = 1 mg/L
 DWB = Dry Weight Basis NA = Not Applicable %DWB = (mg/kg DWB) / 10000

MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by:



Authorized by:
 R. T. Krueger
 President

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 08/28/08 Code: S Page 1 of 3

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 121188

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: Soil

Soil, S-SS-MS-1 NLS ID: 488650

COC: 108743:1 Matrix: SO

Collected: 07/31/08 09:00 Received: 08/01/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	7.8	mg/Kg DWB	1	0.21	0.73	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.1	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	89.2	%	1	0.10*		08/04/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/07/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-SS-MS-2 NLS ID: 488651

COC: 108743:2 Matrix: SO

Collected: 07/31/08 08:30 Received: 08/01/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	8.9	mg/Kg DWB	1	0.24	0.81	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.0	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	93.6	%	1	0.10*		08/04/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/07/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-SS-MS-3 NLS ID: 488652

COC: 108743:3 Matrix: SO

Collected: 07/31/08 09:30 Received: 08/01/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	11	mg/Kg DWB	1	0.25	0.85	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.0	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	89.8	%	1	0.10*		08/04/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/07/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-SS-MS-4 NLS ID: 488653

COC: 108743:4 Matrix: SO

Collected: 07/31/08 15:00 Received: 08/01/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	13	mg/Kg DWB	1	0.26	0.90	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.0	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	84.5	%	1	0.10*		08/04/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/07/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-SS-MS-5 NLS ID: 488654

COC: 108743:5 Matrix: SO

Collected: 07/31/08 08:05 Received: 08/01/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	12	mg/Kg DWB	1	0.25	0.86	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.0	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	91.7	%	1	0.10*		08/04/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/07/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 08/28/08 Code: S Page 2 of 3

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 121188

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: Soil

Soil, S-SS-HH-1 NLS ID: 488655

COC: 108743:6 Matrix: SO
 Collected: 07/31/08 10:50 Received: 08/01/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	76	mg/Kg DWB	1	0.22	0.76	08/18/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.7	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	96.4	%	1	0.10*		08/04/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/07/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/07/08	SW846 3050M	721026460

Soil, S-SS-HH-2 NLS ID: 488656

COC: 108743:7 Matrix: SO
 Collected: 07/31/08 11:10 Received: 08/01/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	71	mg/Kg DWB	1	0.22	0.76	08/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.3	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	97.4	%	1	0.10*		08/04/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/07/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/14/08	SW846 3050M	721026460

Soil, S-SS-HH-3 NLS ID: 488657

COC: 108743:8 Matrix: SO
 Collected: 07/31/08 11:25 Received: 08/01/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	70	mg/Kg DWB	1	0.22	0.77	08/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.7	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	97.7	%	1	0.10*		08/04/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/07/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/14/08	SW846 3050M	721026460

Soil, S-SS-HH-4 NLS ID: 488658

COC: 108743:9 Matrix: SO
 Collected: 07/31/08 11:35 Received: 08/01/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	290	mg/Kg DWB	1	0.24	0.81	08/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	5.1	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	92.9	%	1	0.10*		08/04/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/07/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/14/08	SW846 3050M	721026460

Soil, S-SS-HH-5 NLS ID: 488659

COC: 108743:10 Matrix: SO
 Collected: 07/31/08 11:55 Received: 08/01/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	54	mg/Kg DWB	1	0.24	0.83	08/25/08	SW846 6010	721026460
pH, lab (soil/sludge)	6.3	s.u. pHw	1			08/04/08	SW846 9045	721026460
Solids, total on solids	95.6	%	1	0.10*		08/04/08	ASTM D2216	721026460
Sulfide, as S	see attached					08/07/08	M600/2-78-054 3.2.4	998326010
Metals digestion - tot. recov (solid) ICP	yes					08/14/08	SW846 3050M	721026460

NORTHERN LAKE SERVICE, INC.
Analytical Laboratory and Environmental Services
400 North Lake Avenue - Crandon, WI 54520
Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
WDATCP Laboratory Certification No. 105-330
EPA Laboratory ID No. WI00034

Printed: 08/28/08 Code: S Page 3 of 3

Client: Flambeau Mining Company
Attn: Jana Murphy
N4100 Highway 27
Ladysmith, WI 54848

NLS Project: 121188

NLS Customer: 11750


Fax: 715 532 6885 Phone: 715 532.6690

Project: Soil

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection LOQ = Limit of Quantitation ND = Not Detected (< LOD) 1000 ug/L = 1 mg/L
DWB = Dry Weight Basis NA = Not Applicable %DWB = (mg/kg DWB)/10000
MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by:



Authorized by:
R. T. Krueger
President

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3939

Sample ID: 488650

ACZ Sample ID: L71017-01

Date Sampled: 07/31/08 09:00

Date Received: 08/07/08


Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Min	Max	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4						
Sulfur Organic Residual		0.01	%	0.01	0.1	08/22/08 0:00	lwt/bjl
Sulfur Pyritic Sulfide		0.01	%	0.01	0.1	08/22/08 0:00	lwt/bjl
Sulfur Sulfate			%	0.01	0.1	08/22/08 0:00	lwt/bjl
Sulfur Total			%	0.01	0.1	08/22/08 0:00	lwt/bjl
Total Sulfur minus Sulfate			%	0.01	0.1	08/22/08 0:00	lwt/bjl

Soil Preparation

Parameter	EPA Method	Result	Unit	Min	Max	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972					08/12/08 17:51	mjc
Crush and Pulverize	USDA No. 1, 1972					08/19/08 13:45	bjl



ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3939

Sample ID: 488651

ACZ Sample ID: L71017-02

Date Sampled: 07/31/08 08:30

Date Received: 08/07/08

Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	LOD	LOQ	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4						
Sulfur Organic Residual		U *	%	0.01	0.1	08/22/08 0:00	lwt/bjl
Sulfur Pyritic Sulfide		U *	%	0.01	0.1	08/22/08 0:00	lwt/bjl
Sulfur Sulfate		U *	%	0.01	0.1	08/22/08 0:00	lwt/bjl
Sulfur Total		U *	%	0.01	0.1	08/22/08 0:00	lwt/bjl
Total Sulfur minus Sulfate		U *	%	0.01	0.1	08/22/08 0:00	lwt/bjl

Soil Preparation

Parameter	EPA Method	Result	Unit	LOD	LOQ	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972					08/12/08 17:57	mjc
Crush and Pulverize	USDA No. 1, 1972					08/19/08 14:45	bjl

Northern Lake Service, Inc.
Project ID: S08-3939
Sample ID: 488652

ACZ Sample ID: L71017-03
Date Sampled: 07/31/08 09:30
Date Received: 08/07/08
Sample Matrix: Soil

Soil Analysis

Parameter	Method	Result	Unit	Qualifier	Units	Upper	Lower	Date	Analyst
Sulfur Forms	M600/2-76-054 3.2.4								
Sulfur Organic		0.01	B	*	%	0.01	0.1	08/22/08 0:00	lwt/bjl
Residual									
Sulfur Pyritic Sulfide			U	*	%	0.01	0.1	08/22/08 0:00	lwt/bjl
Sulfur Sulfate			U	*	%	0.01	0.1	08/22/08 0:00	lwt/bjl
Sulfur Total		0.01	B	*	%	0.01	0.1	08/22/08 0:00	lwt/bjl
Total Sulfur minus Sulfate		0.01	B	*	%	0.01	0.1	08/22/08 0:00	lwt/bjl

Soil Preparation

Parameter	Method	Result	Unit	Qualifier	Units	Upper	Lower	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							08/12/08 18:03	mjc
Crush and Pulverize	USDA No. 1, 1972							08/19/08 15:46	bjl

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.

Project ID: S08-3939

Sample ID: 488653

ACZ Sample ID: L71017-04

Date Sampled: 07/31/08 15:00

Date Received: 08/07/08

Sample Matrix: Soil

Soil Analysis

Parameter	Method	Result	Qualifier	Units	MDL	PL	Date	Analyst
Sulfur Forms	M600/2-7B-054 3.2.4							
Sulfur Organic Residual		0.02	B *	%	0.01	0.1	08/22/08 0:00	lwt/bjl
Sulfur Pyritic Sulfide			U *	%	0.01	0.1	08/22/08 0:00	lwt/bjl
Sulfur Sulfate			U *	%	0.01	0.1	08/22/08 0:00	lwt/bjl
Sulfur Total		0.02	B *	%	0.01	0.1	08/22/08 0:00	lwt/bjl
Total Sulfur minus Sulfate		0.02	B *	%	0.01	0.1	08/22/08 0:00	lwt/bjl

Soil Preparation

Parameter	Method	Result	Qualifier	Units	MDL	PL	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972						08/12/08 18:09	mjc
Crush and Pulverize	USDA No. 1, 1972						08/19/08 16:47	bjl

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.
 Project ID: S08-3939
 Sample ID: 488654

ACZ Sample ID: L71017-05
 Date Sampled: 07/31/08 08:05
 Date Received: 08/07/08
 Sample Matrix: Soil

Soil Analysis

Parameter	Method	Result	Unit	CP	Limit	Min	Max	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.01	B	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Pyritic Sulfide			U	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Sulfate		0.01	B	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Total		0.01	B	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Total Sulfur minus Sulfate			U	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl

Soil Preparation

Parameter	Method	Result	Unit	CP	Limit	Min	Max	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							08/12/08 18:15	mjc
Crush and Pulverize	USDA No. 1, 1972							08/19/08 17:48	bjl

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

**Inorganic Analytical
Results**

Northern Lake Service, Inc.

Project ID: S08-3939

Sample ID: 488655

ACZ Sample ID: L71017-06

Date Sampled: 07/31/08 10:50

Date Received: 08/07/08

Sample Matrix: Soil

Soil Analysis

Parameter	QA/QC	Result	Unit	Method	Limit	Units	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4							
Sulfur Organic		0.02	B	*	%	0.01	0.1	08/23/08 0:00 lwt/bjl
Residual			U	*	%	0.01	0.1	08/23/08 0:00 lwt/bjl
Sulfur Pyritic Sulfide						0.01	0.1	08/23/08 0:00 lwt/bjl
Sulfur Sulfate		0.01	B	*	%	0.01	0.1	08/23/08 0:00 lwt/bjl
Sulfur Total		0.03	B	*	%	0.01	0.1	08/23/08 0:00 lwt/bjl
Total Sulfur minus Sulfate		0.02	B	*	%	0.01	0.1	08/23/08 0:00 lwt/bjl

Soil Preparation

Parameter	QA/QC	Result	Unit	Method	Limit	Units	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972						08/12/08 18:21	mjc
Crush and Pulverize	USDA No. 1, 1972						08/19/08 18:49	bjl

Northern Lake Service, Inc.
 Project ID: S08-3939
 Sample ID: 488656


ACZ Sample ID: L71017-07
 Date Sampled: 07/31/08 11:10
 Date Received: 08/07/08
 Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Qualifier	Units	Min	Max	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4							
Sulfur Organic Residual		0.04	B *	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Pyritic Sulfide		0.01	B *	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Sulfate			U *	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Total		0.05	B *	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Total Sulfur minus Sulfate		0.05	B *	%	0.01	0.1	08/23/08 0:00	lwt/bjl

Soil Preparation

Parameter	EPA Method	Result	Qualifier	Units	Min	Max	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972						08/12/08 18:27	mjc
Crush and Pulverize	USDA No. 1, 1972						08/19/08 19:50	bjl



ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.
Project ID: S08-3939
Sample ID: 488657

ACZ Sample ID: L71017-08
Date Sampled: 07/31/08 11:25
Date Received: 08/07/08
Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Units	Qualifier	Method	Recovery	Conc	Date	Time	Analyst
Sulfur Forms	M600/2-78-054 3.2.4									
Sulfur Organic Residual		0.05	B	*	%		0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Pyritic Sulfide			U	*	%		0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Sulfate		0.03	B	*	%		0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Total		0.08	B	*	%		0.01	0.1	08/23/08 0:00	lwt/bjl
Total Sulfur minus Sulfate		0.05	B	*	%		0.01	0.1	08/23/08 0:00	lwt/bjl

Soil Preparation

Air Dry at 34 Degrees C	USDA No. 1, 1972							08/12/08 18:33		mjc
Crush and Pulverize	USDA No. 1, 1972							08/19/08 20:50		bjl

Northern Lake Service, Inc.
Project ID: S08-3939
Sample ID: 488658

ACZ Sample ID: L71017-09
Date Sampled: 07/31/08 11:35
Date Received: 08/07/08
Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Conc	Units	Date	Time	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual		0.06	B	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Pyritic Sulfide		0.01	B	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Sulfate			U	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Total		0.07	B	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Total Sulfur minus Sulfate		0.07	B	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Conc	Units	Date	Time	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972						08/12/08 18:39		mjc
Crush and Pulverize	USDA No. 1, 1972						08/19/08 21:51		bjl

ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Inorganic Analytical Results

Northern Lake Service, Inc.
 Project ID: S08-3939
 Sample ID: 488659

ACZ Sample ID: L71017-10
 Date Sampled: 07/31/08 11:55
 Date Received: 08/07/08
 Sample Matrix: Soil

Soil Analysis

Parameter	EPA Method	Result	Unit	Qualifier	Limit	W/L	Rel	Date	Analyst
Sulfur Forms	M600/2-78-054 3.2.4								
Sulfur Organic Residual			U	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Pyritic Sulfide			U	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Sulfate		0.01	B	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Sulfur Total		0.01	B	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl
Total Sulfur minus Sulfate			U	*	%	0.01	0.1	08/23/08 0:00	lwt/bjl

Soil Preparation

Parameter	EPA Method	Result	Unit	Qualifier	Limit	W/L	Rel	Date	Analyst
Air Dry at 34 Degrees C	USDA No. 1, 1972							08/12/08 18:45	mjc
Crush and Pulverize	USDA No. 1, 1972							08/19/08 22:52	bjl

Abbreviations and Definitions

<i>Batch</i>	A distinct set of samples analyzed at a specific time
<i>Found</i>	Value of the QC Type of interest
<i>Limit</i>	Upper limit for RPD, in %.
<i>Lower</i>	Lower Recovery Limit, in % (except for LCSS, mg/Kg)
<i>MDL</i>	Method Detection Limit. Same as Minimum Reporting Limit. Allows for instrument and annual fluctuations.
<i>PCN/SCN</i>	A number assigned to reagents/standards to trace to the manufacturer's certificate of analysis
<i>PQL</i>	Practical Quantitation Limit, typically 5 times the MDL.
<i>QC</i>	True Value of the Control Sample or the amount added to the Spike
<i>Rec</i>	Amount of the true value or spike added recovered, in % (except for LCSS, mg/Kg)
<i>RPD</i>	Relative Percent Difference, calculation used for Duplicate QC Types
<i>Upper</i>	Upper Recovery Limit, in % (except for LCSS, mg/Kg)
<i>Sample</i>	Value of the Sample of interest

QC Sample Abbreviations

<i>AS</i>	Analytical Spike (Post Digestion)	<i>LCSWD</i>	Laboratory Control Sample - Water Duplicate
<i>ASD</i>	Analytical Spike (Post Digestion) Duplicate	<i>LFB</i>	Laboratory Fortified Blank
<i>CCB</i>	Continuing Calibration Blank	<i>LFM</i>	Laboratory Fortified Matrix
<i>CCV</i>	Continuing Calibration Verification standard	<i>LFMD</i>	Laboratory Fortified Matrix Duplicate
<i>DUP</i>	Sample Duplicate	<i>LRB</i>	Laboratory Reagent Blank
<i>ICB</i>	Initial Calibration Blank	<i>MS</i>	Matrix Spike
<i>ICV</i>	Initial Calibration Verification standard	<i>MSD</i>	Matrix Spike Duplicate
<i>ICSAB</i>	Inter-element Correction Standard - A plus B solutions	<i>PBS</i>	Prep Blank - Soil
<i>LCSS</i>	Laboratory Control Sample - Soil	<i>PBW</i>	Prep Blank - Water
<i>LCSSD</i>	Laboratory Control Sample - Soil Duplicate	<i>POV</i>	Practical Quantitation Verification standard
<i>LCSW</i>	Laboratory Control Sample - Water	<i>SDL</i>	Serial Dilution

QC Sample Types and Applications

Blanks	Verifies that there is no or minimal contamination in the prep method or calibration procedure.
Control Samples	Verifies the accuracy of the method, including the prep procedure.
Duplicates	Verifies the precision of the instrument and/or method.
Spikes/Fortified Matrix	Determines sample matrix interferences, if any.
Standard	Verifies the validity of the calibration.

QC Sample Results (CRP)

<i>B</i>	Analyte concentration detected at a value between MDL and PQL.
<i>H</i>	Analysis exceeded method hold time. pH is a field test with an immediate hold time.
<i>U</i>	Analyte was analyzed for but not detected at the indicated MDL

References

- (1) EPA 600/4-83-020. Methods for Chemical Analysis of Water and Wastes, March 1983.
- (2) EPA 600/R-93-100. Methods for the Determination of Inorganic Substances in Environmental Samples, August 1993.
- (3) EPA 600/R-94-111. Methods for the Determination of Metals in Environmental Samples - Supplement I, May 1994.
- (5) EPA SW-846. Test Methods for Evaluating Solid Waste, Third Edition with Update III, December 1996.
- (6) Standard Methods for the Examination of Water and Wastewater, 19th edition, 1995.

Footnotes

- (1) QC results calculated from raw data. Results may vary slightly if the rounded values are used in the calculations.
- (2) Soil, Sludge, and Plant matrices for Inorganic analyses are reported on a dry weight basis.
- (3) Animal matrices for Inorganic analyses are reported on an "as received" basis.




Northern Lake Service, Inc.

ACZ Project ID: L71017

ANALYSIS WORKSHEET PARAMETERS

Sample ID	Well ID	Parameter	Method	Notes
L71017-01	WG250441	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L71017-02	WG250441	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L71017-03	WG250441	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L71017-04	WG250441	Sulfur Organic Residual	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Sulfate	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Sulfur Total	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
		Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).



ACZ Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.

ACZ Project ID: L71017

Sample ID	Parameter	Method	Result	Notes
L71017-05 WG250441	Sulfur Organic Residual	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Total	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Total Sulfur minus Sulfate	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L71017-06 WG250441	Sulfur Organic Residual	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Total	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Total Sulfur minus Sulfate	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L71017-07 WG250441	Sulfur Organic Residual	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Total	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Total Sulfur minus Sulfate	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L71017-08 WG250441	Sulfur Organic Residual	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Total	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Total Sulfur minus Sulfate	M600/2-78-054 3.2.4		RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).

Northern Lake Service, Inc.

ACZ Project ID: L71017

ACZ ID	LABORATORY PARAMETER	METHOD	QUALIFIER DESCRIPTION
L71017-09	WG250441 Sulfur Organic Residual	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Total	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
L71017-10	WG250441 Sulfur Organic Residual	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Pyritic Sulfide	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Sulfate	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Sulfur Total	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).
	Total Sulfur minus Sulfate	M600/2-78-054 3.2.4	RA Relative Percent Difference (RPD) was not used for data validation because the sample concentration is too low for accurate evaluation (< 10x MDL).

ACZ Laboratories, Inc.


2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493



Northern Lake Service, Inc.

ACZ Project ID: L71017

Soil Analysis



Sulfur Forms

M600/2-78-054 3.2.4

SAMPLE COLLECTION AND CHAIN OF CUSTODY RECORD

NORTHERN LAKE SERVICE, INC.

CLIENT: Flambeau Mining Co.
 ADDRESS: 14100 Hwy RT
 CITY: Ladysmith STATE: WI ZIP: 54848
 PROJECT DESCRIPTION / NO. QUOTATION NO.
 DNR FID # DNR LICENSE #
 CONTACT: Jana E. Murphy PHONE: 715-532-6690
 PURCHASE ORDER NO. FAX: 715-532-6885

Wisconsin Lab Cert. No. 721026460
 WI DATCP 105-000330

Analytical Laboratory and Environmental Services
 400 North Lake Avenue • Crandon, WI 54520-1298
 Tel: (715) 478-2777 • Fax: (715) 478-3060

MATRIX: L
 SW = surface water
 WW = waste water
 GW = groundwater
 DW = drinking water
 TS = tissue
 AIR = air
 SOIL = soil
 SED = sediment
 PROD = product
 SL = sludge
 OTHER

USE BOXES BELOW: Indicate Y or N if GW Sample is field filtered.
 Indicate G or C if WW Sample is Grab or Composite.

ANALYZE PER ORDER OF ANALYSIS

As	Cd	Cu	Pb	Se	SO ₄	TN	TP	U	V	Zn
X	X	X								



NO. 108743

ITEM NO.	ANALYSIS	SAMPLE ID	COLLECTION		MATRIX (See above)	ANALYZE PER ORDER OF ANALYSIS										COLLECTION REMARKS (i.e. DNR Well ID #)								
			DATE	TIME		As	Cd	Cu	Pb	Se	SO ₄	TN	TP	U	V		Zn							
1.	10516U	S-SS-MS-1	7/31/08	0900	Soil	X	X	X																
2.	1051	S-SS-MS-2	7/31/08	0830																				
3.	1050	S-SS-MS-3	7/31/08	0930																				
4.	1053	S-SS-MS-4	7/29/08	1500																				
5.	1091	S-SS-MS-5	7/31/08	0805																				
6.	1052	S-SS-HH-1	7/31/08	1050																				
7.	1050	S-SS-HH-2	7/2/08	1110																				
8.	1057	S-SS-HH-3	7/31/08	1125																				
9.	1058	S-SS-HH-4	7/31/08	1135																				
10.	1059	S-SS-HH-5	7/31/08	1155																				

COLLECTED BY (signature) _____ CUSTODY SEAL NO. (IF ANY) _____ DATE/TIME 7/31/08 1600
 RELINQUISHED BY (signature) _____ RECEIVED BY (signature) _____ DATE/TIME 8/1/08
 DISPATCHED BY (signature) _____ METHOD OF TRANSPORT _____ DATE/TIME 8/1/08 1315
 RECEIVED AT/PLS BY (signature) _____ DATE/TIME 8/1/08 CONDITION (200) TEMP _____
 COOLER # 1 x 105
 PRESERVATIVE: N = nitric acid OH = sodium hydroxide
 NP = no preservative Z = zinc acetate HA = hydrochloric & ascorbic acid
 S = sulfuric acid M = methanol H = hydrochloric acid
 WDNR FACILITY NUMBER _____ E-MAIL ADDRESS jana-murphy@clearwire.net

REPORT TO: Flambeau Mining Co.
 INVOICE TO: same 8/1/08

IMPORTANT!

1. TO MEET REGULATORY REQUIREMENTS, THIS FORM MUST BE COMPLETED IN DETAIL AND INCLUDED IN THE COOLER CONTAINING THE SAMPLES DESCRIBED.
2. PLEASE USE ONE LINE PER SAMPLE, NOT PER BOTTLE.
3. RETURN THIS FORM WITH SAMPLES - CLIENT MAY KEEP PINK COPY.
4. PARTIES COLLECTING SAMPLE, LISTED AS REPORT TO AND LISTED AS INVOICE TO AGREE TO STANDARD TERMS & CONDITIONS ON REVERSE.

DUPLICATE COPY

Attachment 2
Engineering Specifications

SECTION 01 57 13

TEMPORARY EROSION AND SEDIMENT CONTROL - WISCONSIN

PART 1 - GENERAL

1.1 SUMMARY

- A. Section Includes
 - 1. Silt fence.
 - 2. Erosion mats.

1.2 REFERENCES

- A. Wisconsin DOT, Erosion Control, Product Acceptability Lists for Multi-Modal Applications (PAL), January 1999 edition.
- B. American Society for Testing and Materials (ASTM)
 - 1. ASTM D1388 Test Method for Stiffness of Fabrics
 - 2. ASTM D2487 Test Method for Classification of Soils for Engineering Purposes
 - 3. ASTM D3776 Test Method for Mass Per Unit Area (Weight) of Woven Fabric
 - 4. ASTM D4632 Test Method for Grab Breaking Load and Elongation of Geotextiles
 - 5. ASTM D4751 Standard Test Method for Determining Apparent Opening Size of a Geotextile
 - 6. ASTM D4833 Standard Test Method for Index Puncture Resistance of Geomembranes and Related Products
 - 7. ASTM D5035 Standard Test Method for Breaking Force and Elongation of Textile Fabrics (Strip Method)
 - 8. ASTM D5338 Standard Test Method for Determining Aerobic Biodegradation of Plastic Materials Under Controlled Composting Conditions

1.3 SYSTEM DESCRIPTION

- A. Design Requirements
 - 1. Select and design method of erosion and sediment control in accordance with local erosion control ordinances. Follow the State Construction Site Best Management Practices.
- B. Provide erosion control shown on the Drawings, as a minimum.
- C. Provide additional erosion and sediment control prevent erosion which may be caused due to selected construction methods.

1.4 SUBMITTALS

- A. Manufacturer's certification for manmade products.

PART 2 - PRODUCTS

2.1 SILT FENCE

- A. Geotextile Fabric
 1. Fabric shall be either woven or non-woven polyester, polypropylene, stabilized nylon, polyethylene or polyvinylidene chloride.
 2. Fabric shall have the minimum strength values in the weakest principal direction.
 3. Non-woven fabric may be needle punched, heat bonded, resin bonded or combination thereof.
 4. Fabric shall meet the following requirements:

a. Grab Tensile Strength	ASTM D4632	101 lbs. (450 N)
b. Apparent Opening Size	ASTM D4751	U.S. Sieve No. 30
c. Puncture Resistance	ASTM D4833	65 lbs.
- B. Support Posts
 1. Wood or steel construction minimum length 5 feet.
 2. Wood posts - 2" x 2" or equivalent steel posts.

2.2 TEMPORARY VEGETAL COVER

A. Temporary Seed Mixture Components

Species	Min. % Purity	Min. % Germ.	Lbs. per Acre
Oats	98	90	80
Rye	98	85	100

- B. Use rye grass when permanent seeding is to follow within one (1) year.

2.3 TEMPORARY EROSION MATS

- A. General
 1. Matting will be 100% biodegradable.
- B. Types
 1. Type A:
 - a. Used for slopes 2.5:1 or flatter (not to be used in channels).
 - b. Minimum shear stress required is 1.0 lbs/ft² (50 pa).
 - c. Not to be used in channels.
 2. Type B:
 - a. Used for slopes 2:1 or flatter or in channels when design shear stress is less than the minimum shear stress of the mat used.
 - b. Minimum shear stress required is 1.5 lbs/ft² (70 pa).
 - c. Channel mat roll width shall be 6 feet (1.8m) or greater.
 3. Type Urban (Urban Areas and Lawn Areas Where Mowing Will Occur):
 - a. Use only 100% organic biodegradable netted products including parent material, stitching and netting.
 - b. Minimum thickness shall be 3/8 inch (9mm) as measured in-place.
 - c. Mats placed on slopes as shown on the project Figure.

C. Anchoring Devices

1. Anchoring and components for temporary erosion mats shall be completely biodegradable as determined by ASTM D5338.
2. Materials shall be environmentally safe for soil and groundwater.
3. Do not use petroleum based plastics or composites.
4. Do not use materials which may present a hazard from splintering or spearing.
5. Design anchors to hold a minimum of two months and be substantially degraded within four months during the summer (warm soil conditions).

D. Material Properties

1. Porosity Calculated 85-90%.
2. Biodegradable 100%
3. Weight ASTM D3776 8oz/s.y.
4. 100% seed free.

PART 3 - EXECUTION

3.1 GENERAL

- A. Keep disturbed areas to a minimum.
- B. Stabilize and protect disturbed areas with temporary seed and mulch within 2 days of active disturbance of the soil surface.
- C. Collect tracked soil and clean from paved roads near the construction site the same day it occurs.
- D. Sediment control measures shall be in place at the end of each working day.
- E. Locate soil stockpiles no closer than 25 feet of a roadway, wetland, or drainage control channel and control by covering the pile with tarpaulins, temporary seed and mulch or other suitable means, if the pile is exposed for 14 days or more.
- F. Repair, replace, and maintain erosion and sedimentation structures until vegetation is re-established or permanent structures are installed.
- G. Remove temporary erosion control structures and accumulated sediment and/or debris when vegetation is established.

3.2 EROSION AND SEDIMENTATION CONTROL DEVICES

A. Silt Fences

1. Place geotextile (silt) fence prior to disturbing upslope areas.
2. Excavate trench approximately 4 inches by 4 inches along perimeter of area to be fenced.
3. Secure and continuously anchor bottom of geotextile (silt) fence with excavated material in trench bottom.
4. Install support post on downstream side of the geotextile to a depth adequate to stabilize geotextile fence (12" minimum depth).

5. Secure geotextile to posts.
 - a. Staples: ½" deep.
 - b. Staple to up slope side of post.
6. Backfill over geotextile in trench and compact.
7. Maximum spacing of the posts shall not exceed 10 linear feet.

B. Erosion Mats

1. Installation:
 - a. See plan details for anchor trench (at ends, checks and edges) installation procedures.
 - i. Anchor trenches shall be 12" deep.
 - ii. Compact anchor trench backfill.
 - iii. Place staples in end and check trenches spaced at 12 inches.
 - b. Follow manufacturer's specifications and instructions for placement unless project documents are more stringent.
 - c. Roll width overlaps shall be 12" at edges. Pin or staple every 3 feet along overlap length.
 - d. Roll end overlaps may be spliced by overlapping (in the direction of water flow) two feet with the upstream portion of the mat on top of the downstream portion. This overlap shall receive at least three pins or staples with a maximum spacing of 12 inches.
 - e. Place mat flat conforming to contours in soil surface. Do not stretch mat.
 - f. Place mat from toe of slope toward top of slope.
 - g. Mat can be placed from downstream toward upstream or from upstream toward downstream.
2. Site Preparation
 - a. Place seed and fertilizer prior to placing permanent erosion geomat.
 - b. Ground surface shall be smooth and compact.
 - c. Remove all rocks, dirt clods, stumps, roots, grass clumps, trash and other obstructions from lying in direct contact with the soil surface and the erosion mat.

3.3 MAINTENANCE

- A. Inspect silt fences and filter barriers immediately after each rainfall and at least daily during prolonged rainfall.
 1. Make any required repairs immediately.
 2. Maintain temporary erosion and sedimentation control structures until permanent soil erosion controls are completed and/or vegetation is established.
 - a. Repair damaged structures.
 - b. Replace lost structures.
 - c. Remove sediment from deposition areas adjacent to erosion control structures without damaging structures on a regular basis.
 - d. Refill eroded areas as required for grade stabilization.

- B. If the fabric on a silt fence or filter barrier decomposes or becomes ineffective prior to the end of the expected usable life and the barrier still be necessary, replace the fabric promptly.
- C. Remove sediment deposits after each major storm event and when deposits reach approximately one-half the height of the barrier.
- D. Remove any sediment deposits remaining in place after the silt fence or filter barrier is no longer required and dress to conform with the existing grade, prepared and seeded.
- E. Repair/restore any washed out areas.
- F. Maintenance period to be entire project period including the one year warranty.
- G. Owner may direct Contractor to remove the temporary erosion control measures any time during the one year correction period.
- H. Construct permanent erosion control measures immediately after earthwork is completed.

- END OF SECTION -

PART 2 - PRODUCTS

2.1 MATERIALS

A. Suitable Fill Material

1. Gravel, free from organics, topsoil, plants, roots, frozen materials, rocks and clods larger than 3 inches in size, building debris or other deleterious material.
2. Topsoil with appropriate organic content and lightly compacted.

PART 3 - EXECUTION

3.1 PREPARATION

A. Protection

1. Locate and protect surface features to remain.
2. Locate and protect utilities.
3. Locate and protect survey markers, bench marks and grading stakes.
4. Protect structures, utilities, sidewalks, pavements, and other facilities from damage caused by settlement, lateral movement, undermining, washout, and other hazards created by grading operations.
5. Protect and maintain erosion and sedimentation facilities.

B. Preparation

1. Stake and flag above and below ground utilities.
2. Provide staking of lines and grades for rough grading and finished grading.
3. Complete "Site Clearing" work before starting grading work.
4. Complete erosion and sedimentation controls work before starting grading work.
5. Prevent surface water from entering excavations, from ponding and from flooding the Site and surrounding areas.

3.2 ROUGH GRADING

- #### A. Rough grading is to the subgrade elevations of the topsoil and subgrade elevations of other surfaces.

B. Subgrade Excavation

1. Excavate subsoil from areas where the subgrade elevations are lower than the existing subgrade elevations.
2. Excavate to subgrade elevations within plus or minus 0.1 foot.

C. Filling

1. Place excavated earth in areas where the proposed subgrade is above the existing subgrade elevations.
2. Place earth fill in one layer to proposed subgrade elevations within plus or minus 0.1 foot of final subgrade elevation as follows:
 - a. Layer thickness shall be dependent on the soil classification type, weight, and soil contact pressure of compaction equipment being used.
 - b. Compact each layer of travel using a compaction method appropriate for soil material being compacted and provide sufficient soil contact pressure to thoroughly compact entire lift thickness.

Attachment 3

Clean Fill Test Results

NORTHERN LAKE SERVICE, INC.
 Analytical Laboratory and Environmental Services
 400 North Lake Avenue - Crandon, WI 54520
 Ph: (715)-478-2777 Fax: (715)-478-3060

ANALYTICAL REPORT

WDNR Laboratory ID No. 721026460
 WDATCP Laboratory Certification No. 105-330
 EPA Laboratory ID No. WI00034

Printed: 10/10/08 Code: S Page 1 of 1

Client: Flambeau Mining Company
 Attn: Jana Murphy
 N4100 Highway 27
 Ladysmith, WI 54848

NLS Project: 124087

NLS Customer: 11750

Fax: 715 532 6885 Phone: 715 532 6690

Project: CPL Fill 08

Top Soil RT NLS ID: 498129

COC: 104603:1 Matrix: SO
 Collected: 10/08/08 10:30 Received: 10/09/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	7.2	mg/Kg DWB	1	0.27	0.92	10/10/08	SW846 6010	721026460
Solids, total on solids	83.8	%	1	0.10*		10/09/08	ASTM D2216	721026460
Metals digestion - tot. recov (solid) ICP	yes					10/09/08	SW846 3050M	721026460

Gravel RT NLS ID: 498130

COC: 104603:2 Matrix: SO
 Collected: 10/08/08 10:40 Received: 10/09/08

Parameter	Result	Units	Dilution	LOD	LOQ	Analyzed	Method	Lab
Copper, tot. recoverable as Cu by ICP	31	mg/Kg DWB	1	0.23	0.77	10/10/08	SW846 6010	721026460
Solids, total on solids	91.5	%	1	0.10*		10/09/08	ASTM D2216	721026460
Metals digestion - tot. recov (solid) ICP	yes					10/09/08	SW846 3050M	721026460

Values in brackets represent results greater than or equal to the LOD but less than the LOQ and are within a region of "Less-Certain Quantitation". Results greater than or equal to the LOQ are considered to be in the region of "Certain Quantitation". LOD and/or LOQ tagged with an asterisk(*) are considered Reporting Limits. All LOD/LOQs adjusted to reflect dilution.

LOD = Limit of Detection LOQ = Limit of Quantitation ND = Not Detected (< LOD) 1000 ug/L = 1 mg/L
 DWB = Dry Weight Basis NA = Not Applicable %DWB = (mg/kg DWB) / 10000
 MCL = Maximum Contaminant Levels for Drinking Water Samples. Shaded results indicate >MCL.

Reviewed by: _____
 Authorized by:
 R. T. Krueger
 President